

Product Data Sheet

PRODUCT CODE / PART NUMBER: DY6003-HS-094-1G-PU/RUBBER-S1 SRC-SIZE



PRODUCT: Static Dissipative Slip Resistant Safety

Shoes, White

BRAND NAME: EUROSTAT®

FEATURES:

This safety shoe is made of White Micro Fibre PU Synthetic Leather, Mesh Lining, Hi-Poly EVA Insole, Steel Toe Cap, PU Midsole and a Patented Design Slip Resistant Rubber Outsole. Brilliant choice for employees in food & catering industry, doctor & nurse of medical centre & hospital and personal working in all kinds of slippery surfaces environment.

- 200J Impact and 15KN Compression Resistant
- Rubber Outsole with Patented & Unique Design
- Outstanding Slip Resistant, Excellent Grip Performance and Comfort
- Surpassing by 300% of CE Slip-Resistant Standard-SRC



Specifications

Item	Properties / Typical Values	Test Method
Materials	Upper : Microfiber PU Synthetic Leather Toe Cap : Steel Midsole : Static Dissipative PU Outsole : Static Dissipative Rubber	
Footwear only Resistance	< 1.0 × 10 ⁹ ohms	ANSI/ESD STM9.1
Footwear System Resistance	< 1.0 × 10 ⁹ ohms	ANSI/ESD STM9.1
Electrical System Resistance of a person wearing footwear while standing on conductive flooring	< 1.0 × 10 ⁹ ohms	ANSI/ESD STM97.1
Color	Upper : White Sole : White/Grey	
Sizes (European)	37, 38, 39, 40, 41, 42, 43, 44, 45, 46 & 47	
Conformity	1) The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article Annex V of the PPE Regulation EU 2016/425 for Category II products. This has been shown through satisfactory testing to EN ISO 20345:2011 and examination of the Technical File Documentation (Category: S1 SRC) 2) SNI 7079-2009 (NPB 104-116-170603) 3) CNS 20345: 2015 (R3B081)	

RUBBER OUTSOLE (#039)	STEEL TOE CAP (#604)

The values shown above were developed from random samples taken from production material. To the best of our knowledge, we believe them to be typical for the product. However actual values may vary somewhat from those depicted here and Dou Yee Enterprises makes no warranty, expressed or implied, as to the suitability of these materials for any specific use. Customers should determine product suitability based upon their own internal criteria.

Date: 2023 / 2024