sammic

TURBO LIQUIDISER TRX-21

1-speed turbo-mixer





SALES DESCRIPTION

Turbo-blender designed to work in up to 800 litre / 130 gal. bowls.

FEATURES AND BENEFITS

- √ Fully manufactured in stainless steel 18/10.
- √ For mixing and liquidising directly in the pot or pan for making consommés, soups, omelettes, mayonnaise, etc.
- √ Designed for large yields and for frequent use and cleaning, ideal for kitchens with a large production and the food industry.
- √ 1-speed model.
- ✓ Ease of use: can be moved in several directions, adjustable height, fitted on a trolley with 4 non-slip rubber wheels, 2 of them with brakes.
- \checkmark Arm: 600 mm long for blending in any type of cooking pot, whether round or rectangular, equally effective throughout the whole pot.
- \checkmark Balanced liquidiser arm: stops the arm falling or tipping back when not locked.
- √ Arm securing lever: allows you to lock the blender with one hand while holding the trolley with the other.
- √ Watertight, tilted control panel: easy access even during
- √ Control panel located on the trolley, making the arm more agile, with better mobility.
- \checkmark Control panel with built-in timer: you can leave the machine running for up to 60 minutes without the need for user involvement.
- \checkmark Wiring incorporated into the trolley tubes: The work area is free of cables, so as not to hinder the movement of the blender arm.
- ✓ Supports for storing the power supply cable: prevents the cable getting tangled and inconveniencing other users.
- √ The turbine, disc and grille are very easy to remove for cleaning: no tools needed.
- \checkmark The turbine, guard, disc and attachment can be cleaned in dishwashers.
- ✓ For use with 3 easily interchangeable attachments, which meet the needs of all users and ingredients.
- √ 21D for fibrous ingredients
- √ Standard 30D multi-use attachment
- √ 42D attachment for very fine blending

 \checkmark Safety microswitch to control the work position: prevents the turbine working if the arm is too high or low.

√ Safety guard on the liquidiser head and safety device that
cuts out the power supply.











phone +34 943 15 72 36 sales@sammic.com



Project	Date
Item	Qty

KNAMIC PREPARATIO

sammic

TURBO LIQUIDISER TRX-21

1-speed turbo-mixer

SPECIFICATIONS

Maximum recipient capacity: 800 I Liquidising arm length: 600 mm

Total loading: 2200 W Speed (in liquid): 1500 rpm

External dimensions (WxDxH)

√ Width: 568 mm

√ Depth: 1643 mm (963 mm)


√ Height: 1219 mm (1651 mm)


Net weight: 96 Kg


Noise level (1m.): <70 dB(A) Background noise: 32 dB(A)

Crated dimensions

1030 x 710 x 1840 mm







AVAILABLE MODELS

3030501 Turbo liquidiser TRX-21 230-400/50/3N

9500120 TRX-21 1.500rpm - 230-400V / 50 Hz / 3N (with one grid)

* Ask for special versions availability

Accessories

☐ Grids for TRX



Polígono Basarte, 1. 20720 Azkoitia, Spain phone +34 943 15 72 36 sales@sammic.com



Project	Date
Item	Qty