RD.BA3028

Standalone Proximity Reader



RD.BA3028 Proximity Reader is a fully self contained proximity access controller, used as standalone device without personal computer connected



www.entrvpass.net

Reader Standalone Proximity Reader

Characteristics

- Proximity type reader, read range up to 7cm. Reader is potted for water and dust proofing, makes it a popular choice for both indoor and outdoor installation.
- Two-piece enclosure design the reader is patted for weather and hazard proofing.
- Memory capacity store up to 1,000 user cards.
- Cost-effective solution for access and personnel management.
- Access mode selectable
 - 1. Reading proximity card
 - 2. Card data + personal password or main password
 - 3. Key-in card data
- Master code function.
- Security password function.
- User card can be registered / deleted in single or batch mode (with consecutively number).
- Alarm activated when wrong password being input more than five time.
- Force alarm function.
- Key beeper sound selectable.
- Drive time of electric lock and alarm relays programmable (1~99 seconds).
- Time out function will be activated to reset the whole device when any function halt more than 25 second.
- Drive relay board separated from controller 'module design'higher safety index.
- Anti-duress function available.
- Arm or disarm connected security system

Technical Specification

| Model | RD.BA3028 |
|-----------------------|--|
| Reader Type | Proximity |
| Reading Range | Up to 70mm (in noise-free environment) |
| LED Indicator | bi-color LED (Green/Red) |
| Memory Buffer | 1,000 card holders |
| Case Material | ABS |
| Dimension | 23 (D) x 75 (W) x 112 (H) mm |
| Weight | 250 gm (MAX) |
| Working Voltage | DC 10-15 volt |
| Power Consumption | 200mA @ 12 VDC |
| Operation Temperature | 0°C to 70°C |
| Humidity | 5% to 95% (No condensation) |
| Approved | CE |
| | |





Ordering Information

RD.BA3028

Entrypass Standalone Proximity Reader



www.entrypass.net

Malaysia

No. 40, Jalan TPP 1/10, Taman Industri Puchong, Batu 12 Jalan Puchong, 47160 Puchong Selangor Darul Ehsan, Malaysia.

Tel :+603 8068 1929
Fax :+603 8062 6937
Email :info@entrypass.net

Singapore

No. 1, UBI View, #03-03, Focus ONE Building, Singapore 408555.

Tel : +65- 6841 7242
Fax : +65- 6841 3937
Email : info@entrypass.net

Indonesia

Rukun Puri Mutiara, Block BF No.17, Jln Griya Utama, Sunter Agung, Jakarta Utara, 14350, Indonesia.

Tel: +62 21 2937 6098 Email: indonesia@bricomp.net