

THE WORLD'S SPRAY GUN EXPERT IN CHINA



LIS INDUSTRIAL MAKE THE DIFFERENCE.

ADD : Hengxi Industrial Zone, Yinzhou District, Ningbo, China

Z I P : 315131

T E L : +86-574-88068716

F A X : +86-574-88068788

E-mail:sales@lispraygun.com

www.lispraygun.com



THE WORLD'S SPRAY GUN EXPERT IN CHINA

VOYLET® WAGEMA®
Muzi® Innomeliior®

Milestones

1984

Established a small factory with 25 workers to manufacture various metal parts.

1992

Started to produce complete spray guns.

1995

Founded Ningbo Lis Industrial Co., Ltd.

First brand "Muzi" was registered.

1997

Started to export spray guns to overseas.

1999

2000

Accredited with ISO9001.

2001

Second brand "Voylet" was registered.

2004

Moved to the new location with total floor area exceeding 40,000 square meters.

2006

Annual export reached 25 million US Dollars.

2006

Expanded the capacity to 14 production lines and 400 employees.

2010

2011

Accredited with ISO14001. Annual turnover reached 40 million US Dollars.

2014

Registered two new brands "PNTgreen" & "Innomelior".

2016

Automation lathes use manipulator.

2016

MISSION:

By continuous innovative design, high-quality products and services, creating utmost value to global customers, the company aims at servicing the whole world in paint application industry and being a responsible enterprise to investors, customers, employees, suppliers and the society.

VISION:

Focused on painting industry, the company strives to fulfill world-wide and domestic painting needs by providing professional and high-quality products, services and solutions.

CORE VALUES

Teamwork Honesty quality Innovation

Founded in 1984;
Floor Area 400,000 square feet;
480 employees;

Capacity:10,000 guns per day;
Certificatos:



CONTENTS



NEW PRODUCTS Page 1-4



TOP quality Page 5-6



HVLP Spray Guns Page 7-10



Heavy Duty Spray Guns Page 11-16



PRO Touch-up Spray Guns Page 17-20



Woodworking Low Pressure Spray Guns Page 21-23



Economical Conventional Spray Guns Page 24-29



Texture Paint Spray Guns Page 30



Paraffin Guns (washing gun series) Page 31-32



Air Blowing Guns Page 33-35



Sandblast Guns Page 36-37



Foam Guns Page 37

CONTENTS



Tyre Inflating Guns Page 38-39



Water Guns & Grease Guns Page 40



Automatic Spray Guns Page 41



Air Brushes Page 42



Mini Oil-Free Compressors Page 43-44



Air Pipeline Accessories Page 45-48



Paint Tanks Page 49-50



Paint Cups Page 51-52



Air Fittings & Accessories Page 53-55



Air Polishers Page 56



Spray Gun Kits Page 57-60



LS230

+ This style of spray gun is better for the environment and the long spray Pattern could improve work efficiency and save paint.

- Fluid nozzle(mm): 1.3/1.7/2.0
- Spray length: 230mm
- Air pressure: 43 PSI
- Capacity of cup: 600ml
- Feed type: Gravity



Fluid Nozzle: 1.3, 1.7, 2.0 •
Air Pressure: 43PSI •
Feed Type: Gravity • Capacity Of Cup: 600ml •



LS101

The improved design with side-mounted cup, high-transfer efficiency control and superior atomization. New air cap design with increased pattern stability improves atomization.

- LS101G: gravity type
- LS101S: Suction type
- LS101P: pressure type

- 1 Fluid nozzle(mm): 1.5
- 2 Spray length: 180mm
- 3 Air pressure: 60 PSI
- 4 Capacity of cup: 400ml for gravity type
750ml for suction type



AFRL90

NEW

The filter /regulator combines a general purpose filter with a pressure regulator in one compact unit. The filter is designed to remove most liquid and solid particles from the air supply. The self-relieving pressure regulator is used to adjust the outlet pressure between 0-140 PSI.



- Pressure Rang: 10-120 PSI
- Max pressure: 140 PSI
- Air inlet/outlet: G1/4", G3/8" or G1/2"

Mini6

Designed and manufactured for the purpose of small-area coating, repair or maintenance.

Fluid nozzle
(mm) : 0.5

Spray length:
130 mm

Air pressure:
50 PSI

Capacity of
cup: 125ml

Feed type:
side cup



NEW

- Improved atomizing performance
- A change in the grip shape gives a better touch.
- Beautiful shape give a better feel.

IDEAL FOR HIGH-END AUTOMOTIVE FINISHING & HIGH-QUALITY WOODWORKING

S355



The only No-Need-to-Replace nozzle worldwide: Patent Pending
 the paint needle seal resulting in savings in terms of time and money.
 All control elements can be easily operated even when wearing protective gloves
 World-class atomization
 Superior durability, reduce cost of use
 Forged aluminium body, fine polished and anodized
 Comfortable spring force, ergonomic design: Patent Design
 Passed sophisticated performance test, life test and field test
 Equipped with unique foldable stand (S35G only): Patent Design



The only
 No-Need-to-Replace
 nozzle worldwide:
 Patent Pending



-Unique protruding
 Logo, reflect unique
 personality




-Supplementary trigger
 lock, avoid accidental
 spraying: Patent
 Design



-360° swivel joint, avoid
 hose twisting and relieve
 your wrist

S35G



Luxury, Perfection, Durability

Created in China

Specially Engineered for Art of Painting

HVLP SPRAY GUNS



LS-30

Applications

- Plastic Coating
- Automotive Coating
- Metal Coating
- Woodwork Coating

- the thread of fluid screw is perfectly suitable for cup, without seal and still couldn't leak.
- Forged aluminium body, fine polished and anodized
- The robust air cap is made of chrome-plated brass, while paint needle and fluid tip are manufactured from tempered stainless steel.
- All control elements can be easily operated
- 360°swivel joint, avoid hose twisting and relieve your wrist
- Improved atomizing performance



LS30

Fluid Nozzle(mm)(etc):1.3 / 1.7 / 2.0
Air pressure(PSI): 29
Capacity of Cup(ML): 600
Feed Type: Gravity
Air Inlet: G1/4"
Carton size(cm)(10pcs/cdn):64.5 * 34 * 24.5

N2001

Fluid Nozzle(mm)(etc):1.3 / 1.7 / 2.0
Air pressure(PSI): 29
Capacity of Cup(ML): 600
Feed Type: Gravity
Air Inlet: G1/4"
Carton size(cm)(10pcs/cdn):64.5 * 34 * 24.5



N2001S

Fluid Nozzle(mm)(etc):1.3 / 1.7 / 2.0
Air pressure(PSI): 29
Capacity of Cup(ML): 1000
Feed Type: Suction
Air Inlet: G1/4"
Carton size(cm)(10pcs/cdn):64.5 * 34 * 24.5

N2001H

Fluid Nozzle(mm)(etc):1.3 / 1.7 / 2.0
Air pressure(PSI): 29
Capacity of Cup(ML): 1000
Feed Type: Suction
Air Inlet: G1/4"
Carton size(cm)(10pcs/cdn):64.5 * 34 * 24.5

HVLP SPRAY GUNS



ST2001

Fluid Nozzle(mm)(etc):1.3 / 1.7 / 2.0
 Air pressure(PSI): 29
 Capacity of Cup(ML): 600
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/ctn):64.5 * 34 * 24.5



N125

Fluid Nozzle(mm)(etc):0.5 / 0.8 / 1.0
 Air pressure(PSI): 29
 Capacity of Cup(ML): 125
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(20pcs/ctn):53 * 28 * 39



H881

Fluid Nozzle(mm)(etc):1.4 / 1.7 / 2.0
 Air pressure(PSI):43
 Capacity of Cup(ML): 600
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/ctn):68 * 24 * 26



AS1001

Fluid Nozzle(mm)(etc):1.4 / 1.7 / 2.0
 Air pressure(PSI):43
 Capacity of Cup(ML):600
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/ctn):84.5 * 47 * 16



H827

Fluid Nozzle(mm)(etc):1.4 / 1.7 / 2.0
 Air pressure(PSI):43
 Capacity of Cup(ML): 600
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/ctn):62 * 24 * 28



HK827

Fluid Nozzle(mm)(etc):1.4 / 1.7 / 2.0
 Air pressure(PSI):43
 Capacity of Cup(ML): 600
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/ctn):62 * 24 * 28



P327

Fluid Nozzle(mm)(etc):1.4 / 1.7 / 2.0
 Air pressure(PSI):43
 Capacity of Cup(ML): 600
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/ctn):66 * 24 * 29



H2001

Fluid Nozzle(mm)(etc):0.5 / 0.8 / 1.0
 Air pressure(PSI):43
 Capacity of Cup(ML): 125
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(20pcs/ctn):38 * 36.5 * 24

HEAVY DUTY SPRAY GUNS

- LS101G: gravity type
- LS101S: Suction type
- LS101P: pressure type



LS101S

The improved design with side-mounted cup, high-transfer efficiency control and superior atomization. New air cap design with increased pattern stability improves atomization.

- Fluid nozzle(mm): 1.5
- Spray length: 180mm
- Air pressure: 60 PSI
- Capacity of cup: 400ml for gravity type
750ml for suction type



LS101G

Fluid Nozzle(mm)(etc):1.5
Spray length(mm): 180
Air pressure(PSI): 60
Capacity of Cup(ML): 400ml for gravity type
750ml for suction type
Carton size(cm)(10pcs/cart):82 * 42 * 15



AB17G

Fluid Nozzle(mm)(etc):1.4 / 1.7 / 2.0
Air pressure(PSI): 43
Capacity of Cup(ML): 600
Feed Type: Gravity
Air Inlet: G1/4"
Carton size(cm)(10pcs/cart):84.5 * 49 * 16



AB17S

Fluid Nozzle(mm)(etc):1.4 / 1.7 / 2.0
Air pressure(PSI): 50
Capacity of Cup(ML):1000
Feed Type: Suction
Air Inlet: G1/4"
Carton size(cm)(10pcs/cart):84.5 * 49 * 16



9801G

Fluid Nozzle(mm)(etc):1.5 / 1.8 / 2.0
Air pressure(PSI): 50
Capacity of Cup(ML): 400
Feed Type: Gravity
Air Inlet: G1/4"
Carton size(cm)(20pcs/cart):52 * 42 * 28

HEAVY DUTY SPRAY GUNS



9801S

Fluid Nozzle(mm)(etc):1.4 / 1.6 / 1.8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 600
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(20pcs/cdn):84.5 * 44 * 27



4001G

Fluid Nozzle(mm)(etc):1.4 / 1.7 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 600
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):77 * 23 * 30



4001A

Fluid Nozzle(mm)(etc):1.8 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 1000
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):57 * 39 * 32



GX500G

Fluid Nozzle(mm)(etc):1.4 / 1.8 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 400
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):84.5 * 49 * 16



4001S

Fluid Nozzle(mm)(etc):1.4 / 1.7 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 1000
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):57 * 38 * 32



4001B

Fluid Nozzle(mm)(etc):1.4 / 1.7 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 600
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):77 * 23 * 30



GX500S

Fluid Nozzle(mm)(etc):1.5 / 1.8 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 750
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):84.5 * 49 * 16



W400

Fluid Nozzle(mm)(etc):1.4 / 1.6 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 600
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):84.5 * 44 * 15

HEAVY DUTY SPRAY GUNS



W200

Fluid Nozzle(mm)(etc):1.4 / 1.7 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 1000
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):57 * 38 * 32.5



GX5002

Fluid Nozzle(mm)(etc):1.4 / 1.7 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 600
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):72 * 23 * 27



MZ2001

Fluid Nozzle(mm)(etc):1.4 / 1.7 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 1000
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):57 * 39 * 32



J4001

Fluid Nozzle(mm)(etc):1.4 / 1.7 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 1000
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):57 * 39 * 32



H90

Fluid Nozzle(mm)(etc):2.0 / 2.5 / 3.0 / 3.5
 Air pressure(PSI): 50
 Capacity of Cup(ML): 600
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):65 * 44.5 * 19



S701

Fluid Nozzle(mm)(etc):1.4 / 1.7 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 1000
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):57 * 39 * 32



R100

Fluid Nozzle(mm)(etc):1.5
 Air pressure(PSI): 50
 Feed Type: Pressure
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):60 * 20.5 * 36.5



GR-18

Fluid Nozzle(mm)(etc):2.8 / 2.9 / 3.2
 Air pressure(PSI): 50
 Feed Type: Pressure
 Air Inlet: G1/4"
 Carton size(cm)(20pcs/cdn):46 * 34 * 22

PRO TOUCH-UP SPRAY GUNS



Mini6

Designed and manufactured for the purpose of small-area coating, repair or maintenance.

- Improved atomizing performance
- A change in the grip shape gives a better touch.
- Beautiful shape give a better feel.



MINI6

Fluid Nozzle(mm)(etc):0.5
Air pressure(PSI): 50
Capacity of Cup(ML): 125
Feed Type: Side cup



H308

Fluid Nozzle(mm)(etc):1.5 / 1.8
Air pressure(PSI): 50
Capacity of Cup(ML): 200
Feed Type: Suction
Air Inlet: G1/4"
Carton size(cm)(20pcs/ctn):48 * 35.5 * 40



H125

Fluid Nozzle(mm)(etc):0.5 / 0.8 / 1.0
Air pressure(PSI): 29
Capacity of Cup(ML): 125
Feed Type: Gravity
Air Inlet: G1/4"
Carton size(cm)(20pcs/ctn):53 * 28 * 37



H2001

Fluid Nozzle(mm)(etc):0.5 / 0.8V1.0
Air pressure(PSI): 29
Capacity of Cup(ML): 125
Feed Type: Gravity
Air Inlet: G1/4"
Carton size(cm)(20pcs/ctn):38 * 36.5 * 24

PRO TOUCH-UP SPRAY GUNS



CV

Fluid Nozzle(mm)(etc):0.5
Air pressure(PSI): 50
Capacity of Cup(ML):125
Feed Type: Gravity
Air Inlet: G1/4"
Carton size(cm)(40pcs/ctn):59 * 53 * 27.5



CO

Fluid Nozzle(mm)(etc):0.5
Air pressure(PSI): 50
Capacity of Cup(ML):125
Feed Type: Gravity
Air Inlet: G1/4"
Carton size(cm)(40pcs/ctn):59 * 53 * 27.5



DI/3

Fluid Nozzle(mm)(etc):0.5
Air pressure(PSI): 50
Capacity of Cup(ML):125
Feed Type: Gravity
Air Inlet: G1/4"
Carton size(cm)(20pcs/ctn):47 * 35.5 * 29



X3A

Fluid Nozzle(mm)(etc):0.5
Air pressure(PSI): 50
Capacity of Cup(ML):125
Feed Type: Gravity
Air Inlet: G1/4"
Carton size(cm)(20pcs/ctn):54 * 34 * 24



F2

Fluid Nozzle(mm)(etc):0.5
Air pressure(PSI): 50
Capacity of Cup(ML):125
Feed Type: Gravity
Air Inlet: G1/4"
Carton size(cm)(20pcs/ctn):46 * 34 * 29



V-3

Fluid Nozzle(mm)(etc):0.5 / 0.8
Air pressure(PSI): 50
Capacity of Cup(ML): 125
Feed Type: Gravity
Air Inlet: G1/4"
Carton size(cm)(20pcs/ctn):47 * 35.5 * 29

WOODWORKING LOW PRESSURE SPRAY GUNS



L430

Designed and manufactured for spraying low viscosity materials at low air pressure. Ideal for woodworking painting applications.



MZ112

Fluid Nozzle(mm)(etc):1.3
Air pressure(PSI): 35
Capacity of Cup(ML): 1000
Feed Type: Suction
Air Inlet: G1/4"
Carton size(cm)(10pcs/ctn):57 * 33.6 * 29.5



MD472

Fluid Nozzle(mm)(etc):1.3
Air pressure(PSI): 35
Capacity of Cup(ML): 1000
Feed Type: Suction
Air Inlet: G1/4"
Carton size(cm)(10pcs/ctn):57 * 34 * 30



ISG867

Fluid Nozzle(mm)(etc):1.3
Air pressure(PSI): 35
Capacity of Cup(ML): 1000
Feed Type: Suction
Air Inlet: G1/4"
Carton size(cm)(10pcs/ctn):57 * 33.6 * 29.5



MZ527

Fluid Nozzle(mm)(etc):1.3
Air pressure(PSI): 35
Capacity of Cup(ML): 1000
Feed Type: Suction
Air Inlet: G1/4"
Carton size(cm)(10pcs/ctn):57 * 32 * 28.5

WOODWORKING LOW PRESSURE SPRAY GUNS

ECONOMICAL CONVENTIONAL SPRAY GUNS



MGQ300

Fluid Nozzle(mm)(etc):1.3
 Air pressure(PSI): 35
 Capacity of Cup(ML): 1000
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):57 * 34 * 28.5



MGQ500

Fluid Nozzle(mm)(etc):1.3
 Air pressure(PSI): 35
 Capacity of Cup(ML): 1000
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):57 * 34 * 28.5



W716

Fluid Nozzle(mm)(etc):1.0 / 1.3 / 1.5 / 1.8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 400
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):82 * 42 * 15



S710G

Fluid Nozzle(mm)(etc):1.0 / 1.3 / 1.5 / 1.8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 400
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):84.5 * 44 * 15



HL112

Fluid Nozzle(mm)(etc):1.3
 Air pressure(PSI): 35
 Capacity of Cup(ML): 1000
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):57 * 37 * 29.5



NZ472

Fluid Nozzle(mm)(etc):1.3
 Air pressure(PSI): 35
 Capacity of Cup(ML): 600
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):54 * 32 * 26



F100G

Fluid Nozzle(mm)(etc):1.0 / 1.3 / 1.5 / 1.8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 400
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):62 * 22 * 26

ECONOMICAL CONVENTIONAL SPRAY GUNS



F75G

Fluid Nozzle(mm)(etc):1.0 / 1.3 / 1.5 / 1.8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 400
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(20pcs/ctn):84.5 * 44 * 27



W77G

Fluid Nozzle(mm)(etc):1.5 / 1.8 / 2.0 / 2.5
 Air pressure(PSI): 50
 Capacity of Cup(ML): 400
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/ctn):84.5 * 44 * 15



S990G

Fluid Nozzle(mm)(etc):1.3 / 1.5 / 1.8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 600
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(20pcs/ctn):68.5 * 47.5 * 26



E70

Fluid Nozzle(mm)(etc):1.5 / 1.8 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 600
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(20pcs/ctn):68 * 33 * 42



S770G

Fluid Nozzle(mm)(etc):1.5 / 1.8 / 2.0 / 2.0 / 2.5
 Air pressure(PSI): 50
 Capacity of Cup(ML): 400
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/ctn):74.5 * 46 * 15



S590G

Fluid Nozzle(mm)(etc):1.3 / 1.5 / 1.8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 600
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(20pcs/ctn):68.5 * 47.5 * 26



G80

Fluid Nozzle(mm)(etc):1.5 / 1.8 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 600
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(20pcs/ctn):74.5 * 46.5 * 27



W77S

Fluid Nozzle(mm)(etc):1.5 / 1.8 / 2.0 / 2.5
 Air pressure(PSI): 50
 Capacity of Cup(ML): 1000
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/ctn):84.5 * 44 * 15

ECONOMICAL CONVENTIONAL SPRAY GUNS



S770S

Fluid Nozzle(mm)(etc):1.5 / 1.8 / 2.0 / 2.5
 Air pressure(PSI): 50
 Capacity of Cup(ML): 1000
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):57 * 39 * 32



G70

Fluid Nozzle(mm)(etc):1.5 / 1.8 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 1000
 Feed Type:Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):54.5 * 35 * 55



PQ2UA

Fluid Nozzle(mm)(etc):1.8 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 1000
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):57 * 39 * 32



W71S

Fluid Nozzle(mm)(etc):1.0 / 1.3 / 1.5 / 1.8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 600
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):82 * 42 * 15



E30

Fluid Nozzle(mm)(etc):1.5 / 1.8 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 1000
 Feed Type:Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):57 * 38.5 * 29.5



PQ2U

Fluid Nozzle(mm)(etc):1.8 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 1000
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):57 * 37 * 31



F100S

Fluid Nozzle(mm)(etc):1.0 / 1.3 / 1.5 / 1.8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 600
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):54.5 * 34 * 28



SS90S

Fluid Nozzle(mm)(etc):1.3 / 1.5 / 1.8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 750
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(20pcs/cdn):56 * 36 * 54.5

ECONOMICAL CONVENTIONAL SPRAY GUNS

TEXTURE PAINT SPRAY GUNS



S990S

Fluid Nozzle(mm)(etc):1.3 / 1.5 / 1.8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 750
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(20pcs/cdn):56 * 36 * 54.5



F75S

Fluid Nozzle(mm)(etc):1.0 / 1.3 / 1.5 / 1.8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 750
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(20pcs/cdn):84.5 * 44 * 27



FR300

Fluid Nozzle(mm)(etc):with three nozzles 4 / 6 / 8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 6000
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(6pcs/cdn):74 * 50 * 35



FR301

Fluid Nozzle(mm)(etc):with three nozzles 4 / 6 / 8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 6000
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(6pcs/cdn):74 * 50 * 35



S710S

Fluid Nozzle(mm)(etc):1.0 / 1.3 / 1.5 / 1.8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 700
 Feed Type: Suction
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):84.5 * 44 * 15



GE70

Fluid Nozzle(mm)(etc):1.5 / 1.8 / 2.0
 Air pressure(PSI): 50
 Capacity of Cup(ML): 600(Gravity) and 1000(Suction)
 Feed Type: Gravity and Suction 2 in 1
 Air Inlet: G1/4"
 Carton size(cm)(10pcs/cdn):57 * 48 * 28



FR302

Fluid Nozzle(mm)(etc):with three nozzles 4 / 6 / 8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 6000
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(4pcs/cdn):74 * 58 * 39



FR305

Fluid Nozzle(mm)(etc):with three nozzles 4 / 6 / 8
 Air pressure(PSI): 50
 Capacity of Cup(ML): 6000
 Feed Type: Gravity
 Air Inlet: G1/4"
 Carton size(cm)(4pcs/cdn):52 * 52 * 45

PARAFFIN GUNS (WASHING GUN SERIES)



AG00

Air inlet: G1/4"
Rated Pressure(PSI): 90
Max Pressure(PSI): ≤ 150
Capacity(CC): 600
Carton size(cm)(20pcs/cartn): 59 * 43.5 * 45

DO10

Air inlet: G1/4"
Rated Pressure(PSI): 90
Max Pressure(PSI): ≤ 150
Capacity(CC): 600
Carton size(cm)(20pcs/cartn): 59 * 43.5 * 45

DG10EC

Air inlet: G1/4"
Rated Pressure(PSI): 90
Max Pressure(PSI): ≤ 150
Capacity(CC): 750
Carton size(cm)(20pcs/cartn): 59 * 43.5 * 45

DO1000

Air inlet: G1/4"
Rated Pressure(PSI): 90
Max Pressure(PSI): ≤ 150
Capacity(CC): 1000
Carton size(cm)(20pcs/cartn): 57 * 45 * 55



DO60

Air inlet: G1/4"
Rated Pressure(PSI): 90
Max Pressure(PSI): ≤ 150
Capacity(CC): 600
Carton size(cm)(20pcs/cartn): 57 * 44 * 37

DG10ECB

Air inlet: G1/4"
Rated Pressure(PSI): 90
Max Pressure(PSI): ≤ 150
Capacity(CC): 600
Carton size(cm)(20pcs/cartn): 59 * 46.5 * 46

DG10ECA

Air inlet: G1/4"
Rated Pressure(PSI): 90
Max Pressure(PSI): ≤ 150
Capacity(CC): 1000
Carton size(cm)(20pcs/cartn): 59 * 46.5 * 46

AIR BLOWING GUNS



B300



DG10S-1 SHORT NOZZLE // DG10S-2 MIDDLE NOZZLE // DG10S-3 LONG NOZZLE



DG10-1 SHORT NOZZLE // DG10-2 MIDDLE NOZZLE // DG10-3 LONG NOZZLE



K601-1 SHORT NOZZLE // K601-2 MIDDLE NOZZLE // K601-3 LONG NOZZLE



DG10B-1 SHORT NOZZLE // DG10B-2 MIDDLE NOZZLE // DG10B-3 LONG NOZZLE



BG-1 SHORT NOZZLE // BG-2 MIDDLE NOZZLE // BG-3 LONG NOZZLE

AIR BLOWING GUNS



DG60-1 SHORT NOZZLE // **DG60-2 MIDDLE NOZZLE** // **DG60-3 LONG NOZZLE**



DG50 // **DG30**



DG10EX // **DG100** // **K601B**

SANDBLAST GUNS



PS2 // **PS3** // **PS4**




PS5 // **PS9** // **PS10**

Model	Carton size(cm)	Qty Per Ctn(pcs)
PS2	59*36*28.5	20
PS3	45*45*37	10
PS4	58*37.5*34	10
PS9	42*39*31.5	10
PS10	63*32*58	10
PS5	58*31.5*25.5	10

Model	PS2 / PS3 / PS4 / PS9 / PS10 / PS5
Rated Pressure	70PSI
Max Pressure	≤ 150PSI

SANDBLAST GUNS / FOAM GUNS



PS8

626

Model	Carton size(cm)	Qty Per Ctn(pcs)
PS8	59*31.5*25.5	10
626	59*24*29	10
Model	PS8 / 626	
Rated Pressure	70PSI	
Max Pressure	≤ 150PSI	



PG1

Model	Carton size(cm)	Qty Per Ctn(pcs)
PG1	64*29.5*29	20

TYRE INFLATING GUNS



DG10Y

G60

G52



TG4

TG5

Model	Carton size(cm)	Qty Per Ctn(pcs)
DG10Y	44 * 34 * 23	20
G60	36 * 36 * 27.5	20
G52	57 * 29 * 28	20
TG4	36 * 36 * 27.5	20
TG5	57 * 29 * 28	20
Model	DG10Y / G60 / G52TG4 / TG5	
Rated Pressure	150PSI	
Max Pressure	≤ 220PSI	

TYRE INFLATING GUNS



Model	Carton size(cm)	Qty Per Ctn(pcs)
TG6	57 * 29 * 28	20
TG7	46 * 24 * 22	20
TG12	57 * 29 * 28	20
TG90	44 * 32 * 27	10

Model	TG6 / TG7 / TG12 / TG90
Rated Pressure	150PSI
Max Pressure	≤ 220PSI

WATER GUNS & GREASE GUNS



Model	Carton size(cm)	Qty Per Ctn(pcs)
HYQ11	47.5 * 41 * 32	10
KCG451	42 * 29 * 34.5	10
V103	36 * 33 * 34.5	10

Model	HYQ11 / KCG451 / V103
Air Inlet	G1/4"
Rated Pressure	70PSI
Max Pressure	140PSI

AUTOMATIC SPRAY GUNS



ST5

ST6



ST7

A100B

Model	Carton size(cm)	Qty Per Ctn(pcs)
ST5	44 * 34 * 22	50
ST6	44 * 34 * 22	50

Model	ST5 / ST6 / ST7 / A100B
Fluid Nozzle	0.8mm / 1.0 / 1.5mm(etc)
Air pressure(Psi)	50PSI
Air Inlet	G1/4"

AIR BRUSHES



ABS-1

Operating Pressure: 15-50PSI
 Spray pattern adjusts from 1/4" to 1-1/2"
 Carton size: 25 * 21 * 27cm (10pcs/ctn)

ABS-128

Body Length:150mm
 Nozzle Dia:0.35mm
 PU Air Hose: 5ft
 Spanner:1pcs
 Metal Hanger:1PCS
 Control: Push-Button
 Glass Jars:2CC
 Carton size: 24.5 * 21 * 26cm (10pcs/ctn)

ABS-130

Nozzle Dia:0.3mm
 Cup Capacity:7CC
 Working Pressure: 15-50PSI
 Carton size: 24.5 * 21 * 20cm (10pcs/ctn)



ABS132A

Nozzle Dia:0.2 or 0.3mm
 Cup Capacity:7CC
 Working Pressure:15-50PSI
 Carton size: 24.5 * 21 * 20cm (10pcs/ctn)

ABS135A

Nozzle Dia:0.2 or 0.3mm
 Cup Capacity:2CC
 Working Pressure:15-50PSI
 Carton size: 24.5 * 21 * 20cm (10pcs/ctn)

MINI OIL-FREE COMPRESSORS



V-505

fingernail polish
tattoo
sunless tanning
carbeauty
aquarium
amateur model craftwork
make up



V-888

DESCRIPTION: Applications: Ideal for low pressure painting, tyre inflation and air brushing.
Body: High resistance injected aluminum
Electric Motor: 450W, 200/110V 50/60Hz.
Air Displacement: 3.5 CFM
Connector: 1/4" Gas Thread.
Max Pressure: 3BAR



V-777

DESCRIPTION: Applications: Ideal for low pressure painting and air brushing.
Body: High resistance injected aluminum
Electric Motor: 300W, 200/110V 50/60Hz.
Air Displacement: 1.5 CFM
Connector: 1/4" Gas Thread.
Max Pressure: 3BAR



V-505

DESCRIPTION: Applications: Specially designed and manufactured for air brushing.
Body: High resistance injected aluminum
Electric Motor: 95W, 200/110V 50/60Hz.
Air Displacement: 0.65 CFM
Connector: 1/4" Gas Thread.
Max Pressure: 4BAR

AIR PIPELINE ACCESSORIES

AIR PIPELINE ACCESSORIES



AFRL80

Filter/Regulator+Lubricator
 Pressure Rang:10-120PSI
 Max Pressure: ≤140PSI
 Air inlet:G1/4" ;G3/8 or G1/2
 Filtration Precision 40 μ
 Qty Per Ctn(PCS):10
 Carton size(mm):48 * 25.5 * 35.5



AFRL90

Pressure Rang:10-120PSI
 Max pressure: 140 PSI
 Air inlet/outlet: G1/4" ; G3/8" or G1/2"



AFRL980

Filter/Regulator+Lubricator
 Pressure Rang:10-120PSI
 Max Pressure: ≤140PSI
 Air inlet:G1/4" ;G3/8 or G1/2
 Filtration Precision 40 μ
 Qty Per Ctn(PCS):10
 Carton size(mm):48 * 25.5 * 35.5



AFR80A

Filter/Regulator
 Pressure Rang:10-120PSI
 Max Pressure: ≤140PSI
 Air inlet:G1/4" ;G3/8 or G1/2
 Filtration Precision 40 μ
 Qty Per Ctn(PCS):40
 Carton size(mm):55 * 25 * 35



AFR80

Filter/Regulator
 Pressure Rang:10-120PSI
 Max Pressure: ≤140PSI
 Air inlet:G1/4" ;G3/8 or G1/2
 Filtration Precision 40 μ
 Qty Per Ctn(PCS):20
 Carton size(mm):55 * 25 * 35



AF80

Filter
 Max Pressure: ≤120PSI
 Air inlet:G1/4" ;G3/8 or G1/2
 Filtration Precision 40 μ
 Qty Per Ctn(PCS):20
 Carton size(mm):55 * 25 * 34



AL80

Lubricator
 Max Pressure: ≤140PSI
 Air inlet:G1/4" ;G3/8 or G1/2
 Filtration Precision 40 μ
 Qty Per Ctn(PCS):20
 Carton size(mm):55 * 25 * 35



MF80

MINI AIR REGULATOR
 Pressure Rang:10-120PSI
 Max Pressure: ≤140PSI
 Air inlet:G1/4"
 Filtration Precision 40 μ
 Qty Per Ctn(PCS):100
 Carton size(mm):40 * 22 * 23



AR801

MINI AIR REGULATOR
 Pressure Rang:10-120PSI
 Max Pressure: ≤140PSI
 Air inlet:G1/4" ;G3/8 or G1/2
 Filtration Precision 40 μ
 Qty Per Ctn(PCS):50
 Carton size(mm):83 * 31.5 * 16

**AR802**

Pressure Rang: 10-120PSI
 Max Pressure: \leq 140PSI
 Air inlet: G1/4" / 3/8" or G1/2"
 Qty Per Ctn(pcs): 50
 Carton size(mm): 83 * 31.5 * 16

**AR804**

Pressure Rang: 10-120PSI
 Max Pressure: \leq 140PSI
 Air inlet: G1/4"
 Qty Per Ctn(pcs): 50
 Carton size(mm): 52 * 42 * 25

**AC1500 / 2000**

Filter+Regulator+Lubricator
 Pressure Rang: 10-120PSI
 Max Pressure: \leq 140PSI
 Air inlet: G1/8" / AC2000: G1/4"
 Filtration Precision 40 μ

**AFC1500 / 2000**

Filter/Regulator+Lubricator
 Pressure Rang: 10-120PSI
 Max Pressure: \leq 140PSI
 Air inlet: G1/8" / AFC2000: G1/4"
 Filtration Precision 40 μ

**AR805**

Max Pressure: \leq 140PSI
 Air inlet: G1/4"
 Qty Per Ctn(pcs): 50
 Carton size(mm): 102 * 33 * 16

**AR806**

Max Pressure: \leq 140PSI
 Air inlet: G1/4"
 Qty Per Ctn(pcs): 50
 Carton size(mm): 44 * 34 * 22

**BC2000 / 3000 / 4000**

Filter+Regulator+Lubricator
 Pressure Rang: 10-120PSI
 Max Pressure: \leq 140PSI
 Air inlet: G1/4"
 Filtration Precision 40 μ

**BFC2000 / 3000 / 4000**

Filter/Regulator+Lubricator
 Pressure Rang: 10-120PSI
 Max Pressure: \leq 140PSI
 Air inlet: G1/4"
 Filtration Precision 40 μ

PAINT TANKS



2 QT



PT-2



PT-20A



PT-40



pT-8



PT-10



PT-40A



PT-60



PT-10H



PT-20



PT-60A

PAINT TANKS

PAINT CUPS



JAPAN STANDARD



|| TB-1



|| TB-2



|| TB-2B



|| JPF20



|| JPH20



|| JPM20



|| JSF20



|| JSH20



|| AM-3



|| HD-101-new



|| HD-102



|| JSM20



|| JSP20



|| SPCS-J

Specifications:
JAPAN STADARD
 5PCS QUICK COUPLER SET
 1PC FEMALE QUICK CONNECTOR
 3PCS MALE QUICK NIPPLE
 1PC FEMALE QUICK NIPPLE

EU STANDARD



|| 10200



|| DC-2



|| MP-2



|| EPF20



|| EPH20



|| EPM20



|| ESF20



|| FR-2



|| HQ-2



|| JF



|| ESH20



|| ESM20



|| SPCS-E

Specifications:
EU STADARD
 5PCS QUICK COUPLER SET
 1PC FEMALE QUICK CONNECTOR
 3PCS MALE QUICK NIPPLE
 1PC FEMALE QUICK NIPPLE

US STANDARD



UPF20

UPH20

UPM20

USF20



USH20

USM20

5PCS-U

Specifications:
US STANDARD
 5PCS QUICK COUPL SET
 1PC FEMAL QUICK CONNECTOR
 3PCS MALE QUICK NIPPLE
 1PC FEMALE QUICK NIPPLE

G.B STANDARD



BPF20

BPH20

BPM20

BSF20



BSH20

BSM20

5PCS-G.B.

Specifications:
G.B STANDARD
 5PCS QUICK COUPL SET
 1PC FEMAL QUICK CONNECTOR
 3PCS MALE QUICK NIPPLE
 1PC FEMALE QUICK NIPPLE



KMJ325

Applications: Fine grinding and polishing
 Max Speed: 22000RPM



KMJ328

Applications: Fine grinding and polishing
 Max Speed: 22000RPM

SPRAY GUN KITS



MK 6

Specifications

- 13PC Master spray gun cleaning kit 1PC safe goggles
- 8PC Respirator
- 1PC Fresh air supplied half masks
- 2PC Paper hopper filter
- 1PC Exposure suit
- Color Box



AX1

Specifications

- 1PC Spray gun
- 1PC Washing gun
- 1PC Inflating gun
- 1PC Air dust gun
- 1PC Air hose
- Color Box



AX2

Specifications

- 1PC Spray gun
- 1PC Washing gun
- 1PC Inflating gun
- 1PC Air dust gun
- 1PC Air hose
- Color Box

SPRAY GUN KITS



CK130

Specifications

- 13pcs Master spray gun cleaning kit
- Single Blister

DG10A

Specifications

- Rated pressure: 70PSI
- Max. pressure: $\leq 150\text{PSI}$
- 1-Tire Chunk
- 1-Air Blow Gun
- 1-15FT Memory Recoil Air Hose
- Single Blister



SG6

Specifications

- 1PC Spray gun
- 1PC Washing gun
- 1PC Inflating gun
- 1PC Air dust gun
- 1PC Air hose
- Double hose

SG37

Specifications

- 1pc High pressure spray gun PQ-2UA
- 1pc 1000cc Suction paint cup
- 1pc Touch-up spray gun
- 1pc 200cc Suction paint cup
- Air Blow Gun
- 1pc 1/4" Female Quick Connector
- 1pc 1/4" Female Adapter
- 1pc 1/4" Male Adapter

- 2pc 1/4" Female Quick Nipple
- 1pc 1/4" Male Quick Nipple
- 1pc Tapered Rubber Nozzle
- 1pc Inflation Needle
- 2pc Safety Needle
- 1pc Teflon Tape
- 1pc 25FT Memory Recoil Air Hose
- 1pc Cleaning Needle
- 4pc Brush
- 5pc Touch Pick
- 10pc Paper hopper filter



SG143

Specifications

- 1pc Air Blower
- 1pc Touch-up spray gun
- 1pc Air Brush Vinyl Air Hose
- 1pc Fine Head Detail; Air Brush
- 1pc Spray paint Gun

- 1pc Aerosol Propellant Regulator
- 1pc Teflon Tape
- 1pc 25' x1/4 Recoil Air Hose
- 2pc Paint Jars for Cleaning kit
- 5pc Spray Gun Cleaning Kit
- 12pc Quick Coupler set
- 16pc Disposable Paint Filters
- Double Blister



PAS4

Specifications
 Apco Pneumatic Accessory Set
 Rated pressure: 70PSI
 Max.pressure: ≤150PSI
 1-Long size nozzle
 1-Air blow gun
 1-1/4" Female quick nipple
 1-Air hose adapter
 Single Blister



PAS5

Specifications
 Rated pressure: 70PSI
 Max.pressure: ≤150PSI
 1-High Pressure Long size Size nozzle
 1-High Pressure Short size Size nozzle
 1-Air Blow gun
 1-1/4" Female quick nipple
 1-Air hose Coupler
 Double Blister



AP100

Tool Box



AP200

Tool Box



PAS6

Specifications
 Rated pressure: 70PSI
 Max.pressure: ≤150PSI
 1-1/4" Milled Nut
 1-Tire Chuck
 1-Air Blow Gun
 2-Two Size Nozzle
 1-15FT Memory Recoil Air Hose
 Single Blister



PAS12

Specifications
 Rated pressure: 70PSI
 Max.pressure: ≤150PSI
 1-1/4" Male/Female Hose Coupler
 1-Tire Chuck
 1-Quick Coupler
 1-Adapter with inflation Needle
 1-Tapered Rubber Nozzle
 1-Air Blow gun
 2-1/4" Male Quick Connector
 2-1/4" Female Quick Connector
 1-12FT Memory Recoil Air Hose
 Double Blister



DB01

Double Blister



PB-03

Tool Box

