


10B / 12B / 16 Boring Bar / Boring Bar Set

BJ

BT / NT series



Model No.	Dimension					Insert	Screw	Wrench	Weight (kg)
	D	Range	L	L1	H				
BJ 10B 06-24	10	6~8	64	24	9	TBGT0601...L	MS2005A	T6	0.03
BJ 10B 08-32		8~10	64	32					0.03
BJ 10B 10-40		10~12	72	40					0.04
BJ 10B 12-45		12~16	77	27		TPGH0902...L	MS2506A	T9	0.04
BJ 10B 16-45		16~20	77	27					0.05
BJ 10B 20-45		20~25	77	27					0.05
BJ 10B-6PCS/SET	BJ10B06-24, BJ10B08-32, BJ10B 10-40, BJ10B 12-45, BJ10B 16-45, BJ10B 20-45								0.60

Unit: mm




Model No.	Dimension					Insert	Screw	Wrench	Weight (kg)
	D	Range	L	L1	H				
BJ12B06-24	12	6~8	64	24	11	TBGT0601...L	MS2005A	T6	0.03
BJ12B08-32		8~10	64	32					0.03
BJ12B10-40		10~12	72	40					0.05
BJ12B12-45		12~16	77	27		TPGH0902...L	MS2506A	T9	0.05
BJ12B16-45		16~20	77	27					0.06
BJ12B20-45		20~25	77	27					0.06
BJ12B25-45	25~32	77	45	TPGH1103...L	MS3008A	T9	0.07		
BJ 12B-7PCS/SET	BJ12B06-24, BJ12B08-32, BJ12B10-40, BJ12B12-45, BJ12B16-45, BJ12B20-45, BJ12B25-45								0.70

Unit: mm

Model No.	Dimension					Insert	Screw	Wrench	Weight (kg)
	D	Range	L	L1	H				
BJ 1606-40	16	6~8	68	24	15	WBGT0601...L	MS2005A	T6	0.15
BJ 1608-32		8~10	74	32		TBGT0601...L	MS2005A	T6	0.15
BJ 1610-40		10~12	75	40		TPGH0902...L	MS2506A	T9	0.15
BJ 1612-53		12~16	85	53					0.15
BJ 1614-60		14~16	103	60					0.20
BJ 1616-68		16~20	100	68		TPGH1103...L	MS3008A	T9	0.20
BJ 1620-83		20~25	115	35					0.20
BJ 1625-90		25~30	122	35					0.25
BJ 1630-90		30~40	122	40					0.25
BJ 1635-90		35~40	122	40					0.25
BJ 1640-90		40~50	122	40					0.25
BJ 1645-90		45~50	122	40		0.25			
BJ 16-8PCS/SET	BJ1608-32, BJ1610-40, BJ1612-53, BJ1616-68, BJ1620-83, BJ1625-90, BJ1630-90, BJ1640-90								1.90

Unit: mm




- The insert must be ordered separately.
- The boring bar that could be contact with the other size boring head, collet and carbide holder. => refer to P.91
- 刀片為另購品
- 搪孔刀桿可另外選購搪孔頭、套筒及鑄鋼柄搪刀桿使用 => 請參考 P.91

BT / NT
series

ABJ
NBJ

Boring Head / Spare Parts

搪孔刀頭 / 配件



- For the detail size and info, please refer P.92.
- 詳細規格及資料，請參考 P.92

Boring Head / Spare Parts

搪孔刀頭 / 配件


ABJ NBJ

BT / NT series

Collet

Model No.	Dimension		Carbide Holder
	d	D	
EC1608	8	16	SC08-M05...
EC1610	10	16	SC10-M06...
EC1612	12	16	SC12-M06...


Unit: mm



Carbide Holder

Model No.	Dimension			Boring Head	Collet
	D	L	M		
SC08-M05-115	8	115	M05	BE09A, BE10.5A	EC1608
SC10-M06-115	10	115	M06	BE12A	EC1610
SC10-M06-135		135			
SC10-M06-160		160			
SC12-M06-135	12	135	M06	BE14A, BE16A	EC1612
SC12-M06-165		165			
SC16-M10-105	16	105	M10	BE18A~BE50A	-
SC16-M10-140		140			
SC16-M10-180		180			

Unit: mm



Boring Head

Model No.	Dimension					Insert	Screw	Wrench
	d	L	H	M	Range			
BE09A	9	18	7	M05	9~10.5	TP.. 0802..	MS2206A	T7
BE10.5A	10.5				10.5~12			
BE12A	12	23	10	M06	12~14			
BE14A	14				14~16			
BE16A	16				16~18			
BE18A	18	27	14	M10	18~20			
BE20A	20				20~22			
BE22A	22				22~24			
BE24A	24				24~26			
BE26A	26				26~28			
BE28A	28				28~30			
BE30A	30				30~32			
BE32A	32				32~34			
BE34A	34				34~36			
BE36A	36				36~38			
BE38A	38				38~40			
BE40A	40				40~42			
BE42A	42	42~44						
BE44A	44	44~46						
BE46A	46	46~48						
BE48A	48	48~50						
BE50A	50	50~52						

Unit: mm



BT / NT
series

ABJ
NBJ


BM1625 Micro Boring Holder

BM1625 精搪刀桿



Features

- BM1625 micro boring holder matches with ABJ/ NBJ boring head.
- The boring range of BM1625 boring holder is from 29 ~ 68mm.
- BM1625 精搪刀桿適用於 ABJ / NBJ 刀頭
- BM1625 精搪範圍為 29 ~ 68mm



Model No.	Boring Range (ϕ Min.~ ϕ Max.)	WM	Weight (kg)
BM1625-40	-	28	0.30
BM1625-63	-	52	0.40
BM1625-100	-	88	0.60
SRTP2938	29~38	10	0.02
SRTP3652	36~52	12	0.03
SRTP4468	44~68	12	0.05

Unit: mm