HP Color LaserJet Managed Flow MFP E877z Printer Series



Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity.

- Experience speed and performance like no other with our fastest ever 300 ipm⁶ duplex scan technology.
- Work faster and without interruptions with reverse and retry technology that automatically detects and resolves double feed issues.
- Easily scan and capture text from documents with high accuracy with OCR software, increase productivity with the optional accelerator card.
- Save time by simply scanning once and sending to multiple destinations with customized shortcuts built to eliminate steps and improve accuracy.

Customizable solutions built to last.

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.⁷
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of expensive color matching systems.

Always on guard with HP Wolf Security.4

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified³ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- $\bullet \quad \mathsf{HP}\,\mathsf{Memory}\,\mathsf{Shield}^{\mathsf{TM}}\,\mathsf{is}\,\mathsf{an}\,\mathsf{embedded}\,\mathsf{security}\,\mathsf{feature}\,\mathsf{that}\,\mathsf{helps}\,\mathsf{prevent}\,\mathsf{a}\,\mathsf{wide}\,\mathsf{variety}\,\mathsf{of}\,\mathsf{malware}\,\mathsf{attacks}\,\mathsf{from}\,\mathsf{redirecting}\,\mathsf{the}\,\mathsf{execution}\,\mathsf{flow}\,\mathsf{of}\,\mathsf{a}\,\mathsf{program}.$

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁸
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. Printing that puts the planet first
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Silver, Energy Star, and Blue Angel.¹⁰
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to 297 x 432 mm (11x17 in)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to SRA3 (12x18 in)
- 14. 300-sheet dual side ADF supports media sizes up to A3 (11x17 in) (Flow models only)³
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to SRA3 (12x18 in)
- 20. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3 (12x18 in)



Series at a glance

| Model | HP Color LaserJet Managed Flow MFP E877z | | | | | |
|---|---|--|--|--|--|--|
| Product number | 5QK08A | 5QK08A(Base) + 8EP60AAE (Speed license) | 5QK08A(Base) + 8EP61AAE (Speed license) | 5QK08A(Base) + 8EP62AAE (Speed license) | | |
| Print speed (A4 and letter, black and color) ³ | Up to 40 ppm | Up to 50 ppm | Up to 60 ppm | Up to 70 ppm | | |
| Scan speed(A4 and letter, black and color) ⁴ | 150 ppm/300 ipm, simplex/duplex | | | | | |
| Functions | Print, copy, and scan (fax and wireless optional) (all models) | | | | | |
| ADF capacity | 300 sheets | | | | | |
| Input capacity | Standard: 1,140 sheets; Maximum: 6,140 sheets (all models) | | | | | |
| Advanced workflow features | HP EveryPage technology, full size keyboard, embedded OCR, reverse and retry, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, automatically straighten, job separation | | | | | |

Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor.

Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Silver, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

| Service and Support | U03HDE HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HEF HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HBE HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HBE HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HBE HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HBE HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HBE HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HBE HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HME HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HBE HP 4 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HBE HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HBE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HTPE HP 2 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HWPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HWPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HWPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HWPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HWPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HWPE HP 1 year POst Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HWPE HP 2 year POst Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HWPE HP 2 year POst Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HWPE HP 2 year POst W |
|---------------------|--|
| Solutions | Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit |

² Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
3 An administrator must enable the easy-access USB port before use.
4 The EB77 series flow models include a 300-sheet ADF. The EB77 series of models include a 200-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3).
5 Measured using 5 O/EC 24734, excludes First set of test documents. For more information, seeh p. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Front panel optional colors



*Available with optional color panel accessories

```
**Available*

155P7AHP Lazer let honerFinishe 2/3 HolePunch
155P8AHP Lazer let honerFinishe 2/4 HolePunch
190A2AHP Color Lear let Department Hough
190A2AHP Color Lear let Department Hough
190A3AHP Lazer let Department Scale United Hough
190A3AHP Lazer let Department Scale United Hough
190BAAHP Lazer let Department Scale United Hough
190BAAHP Lazer let Department Scale United Hough
190BAAHP Lazer let Department Hough
190BAAHP Lazer let Department Hough
190BAAHP Lazer let Department Hough
190CAHP Color Lazer let Department Hough
190CAHP Lazer let Department Hough
190CAHP
190CAH
Speed Licenses
```

BEP60ABE HP Color Lazer int Managed MP E877 4 0 to SüppmiLicense BEP61ABE HP Color Lazer int Managed MP E877 4 0 to SüppmiLicense BEP62ABE HP Color Lazer int Managed MP E877 4 0 to SüppmiLicense BEP62ABE HP Color Lazer int Managed MP E877 5 to to SüppmiLicense BLB48ABE HP Color Lazer int Managed MP E877 5 to to SüppmiLicense BLB49ABE HP Color Lazer int Managed MP E877 5 to to ToppmiLicense BLB50AAE HP Color Lazer int Managed MP E877 5 to to ToppmiLicense

^{*} Inner finisher/inner finisher holepunches are not compatible with 70ppm ** HP Laser Jet Workflow Accelerator Card, 6HN30A will be available in January 2023.

Technical specifications

| Technical specif | | | | | | | | |
|-------------------------------------|--|---|--|---|---|--|--|--|
| Functions | Print, copy, scan, fax (optional) | | | | | | | |
| Print speed ^{3,4} | Letter Black Letter Color | Up to 40 ppm Up to 40 ppm | Up to 50 ppm (with 8EP60AAE) Up to 50 ppm (with 8EP60AAE) | Up to 60 ppm (with 8EP61AAE) Up to 60 ppm (with 8EP61AAE) | Up to 70 ppm (with 8EP62AAE) Up to 70 ppm (with 8EP62AAE) | | | |
| | A4 Black | Up to 40 ppm | Up to 50 ppm (with 8EP60AAE) | Up to 60 ppm (with 8EP61AAE) | Up to 70 ppm (with 8EP62AAE) | | | |
| | A4 Color | Up to 40 ppm | Up to 50 ppm (with 8EP60AAE) | Up to 60 ppm (with 8EP61AAE) | Up to 70 ppm (with 8EP62AAE) | | | |
| | First page out Letter Black | As fast as 8.2 sec | As fast as 7.6 sec (with 8EP60AAE) | As fast as 7.2 sec (with 8EP61AAE) | As fast as 7.2 sec (with 8EP62AAE | | | |
| | First page out Letter Color | As fast as 9.7 sec | As fast as 8.8 sec (with 8EP60AAE) | As fast as 8.2 sec (with 8EP61AAE) | As fast as 8.0 sec (with 8EP62AAI | | | |
| | First page out A4 Black | As fast as 8.2 sec | As fast as 7.6 sec (with 8EP60AAE) | As fast as 7.2 sec (with 8EP61AAE) | As fast as 7.2 sec (with 8EP62AA) | | | |
| rint resolution | First page out A4 Color | As fast as 9.7 sec | As fast as 8.8 sec (with 8EP60AAE) | As fast as 8.2 sec (with 8EP61AAE) | As fast as 8.0 sec (with 8EP62AAE | | | |
| | Black (best): Up to 1200 x 1200 dpi full speed; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi; Color (best): Up to 1200 x 1200 dpi full speed; Color (normal): U to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi | | | | | | | |
| Print technology | Laser; Optical: Normal (600 x 600 4 | 1 bit); Best (1200 x 1200 1 bit) | | | | | | |
| rint cartridges number | 4 (1 each black, cyan, magenta, ye | low) | | | | | | |
| tandard print languages | HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible | | | | | | | |
| rinter smart software feature | es Print preview, duplex printing, pri | nt multiple pages per sheet (2, 4, | 6, 9, 16), collation, watermarks, store print | jobs, easy-access USB | | | | |
| olor scanning | Yes | | | | | | | |
| can speed Normal ⁵ | Up to 150 ppm/300 ipm (b&w), up to 150 ppm/300 ipm (color); Up to 150 ppm/300 ipm (b&w), up to 150 ppm/300 ipm (color) Duplex: Up to 300 ipm (b&w), up to 300 ipm (color); Up to 300 ipm (color); Up to 300 ipm (color); Up to 300 ipm (color) | | | | | | | |
| ican type / Technology | Flatbed, ADF / Platen Scanner CCD Digital-CIS | | | | | | | |
| can resolution | | | | | | | | |
| | Hardware: Up to 600 x 600 dpi; Optical : Up to 600 x 600 dpi | | | | | | | |
| can file format | PDF, Hi-Compression PDF, PDF/A, Hi-Compression PDF/A, JPEG, TIFF, MTIFF, XPS, PDF (OCR), Hi-Compression PDF (OCR), PDF/A (OCR), Hi-Compression PDF/A (OCR), TEXT (OCR), Unicode TEX (OCR), RTF (OCR), HTML (OCR), CSV (OCR) | | | | | | | |
| Scan input modes | Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications | | | | | | | |
| can Size | ADF Maximum: 305 x 864 mm; ADF | Minimum: 68 x 127 mm; 2.7 x 5 i | in Flatbed: 297 x 432 mm; | | | | | |
| canner advanced features | Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps | | | | | | | |
| ouplex ADF scanning | Yes, single pass duplex scanning | | | | | | | |
| DF capacity | Standard, 300 sheets | | | | | | | |
| wain version | Version 2.4 | | | | | | | |
| it depth / Grayscale levels | 24-bit/256 | | | | | | | |
| | | | | | | | | |
| Digital sending standard eatures | Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to sFTP; send to LAN fax; send to Internet Fax; local address book; SMTP over SSL; aut color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression; scan to multi destination; embedded OCR; auto-tone, auto orientation, auto-page-crop; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation; automatically straighten | | | | | | | |
| Copy speed | Letter Black | Up to 40 cpm | Up to 50 cpm (with 8EP60AAE) | Up to 60 cpm (with 8EP61AAE) | Up to 70 cpm (with 8EP62AAE) | | | |
| ору эрееи | Letter Color | Up to 40 cpm | Up to 50 cpm (with 8EP60AAE) | Up to 60 cpm (with 8EP61AAE) | Up to 70 cpm (with 8EP62AAE) | | | |
| | A4 Black | Up to 40cpm | Up to 50cpm (with 8EP60AAE) | Up to 60cpm (with 8EP61AAE) | Up to 70cpm (with 8EP62AAE) | | | |
| | A4 Color | Up to 40 cpm | Up to 50 cpm (with 8EP60AAE) | Up to 60 cpm (with 8EP61AAE) | Up to 70 cpm (with 8EP62AAE) | | | |
| | Letter Black Duplex Letter Color Duplex | Up to 40 cpm | Up to 50 cpm (with 8EP60AAE) | Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) | Up to 70 cpm (with 8EP62AAE) | | | |
| | A4 Black Duplex | Up to 40 cpm Up to 40 cpm | Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) | Up to 60 cpm (with 8EP61AAE) | Up to 70 cpm (with 8EP62AAE) Up to 70 cpm (with 8EP62AAE) | | | |
| | A4 Color Duplex | Up to 40 cpm | Up to 50 cpm (with 8EP60AAE) | Up to 60 cpm (with 8EP61AAE) | Up to 70 cpm (with 8EP62AAE) | | | |
| | First copy out Letter Black | As fast as 4.9 sec | As fast as 4.2 sec (with 8EP60AAE) | As fast as 3.8 sec (with 8EP61AAE) | As fast as 3.5 sec (with 8EP62AA | | | |
| | First copy out Letter Color | As fast as 6.5 sec | As fast as 5.6 sec (with 8EP60AAE) | As fast as 4.9 sec (with 8EP61AAE) | As fast as 4.3 sec (with 8EP62AA | | | |
| | First copy out A4 Black | As fast as 4.9 sec | As fast as 4.2 sec (with 8EP60AAE) | As fast as 3.8 sec (with 8EP61AAE) | As fast as 3.5 sec (with 8EP62AAI | | | |
| | First copy out A4 Color | As fast as 6.5 sec | As fast as 5.6 sec (with 8EP60AAE) | As fast as 4.9 sec (with 8EP61AAE) | As fast as 4.3 sec (with 8EP62AAE | | | |
| opy resolution | Black (text and graphics): ; Up to 6 | 00 	imes 600 dpi ; Color (text and gra | phics): Up to 600 x 600 dpi | | | | | |
| laximum number of copies | Up to 9999 copies | | | | | | | |
| opier resize | 25 to 400% | | | | | | | |
| opier settings | Two-sided copying; scalability; image adjustments (darkness, contrast, background deanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up; N Z-ordering; content orientation; collation; booklet; ID scan; job build; job storage; watermark; stamps; book mode scans; erase edges; automatically detect color/monochrome; image preview; Image Shift; Paper Selection; collate; Blank Page Suppression; Auto Orientation; Auto Tone; Crop to page; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Pap Color Removal: Job Separation: Automatically Straighten: | | | | | | | |
| ax speed | Up to: 33.6 kbps / Letter: 3 sec per | page | | | | | | |
| ax resolution | | | | | | | | |
| ax Features | Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No | | | | | | | |
| tandard connectivity | 1 Gigabit Ethernet 10/100/1000T r | network; 1 Hardware Integration | n Pocket 2nd generation (HIP2); 1 Hi-Speed U | SB 2.0 (host); 1 SuperSpeed USB 3.0 (d | levice); 1 SuperSpeed USB 3.0 (host | | | |
| etwork capabilities | Standard (built-in GIGABIT 10/100) | | · | • | | | | |
| ireless capability | | | | | | | | |
| obile printing capability | Optional, enabled with purchase of a hardware accessory | | | | | | | |
| emory | Apple Air Print™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print | | | | | | | |
| rocessor speed | Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk) | | | | | | | |
| uty cyde (monthly) | Secure erase capabilities (Secure F | Up to 180,000 pages | Up to 200,000 pages (with | Up to 250,000 pages (with | Up to 300,000 pages (with | | | |
| | A4: | Up to 180,000 pages | 8EP60AAE) Up to 200,000 pages (with 8EP60AAE) | 8EP61AAE) Up to 250,000 pages (with 8EP61AAE) | 8EP62AAE) Up to 300,000 pages (with 8EP62AAE) | | | |
| ecommended monthly page | Up to 60,000 | I | OLI OUNNL/ | OLI JINNL) | OLI OLINILI | | | |
| volume | 5p to 00,000 | | | | | | | |

Technical specifications

| Paper handling | Input Capadities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capadities, Max: Up to 6,140 sheets; Output Capadities: Up to 500 sheets Standard; Up to 100 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3 | | | | |
|--------------------------------------|---|--|--|--|--|
| Media types supported | Plain, HP EccEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-Wiglossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, C Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punch Colored | | | | |
| Media weight supported | Tray 1, 2, 3: 60 to 325 g/m² | | | | |
| Media sizes supported | Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A3, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C6, Envelope B1, Envelope B2, Envelope B3, Envelope B3, Envelope B4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), Oficio, B6, A1, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), Oficio, B6, A1, A4R, A5, A5R, A6, A4R, A5, A5R, A6, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, B6, A1, A4R, A5, A5R, A6, A5R, A6, A6R, A6, A5R, A6, A6R, A6R, A6R, A6R, A6R, A6R, A6R | | | | |
| Media Sizes Custom | Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm | | | | |
| What's in the box | 50K08A in box materials; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums. | | | | |
| Replacement cartridges [†] | HP Black Managed LJ Toner Cartridge (ISO Yield 25,000) W9160MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 22,500) W9161MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 22,500) W9162MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 22,500) W9163MC, HP Black Managed LJ Toner Cartridge (ISO Yield 50,000) W9170MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 45,000) W9171MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 45,000) W9172MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9173MC | | | | |
| Product dimensions | W x d x h: 638.8 x 745.9 x 933.9 mm; Maximum: 1656.7 x 1301 x 1503.9 mm; | | | | |
| Product weight | 104.6 kg; | | | | |
| Warranty features | 90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region. | | | | |
| Energy star certified | Yes | | | | |
| Ecolabels | EPEAT® registered; IT ECO Declaration; Blue Angel | | | | |
| Control panel | 10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker | | | | |
| Display description | 10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD) | | | | |
| Software included | No software solutions are included in the Box only on http://hp.com.http://123.hp.com | | | | |
| Security management | Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: Ipsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPV3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMS | | | | |
| Compatible operating systems | Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS | | | | |
| Compatible network operating systems | Windows 8; Windows Server; Linux; Citrix; UNIX | | | | |
| Minimum system requirements | PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com | | | | |
| Power | Power supply type: Internal (Built-in) power supply: Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 820 watts (40ppm, printing), 890 watts (50ppm, printing), 1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off) | | | | |
| Acoustics | Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 50ppm; 5.40 Bel(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 5.2dB(A), printing color simplex A4 at 40ppm; 5.3dB(A), printing color simplex A4 at 50ppm; 5.4dB(A), active scan): 5.4dB(A), | | | | |
| Operating environment | Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH | | | | |

Messaging Footnotes

1 HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive inclass printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrinterSecurityClaims
Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

3 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices are provided by the composition of the company of the compa

running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf 4 HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit hp.com/wolfsecurity

- HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

 HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- assed on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

 300% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.

9 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

**Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

**Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

- 1 Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.

 2 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, heasured using iso/iEc. 24/34, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁶ For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)













To learn more, visit

© Copyright 2023 HP Development Company, L.P. The information contained here is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty, HP shall not be liable for technical or editional errors or omissions contained herein. ENERGY STAR and the ENERGY STA Linus Torvalds. UNIX is a registered trademark of The Open Group.

