

1/10

PREMISE 200 SC

 Version 2 / MAL
 Revision Date: 15.06.2021

 102000007309
 Print Date: 16.06.2021

SECTION 1: IDENTIFICATION OF THE HAZARDOUS CHEMICAL AND OF THE SUPPLIER

1.1 Product identifier

Trade name PREMISE 200 SC

Product code (UVP) 04869125

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG

Bayer AG Local distributor
Kaiser-Wilhelm-Allee 1 Bayer Co. (Malaysia) Sdn Bhd

51373 Leverkusen B-19-1 & B-19-2,

Germany The Ascent Paradigm,

No. 1, Jalan SS 7/26A, Kelana

Jaya,

47301 Petaling Jaya, Selangor.

Malaysia

Telephone 03 7801 3088 (office hours)

Telefax 03 7886 3338

1.4 Emergency telephone no.

In case of POISONING, please contact

Malaysian Emergency Response Services (999)



Global Incident Response Hotline (24h)

+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to the Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Acute toxicity: Category 4

H302 Harmful if swallowed.
Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.



2/10

PREMISE 200 SC

 Version 2 / MAL
 Revision Date: 15.06.2021

 102000007309
 Print Date: 16.06.2021

2.2 Label elements

Labelling according to the Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Imidacloprid





Signal word: Warning Hazard statements

H302 Harmful if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

Imidacloprid: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

SECTION 3: COMPOSITION AND INFORMATION OF THE INGREDIENTS OF THE HAZARDOUS CHEMICAL

3.2 Mixtures

Chemical nature

Suspension concentrate (=flowable concentrate)(SC) Imidacloprid 200 g/l

Hazardous components

Name	CAS-No.	Conc. [%]
Imidacloprid	138261-41-3	18.2
Glycerine	56-81-5	> 1
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0.005 - < 0.05
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	> 0.0002 - < 0.0015

Further information

Imidacloprid	138261-41-3	M-Factor: 10 (acute), 10 (chronic)
1,2-Benzisothiazol- 3(2H)-one	2634-33-5	M-Factor: 10 (acute)
reaction mass of 5-	55965-84-9	M-Factor: 100 (acute), 100 (chronic)



PREMISE 200 SC

3/10 Version 2/MAL Revision Date: 15.06.2021 102000007309 Print Date: 16.06.2021

chloro-2- methyl-		
2H-isothiazol-3-		
one and 2-methyl-		
2H-isothiazol-3-		
one (3:1)		

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation If symptoms persist, call a physician. Move to fresh air. Keep patient

warm and at rest.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

Rinse immediately with plenty of water, also under the eyelids, for at Eye contact

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms If large amounts are ingested, the following symptoms may occur:

Dizziness, Nausea, Abdominal pain

Symptoms and hazards refer to effects observed after intake of

significant amounts of the active ingredient(s).

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. Monitor: respiratory and cardiac functions. In

> case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always

advisable. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

Unsuitable None known.



PREMISE 200 SC

4/10 Version 2/MAL Revision Date: 15.06.2021 102000007309 Print Date: 16.06.2021

5.2 Special hazards arising from the substance or mixture

In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters

Further information

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion No special precautions required.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

> separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly

before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Store in original

container. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

HDPE (high density polyethylene) Suitable materials



PREMISE 200 SC

Version 2 / MAL Revision Date: 15.06.2021 102000007309 Print Date: 16.06.2021

7.3 Specific end use(s)

Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m3 (TWA)	XO'	OES BCS*
Glycerine	56-81-5	10 mg/m3 (TWA)	03 2000	MY OEL
(Mist.))	

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully



6/10

PREMISE 200 SC

Version 2 / MAL Revision Date: 15.06.2021 102000007309 Print Date: 16.06.2021

remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form suspension

Colourwhite to light beigeOdourweak, characteristicOdour ThresholdNo data available

pH 7.0 - 8.5 (100 %) (23 °C)

Melting point/rangeNo data availableBoiling PointNo data available

Flash point No flash point - Determination conducted up to the boiling point.

Flammability

Auto-ignition temperature

No data available

No data available

No data available

Ignition temperature 405 °C

Minimum ignition energyNo data availableSelf-accelaratingNo data available

decomposition temperature

(SADT)

Upper explosion limit

Lower explosion limit

No data available

Vapour pressure

No data available

No data available

No data available

No data available

Relative vapour density

No data available

Water solubility miscible

Partition coefficient: n-

octanol/water

Imidacloprid: log Pow: 0.57

Viscosity, dynamic 400 - 800 mPa.s (23 °C)

Velocity gradient 7.5 /s

Viscosity, kinematic No data available

Surface tension 48.9 mN/m

Oxidizing properties No data available

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113



7/10

PREMISE 200 SC

Version 2/MAL Revision Date: 15.06.2021 102000007309 Print Date: 16.06.2021

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of No hazardous reactions when stored and handled according to

hazardous reactions prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight

Store only in the original container. 10.5 Incompatible materials

decomposition products

10.6 Hazardous

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 1,218 mg/kgLC50 (Rat) > 2.238 mg/lAcute inhalation toxicity

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Highest attainable concentration.

Acute dermal toxicity LD50 (Rat) > 4,000 mg/kgSkin corrosion/irritation No skin irritation (Rabbit) Serious eye damage/eye No eye irritation (Rabbit)

irritation

Respiratory or skin Non-sensitizing. (Guinea pig)

sensitisation OECD Test Guideline 406. Buehler test Assessment STOT Specific target organ toxicity – single exposure

Imidacloprid: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction



PREMISE 200 SC

 Version 2 / MAL
 Revision Date: 15.06.2021

 102000007309
 Print Date: 16.06.2021

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) > 535 mg/l

Exposure time: 96 h

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) > 535 mg/l

Exposure time: 24 h

EC50 (Daphnia magna (Water flea)) > 100 mg/l

Exposure time: 48 h

EC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l

Exposure time: 24 h

The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic plants IC50 (Desmodesmus subspicatus (green algae)) > 1,000 mg/l

Growth rate; Exposure time: 72 h

12.2 Persistence and degradability

Biodegradability Imidacloprid:

Not rapidly biodegradable

Koc Imidacloprid: Koc: 225

12.3 Bioaccumulative potential

Bioaccumulation Imidacloprid:

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Imidacloprid: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Imidacloprid: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological

information

No other effects to be mentioned.



PREMISE 200 SC

Version 2 / MAL Revision Date: 15.06.2021 102000007309 Print Date: 16.06.2021

SECTION 13: DISPOSAL INFORMATION

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging
Not completely emptied packagings should be disposed of as

hazardous waste.

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID SOLUTION)

14.3 Transport hazard class(es)
14.4 Packaging Group
14.5 Environm. Hazardous Mark
Hazard no.
90

Hazard no. 90 Tunnel Code -

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Marine pollutant YES

IATA

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID SOLUTION)

14.3 Transport hazard class(es)
14.4 Packaging Group
14.5 Environm. Hazardous Mark
YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.



Revision Date: 15.06.2021

Print Date: 16.06.2021

PREMISE 200 SC

Version 2 / MAL 102000007309

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

estricted to

WHO-classification: II (Moderately hazardous)

SECTION 16: OTHER INFORMATION

The information contained within this Safety Data Sheet is in accordance to The Industry Code of Practice on Chemical Classification and Hazard Communication 2013 (ICOP) which is promulgated under Section 37 of Occupational Safety and Health Act 1994 (OSHA 1994) and serves as a guidance to chemical suppliers to comply with the provisions of Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013 [P.U. (A) 310/2013] which have been gazetted on 11 October 2013, hereinafter is referred to as "the Regulations". This data sheet complements the user's instructions, but does not replace them. The information contained therein is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with the current Malaysia legislation, including the Pesticides Act 1974. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.