

FENDONA® SC is an insecticide containing active ingredients from the 'pyrethroid' group that acts by contact and stomach poisoning and disrupts the nervous system.

DIRECTION OF USE: Off label used is an offense under the Pesticides Act 1974.

LOCATION / AREA	PESTS	DILUTION RATE 10 LITER WATER	NOTE
Kitchens, restaurants, food storage, food storage area, food processing factories and so on.	Adult mosquitoes (<i>Anopheles latens</i>)	200 ml	Spray at the rate of 1 liter of mixture per 20 square meters of surface to be treated. Make sure to spray evenly and concentrate on areas that are often the focus of insects. do not spray on food and food preparation areas.
	Mosquito larvae (<i>Aedes aegypti</i> , <i>Culex quinquefasciatus</i> and <i>Mansonia uniformis</i>)	400 ml	
	Cockroaches (<i>Blattella germanica</i>) Ants (<i>Paratrechina longicornis</i>) Bed bugs (<i>Cimex lectularius</i>) Fleas (<i>Xenopsylla cheopsis</i>)	400 ml	
	Flies (<i>Musca domestica</i>)	200 ml	
Poultry House	Flies (<i>Musca domestica</i>)	667 ml	

Do not slaughter at least one day after the last spray.

Mixing Method: Recommended to use a nozzle sprayer with a "fan nozzle". Fill the tank half with water. Mix **FENDONA® SC** according to the recommended rate shown on the table. Add water and mix well. Do not use dosage higher than recommended. Do not store the remaining mixture in the sprayer tank.

Spraying guide: Do not spray on / near food / food preparation facilities including livestock feed.

PRECAUTION STATEMENT: a) **Hazard to Human:** Harmful if swallowed. Avoid inhaling fumes or spray mist. Avoid contact with skin or eyes. **DO NOT** eat, drink or smoke while handling this product. After spray ensure to close tight the pesticide container and stored the product under locked and well ventilated, dry and cool area. Clean sprayer thoroughly after use. Shower using lots of soap and water.

Clothing and Protective Gear: When handling this product, be sure to wear standard personal protective clothing (PPE) including gloves, goggles, rubber shoes, face masks and respirators as appropriate (Refer to Safety Data Sheet).

b) **Hazard to Environment:** Harmful to aquatic organism and fish. **DO NOT** contaminate water, pond and irrigation area.

POISONING SYMPTOM: Itching in the eyes, nose, throat and skin. Excessive exposure causes nausea, vomiting, headache, dizziness and convulsions.

FIRST AID: Remove contaminated clothes. If exposed on the skin, clean with plenty of soap and water. In case of contact with eyes, rinse with plenty of clean water for at least 15 minutes. If swallowed, **DO NOT** induce vomiting. Get medical attention immediately.

TRIPLE RINSE THE EMPTY CONTAINER BEFORE DISCARDING IT. DO NOT USE PESTICIDE CONTAINERS TO STORE FOODSTUFF.

EMERGENCY LINE : 03-5628 3999



© Registered trademark of BASF

P(L) 08/23

BASF

We create chemistry

FENDONA® SC

INSECTICIDE SUSPENSION CONCENTRATE (SC)

Active Ingredient : alpha-cypermethrin 1.47% w/w
Inert Ingredients : 98.53% w/w

TO BE OPERATED BY TRAINED PERSONNEL ONLY

Registration No : LRMP. R1/2846

Net Content : 4 liter

Manufacturing Date :

Expiry Date :

Batch No :



Cockroach (x 1)

Flies (x 2)

Ants (x 3)

Fleas (x 6)

Registered by:

BASF (Malaysia) Sdn. Bhd. (182671-M)

No. 2, Jalan Astaka U8/87, Bukit Jelutong, Seksyen U8, 40150 Shah Alam, Selangor Darul Ehsan, Malaysia. Tel.: 03-5628 3888 Fax: 03-5628 3777

In the event of **POISONING**, please call :



READ LABEL BEFORE USE

KELAS IV

KEEP AWAY FROM FOODSTUFF AND CHILDREN

KELAS IV

KEEP AWAY FROM FOODSTUFF AND CHILDREN