TRANE OIL 00037 TRANE OIL 00049 TRANE OIL 00059 2936

MSDS REC'D by Trane October 28, 2011

Material Safety Data Sheet

TRANE OIL 00037

TRANE OIL 00049

TRANE OIL 00059

OIL00037 OIL00049 OIL00059

Prepared according to 29CFR 1910.1200.

1 Chemical Product and Company Identification

CPI Engineering Services 2300 James Savage Rd. Midland, MI 48642 Phone: 989-496-3780 Fax: 989-496-0316

Product Trade Name

TRANE OIL 00037 / TRANE OIL 00049 / TRANE OIL 00059

CAS Number

Not applicable for mixtures.

Synonyms

Not applicable for fills

Canaria Chamical Nan

None.

Generic Chemical Name

Mixture.

Product Type

Multipurpose.

Preparation/Revision Date

01 March 2011

Transportation Emergency Phone

FOR TRANSPORT EMERGENCY call CHEMTREC: (+1) 703-527-3887 (outside the U.S.), 1-800-424-9300 (in the U.S.)

No. MSDS No.

2693790-1903363-601111-102103

2 Hazards Identification

Appearance

Clear to yellow liquid.

Odor

Mild

Principal Hazards

. This material has no known health hazards.

See Section 11 for complete health hazard information.

| 3 | Composition/Information on Ingredients |
|----------------------------------|---|
| Hazardous Ingredients | This material has no known hazards under applicable laws. |
| 4 | First Aid Measures |
| Eyes | Flush with water at least 30 minutes. Get medical attention if eye irritation develops or persists. |
| Skin | Wash with soap and water. Get medical attention if irritation develops. Launder contaminated clothing before reuse. |
| Inhalation | Remove exposed person to fresh air if adverse effects are observed. |
| Oral | DO NOT INDUCE VOMITING. Get immediate medical attention. |
| Additional Information | Note to physician: Treat symptomatically. |
| 5 | Fire Fighting Measures |
| Flash Point | 263 °C, 505.4 °F COC (Typical) |
| Extinguishing Media | CO2, dry chemical, or foam. Water can be used to cool and protect exposed material. |
| Firefighting Procedures | Recommend wearing self-contained breathing apparatus. Water may cause splattering. |
| Unusual Fire & Explosion Hazards | See section 10 for additional information. |
| 6 | Accidental Release Measures |
| Spill Procedures | Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas. Prevent entry into sewers and waterways. Pick up free liquid for |

recycle and/or disposal. Residual liquid can be absorbed on inert material.

TRANE OIL 00037 / TRANE OIL 00049 / TRANE OIL 00059 2936

| TRANE OIL 00037 / TR | ANE OIL 00049 / TRANE OIL 00059 |
|-----------------------------------|--|
| 7 | Handling and Storage |
| Pumping Temperature | Not determined. |
| Maximum Handling Temperature | |
| Handling Procedures | Not determined. |
| nanding Procedures | Keep containers closed when not in use. Wash thoroughly after handling. Launder contaminated clothing before reuse. Empty container contains product residue which may exhibit hazards of product. Dispose of packaging or containers in accordance with local, regional, national and international regulations. |
| Maximum Storage Temperature | Not determined. |
| Storage Procedures | Store in a cool, dry location. See section 10 for incompatible materials. |
| Maximum Loading Temperature | Not determined. |
| 8 | Exposure Controls/Personal Protection |
| Exposure Limits | None established |
| Other Exposure Limits | Contains synthetic basestock. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH STEL of 10 mg per cubic meter for mineral oil mists. |
| Engineering Controls | Use with adequate ventilation. |
| Gloves Procedures | Nitrile. |
| Eye Protection | Safety Glasses |
| Respiratory Protection | Use NIOSH/MSHA approved respirator with an organic vapor cartridge if exposure limit is exceeded. Use self-contained |
| - - | breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites. |
| Clothing Recommendation | Long sleeve shirt is recommended. Launder contaminated clothing before reuse. |
| 9 | Physical and Chemical Properties |
| Flash Point | 263 °C, 505.4 °F COC (Typical) |
| Upper Flammable Limit | Not determined. |
| Lower Flammable Limit | Not determined. |
| Autoignition Point | Not determined. |
| Explosion Data | |
| Vapor Pressure | Material does not have explosive properties. < 0.01 mm Hg (20 °C) |
| oH | Not determined. |
| Specific Gravity | 0.96 (15.6 °C) |
| Bulk Density | 7.96 Lb/gal, 0.95 Kg/L |
| Water Solubility | Insoluble. |
| Percent Solid | Not determined. |
| Percent Volatile | Not determined. |
| Volatile Organic Compound | Not determined. |
| apor Density | Not determined. |
| Capor Density Evaporation Rate | Not determined. Not determined. |
| Mor | Mild |
| | Clear to yellow liquid. |
| Appearance Viscosity | 66.3 Centistokes (40 °C) |
| incont) | 8.9 Centistokes (100 °C) |
| Odor Threshold | Not determined. |
| Boiling Point | 343 °C, 650 °F >(Initial) |
| our Point Temperature | -43 °C, -45 °F |
| Aciting / Freezing Point | Not determined. |
| - | The above data are typical values and do not constitute a specification. Vapor pressure data are calculated unless otherwise noted. |
| 10 | Stability and Reactivity |
| itability | Material is normally stable at moderately elevated temperatures and pressures. |
| Decomposition Temperature | Not determined. |
| ncompatibility | Strong acids. Oxidizing agents. |
| olymerization | Strong actors. Oxidizing agents. Will not occur. |
| hermal Decomposition | |
| Conditions to Avoid | Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion. Not determined. |
| 11 | Toxicological Information |
| | I ANTERNATION THIN HIGHER |

TRANE OIL 00037 / TRANE OIL 00049 / TRANE OIL 00059

- ACUTE EXPOSURE -

Eye Irritation Not expected to cause eye irritation. Based on data from components or similar materials.

Skin Irritation Not expected to be a primary skin irritant. Based on data from similar materials. Prolonged or repeated contact may cause

dermatitis.

Respiratory Irritation If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the

upper respiratory tract. Based on data from components or similar materials.

 Dermal Toxicity
 The LD50 in rabbits is > 2000 mg/Kg. Based on data from components or similar materials.

 Inhalation Toxicity
 No data available to indicate product or components may be a toxic inhalation hazard.

 Oral Toxicity
 The LD50 in rats is > 10,000 mg/Kg. Based on data from components or similar materials.

Dermal SensitizationNo data available to indicate product or components may be a skin sensitizer.Inhalation SensitizationNo data available to indicate product or components may be respiratory sensitizers.

- CHRONIC EXPOSURE -

Chronic Toxicity

No data available to indicate product or components present at greater than 1% are chronic health hazards.

Carcinogenicity

No data available to indicate any components present at greater than 0.1% may present a carcinogenic hazard.

Mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Reproductive Toxicity

No data available to indicate either product or components present at greater than 0.1% that may cause reproductive

toxicity

Teratogenicity No data available to indicate product or any components contained at greater than 0.1% may cause birth defects.

- ADDITIONAL INFORMATION -

Other No other health hazards known.

12 Ecological Information

- ENVIRONMENTAL TOXICITY --

Freshwater Fish Toxicity
Not determined.
Freshwater Invertebrates Toxicity
Algal Inhibition
Not determined.
Saltwater Fish Toxicity
Not determined.
Saltwater Invertebrates Toxicity
Not determined.
Bacteria Toxicity
Not determined.
Miscellaneous Toxicity
Not determined.

- ENVIRONMENTAL FATE -

Biodegradation Adequate data is not available to estimate the biodegradation potential of this material.

Bioaccumulation Less than 1.0% of the components display no potential to bioconcentrate.

Soil Mobility Not determined.

13 Disposal Considerations

Waste Disposal

This material, if discarded, is not a hazardous waste under RCRA Regulation 40 CFR 261. Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

14 Transport Information

ICAO/IATA I Not regulated. ICAO/IATA II Not regulated. **IMDG** Not regulated. IMDG EMS Fire Not applicable. IMDG EMS Spill Not applicable. IMDG MFAG Not applicable. MARPOL Annex II Not determined. **USCG Compatibility** Not determined. U.S. DOT Bulk Not regulated. DOT NAERG Not applicable. U.S. DOT (Intermediate) Not regulated. U.S. DOT Intermediate NAERG Not applicable. U.S. DOT Non-Bulk Not regulated. U.S. DOT Non-Bulk NAERG Not applicable. Canada Not regulated. Mexico Not regulated.

Bulk Quantity 85000 KG, 187391 lbs.

TRANE OIL 00037 / TRANE OIL 00049 / TRANE OIL 00059

2936

Intermediate Quantity 11000 KG, 24251 lbs. Non-Bulk Quantity 400 KG, 882 lbs.

Review classification requirements before shipping materials at elevated temperatures.

| | Regulatory Information | |
|--|------------------------|--|
| | | |
| | | |
| | | |
| | | |

- Global Chemical Inventories -

USA All components of this material are on the US TSCA Inventory or are exempt.

Other TSCA Reg. None known,

All components are in compliance with the EC Seventh amendment Directive 92 /32/EEC.

Japan All components are in compliance with the Chemical Substances Control Law of Japan.

Australia All components are in compliance with chemical notification requirements in Australia.

New Zealand All components are in compliance with chemical notification requirements in New Zealand.

Canada All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic

Substances List.

Switzerland All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

Korea All components are in compliance in Korea.

Philippines All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of

1990 (R.A. 6969).

China All components of this product are listed on the Inventory of Existing Chemical Substances in China

Taiwan All components of this product are listed on the Taiwan inventory.

- Other U.S. Federal Regulations -

SARA Ext. Haz. Subst.

This product does not contain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous Substances

list.

SARA Section 313 This product does not contain greater than 1.0% (greater than 0.1% for carcinogenic substance) of any chemical substances

listed under SARA Section 313,

SARA 311 Classifications Acute Hazard No Chronic Hazard No

Chronic Hazard No
Fire Hazard No
Reactivity Hazard No

CERCLA Hazardous Substances None known.

- State Regulations -

Cal. Prop. 65 This product does not intentionally contain any chemicals known by the State of California to cause cancer and/or birth

defects. Moreover, we do not routinely analyze its products for impurities which may be such chemicals.

- Product Registrations -

U.S. Fuel Registration Not applicable.
Finnish Registration Number Not Registered
Swedish Registration Number Not Registered
Norwegian Registration Number Not Registered
Danish Registration Number Not Registered
Swiss Registration Number Not Registered
Italian Registration Number Not Registered

Other / International –

Miscellaneous Regulatory

Information

Not determined.

16 Other Information

US NFPA Codes | Health | Fire | Reactivity | Special | 0 | 1 | 0 | N/E |

(N/E) - None established

HMIS Codes Health Fire Reactivity

Precautionary Labels

This material has no known health hazards.

Revision Indicators This MSDS has no revisions since 1 March 2011

TRANE OIL 00037 / TRANE OIL 00049 / TRANE OIL 00059

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.