


## Force Cooling Fan Dimension



Model	D	L	C	C1	G	M	T	K	L2	L1	Leaf Blade Number
G-71B	136±1.6	140	12.5		10	6	0.8		66	60	6
G-80B	153±1.6	160	15		10	6	1.0		85	79	6
G-90B	173±1.6	170	15		10	6	1.0		95	89	6
G-100B	193±1.85	177	15		10	6	1.0		92	86	6
G-112B	217±1.85	183	17		10	6	1.0		98	92	6
G-132B	256±2.1	220	17		10	6	1.2		130	124	5
G-160B	311±2.1	250	20		12	7	1.3		155	149	5
G-180B	352±2.3	290	35	72	14	8	1.4	30	190	175	5
G-200B	394±2.3	310	35	75	14	8	1.4	30	210	195	5
G-225B	442±2.5	346	45	82	18	10	1.5	30	220	205	5
G-250B	481±2.5	377	55	96	18	10	1.5	30	240	220	5
G-280B	543±2.8	420	55	93	18	10	1.5	30	275	254	5
G-315B	616±2.8	515	75	150	25	12	1.8	30	351	341	5
G-355	694±3.2	520	82	159	25	12	2.0	30	340	330	5
G-400B	850±3.2	660	201	285	25	12	2.0	30	410	400	5

## Technical Parameters and Motor Configuration

Insulation Class: F

Frequency: 50 Hz

Voltage: 380V

Protection Grade: IP54

Model	Power	Current(A)	Speed(r/min)	Airflow(m <sup>3</sup> /h)	Air Press(Pa)	Noise(db(A))
G-71B	30	0.065	2800	280	55	45
G-80B	30	0.065	2800	300	60	48
G-90B	40	0.085	2800	500	80	50
G-100B	80	0.16	2800	660	85	52
G-112B	80	0.16	2800	900	88	55
G-132B(2P)	90	0.18	2800	1100	85	60
G-132B(4P)	80	0.16	1400	1000	90	57
G-160B(2P)	140	0.30	2800	1400	90	72
G-160B(4P)	100	0.20	1400	1300	92	57
G-180B	120	0.24	1400	2000	97	58
G-200B	150	0.30	1400	3000	105	59
G-225B	230	0.46	1400	4200	118	60
G-250B	370	0.70	1400	4600	125	62
G-280B	450	0.90	1400	5000	138	63
G-315B	520	1.05	1400	6200	150	65
G-355	600	1.20	1400	6500	155	67
G-400B	750	1.50	1400	8000	160	80
G-280	600	1.20	1400	7000	138	70
G-315	700	1.40	1400	8000	150	75
G-355	800	1.60	1400	9000	155	80
G-400	1100	2.0	1400	10000	160	85