

Suzuki Latex Industry Malaysia Sdn. Bhd.

(162802-K)



Lot 14, Jalan 26/1, Seksyen 26, Kawasan Perindustrian HICOM, 40000 Shah Alam, Selangor Darul Ehsan, Malaysia. Tel: 603-51911540 Fax: 603-51911133 Website : http://www.suzukilatex.com.my



Product Specification.

SPORE BLACK Clean Finger Cots (Static Dissipative).

Chemical Description.

SPORE BLACK Clean finger cots are manufactured from 100% pure natural rubber latex.

Specifications.

Specif	ied Properties		S15	M18	L21
Internal diameter (mm)		15	18	21	
Thickness (mm)			0.1 ± 0.02		
Length (mm)	Unroll		63 <u>+</u> 2		
	Roll		63 <u>+</u> 2		
	Cut		45 <u>+</u> 2		
Physical Test (ASTM D412)					
Elongation			Min 700 %		
Tensile Strength			25 Mpa		
Average Surface Resistivity (ASTM D257)		$10^6 \sim 10^8$ Ohm/square			

Product range and packaging specifications.

Size	Surface texture	Туре	Packaging	
S15 M18 L21	Rough	Unroll Roll	1440 pcs x 20 bags per carton	

Functions.

- To protect fingers of workers.
- To prevent contamination caused by direct contact with fingers.
- Rough surface provides better grip and anti-slip properties.
- Suitable for handling of ESD sensitive components or assemblies that requires anti-static properties.
- Spore "unroll" type
 - beading provides an easy way to wear or remove from the fingers.
 - Spore "roll" type
 - pre-rolled, it is very easy to wear or remove from the fingers.

Applications.

- electronics industries
- mechantronics industries
- optotronics industries

Recommended Storage Conditions.

Store indoor at room temperature below 28^oC. Avoid direct exposure to sunlight. Once open, use immediately.

Shelf life.

Approximately 3 months If finger cots contaminated, please dispose as Scheduled Wastes. Finger cot is bio-degradable type.