


POWER TOOL BATTERY

Our Lithium platform life is much longer given the same capacity to conventional rechargeable battery

After one year, capacity is retained to 80%. A conventional battery platform could drop up to 25% of capacity

4X
LONG-TERM STORAGE



Intelligence Micro Processor for better safety protection. Internal build up temperature sensor to determine abnormal processing



- Over Discharge protection
- Over high frequency protection
- Over voltage protection
- Over current Protection

- Short Circuit Protection
- High temperature Protection
- Recovery Protection
- Over charge Protection

Using world class Lithium cell to optimize performance and safety commitment. Lower wear out rate, Longer life



Charge and Discharge cycle > **1000** times!


- Anti explosive high quality cell
- Separation film
- Anti explosive film
- Aluminium and plastic cover

FOR DEWALT BATTERY & CHARGER

Item No.	Voltage	Capacity	Type	Weight	Picture
CB2111DCB1270	12V	2.0Ah	Li-ion	225g	
CB2113DCB1830	18V	2.0Ah	Li-ion	370g	
CB2313DCB1820	18V	4.0Ah	Li-ion	610g	
CB2313DCB1840	18V	5.0Ah	Li-ion	615g	

BATTERY


CHARGER

Item No.	In Put	Out Put Voltage	Out Put Current	Type	Weight	Picture
CBC22DCB1153A	100V–240V	21V	3A 21V	Li-ion	597g	

FOR BOSCH BATTERY & CHARGER

Item No.	Voltage	Capacity	Type	Weight	Picture
CB2131GBA12V0	12V	2.0Ah	Li-ion	195g	
CB2333BBSMR18	18V	4.0Ah	Li-ion	605g	
CB2433GBA18V0	18V	5.0Ah	Li-ion	615g	
CB2533GBA186V	18V	6.0Ah	Li-ion	620g	

CHARGER


Item No.	In Put	Out Put Voltage	Out Put Current	Type	Weight	Picture
CBC2GAL1880CV	100V-240V	14.4V-18V	3.0A	Li-ion	751g	

FOR MAKITA BATTERY & CHARGER

Item No.	Voltage	Capacity	Type	Weight	Picture
CB2121BL1020B	12V	2.0Ah	Li-ion	215g	
CB222BL1413G0	14.4V	2.0Ah	Li-ion	290g	
CB2123BL1815N	18V	2.0Ah	Li-ion	370g	
CB2323BL1840B	18V	4.0Ah	Li-ion	610g	
CB2323BL1850B	18V	5.0Ah	Li-ion	620g	

BATTERY

CHARGER

Item No.	In Put	Out Put Voltage	Out Put Current	Type	Weight	Picture
CBC22DC18RC3A	100V–240V	14.4V–18V	3.0A	Lo-ion	751g	

FOR MILWAUKEE BATTERY & CHARGER

Item No.	Voltage	Capacity	Type	Weight	Picture
CB2141M12B220	12V	2.0Ah	Li-ion	205g	
CB2341M12B440	12V	4.0Ah	Li-ion	420g	
CB2143M18B200	18V	2.0Ah	Li-ion	400g	
CB2343M18B400	18V	4.0Ah	Li-ion	645g	
CB2443M18B500	18V	5.0Ah	Li-ion	650g	
CB2543M18B600	18V	6.0Ah	Li-ion	660g	

CHARGER

Item No.	In Put	Out Put Voltage	Out Put Current	Type	Weight	Picture
CBC21M1218C15	100V-240V	12V	3.0A	Li-ion	500g	
CBC22M1218FC3	100V-240V	12V-18V	3.0A	Li-ion	660g	

FOR STANLEY BATTERY & CHARGER

Item No.	Voltage	Capacity	Type	Weight	Picture
CB2173FMC687L	18V	2.0Ah	Li-ion	400g	
CB2373FMC688L	18V	4.0Ah	Li-ion	660g	

BATTERY

CHARGER

Item No.	In Put	Out Put Voltage	Out Put Current	Type	Weight	Picture
CBC2FMC692LST	100V–240V	18V	2.0V	Li-ion	700g	

CHARGER PLUG TYPE

