
HUAHENG



Welding System

HUAHENG WELDING CO., LTD.

TP8 Tube to Tube-sheet Welding Head




Brief Introduction

This welding head is special designed TIG welding head for small tube to tube—sheet, suitable for carbon steel, stainless steel, mainly for protrusion tube, flush tube and retract tube connection without wire feeding or with wire feeding. The standard one is small torch; it could weld high protection requirement material such as Titanium alloy with tow cover.


Support equipment: i—Arc400 Programmable Orbital Welding Power Source. Application: chemical, food, medicine, heat exchanger, power plant, military, nuclear and so on.

Technical Spe	cification
Material	Carbon steel, stainless steel, titanium alloy (with cover)
Tube OD (mm)	Φ8~Φ32 (3/8"~1 1/4")
Connection	Retract tube, protrusion tube, flush tube
Rotation speed (rpm)	0.37 ~ 7.39
Arc adjusting distance (mm)	18
Max wire feeding speed (mm)	1800
Wire Diameter (mm)	Φ0.8
Protective gas	Ar
Cooling	Water
Cooling flow (ml/min)	≥600
Duty cycle	300A 60%
Weight (kg)	11 (no cable)
Dimension (mm)	550 × 290 × 510












HUAHENG

HUAHENG



Add: No.1588 Boshi Road, Kunshan, Jiangsu, P.R.China. PC: 215347 Tel: +86(0)512-81866666 Fax: +86(0)512-57328188 www.huahengweld.com E-mail: info@huahengweld.com