

Revision Date: 10 FEB 2021

## Nova HEPAR-P™ Capsule 叶下珠™ 胶囊

*Phyllanthus niruri* has been used by the Malays for generations and has a wide number of traditional uses.

<b>Appearance</b>	Colour of capsule shell: green & white, size of capsule: one, marking: NOVA and HEPAR P.
<b>Indication</b>	Traditionally used as liver tonic.
<b>Content</b>	Each 60 capsules contain 250 mg of <i>Phyllanthus niruri</i> standardized extract. (4% corilagin and 18% total <i>Phyllanthus</i> flavonoids)
<b>Dosage and Administration</b>	Adult : 2 capsules, 3 times daily. It can be taken before and after meals.
<b>Side Effects</b>	None known.
<b>Contraindication</b>	None known.
<b>Warnings</b>	Keep out of reach of children. Please consult your pharmacist/doctor before taking this product. Contraindicated in pregnant women. Insufficient reliable data in breastfeeding women. This is a traditional preparation.
<b>Storage Conditions</b>	Store below 30°C. Protect from light and moisture.
<b>Pack Size</b>	60 Capsules
<b>Preservative of capsule shell</b>	Propylparaben ..... 0.1 % Methylparaben ..... 0.4 %
<b>Source of capsule</b>	Bovine

叶下珠是马来社群在传统医疗上世代信赖的草药之一。

<b>外观</b>	胶囊外观: 绿白#1胶囊, 印上NOVA及HEPAR P.
<b>适应症</b>	传统上用于护肝。
<b>成份</b>	每 60 颗叶下珠胶囊含有 250 毫克的叶下珠标准化提取物。 (4% 克里拉金及18% 总黄酮类)
<b>服用量</b>	成人: 每次两颗, 每天两至三次。饭前饭后均可。
<b>副作用</b>	没有。
<b>禁忌征状</b>	没有。
<b>警告</b>	远离孩童的获取。 服用此产品前, 请咨询您的药剂师/医生。 怀孕期间不建议服用。 哺乳母亲的可靠数据不足。 这是一个传统配方。
<b>贮存条件</b>	储存于室内温度30°C以下。 储存于干燥处及远离阳光的照射。
<b>包装</b>	60颗硬胶囊
<b>防腐剂 (硬胶囊)</b>	对羟基苯甲酸丙酯 ..... 0.1 % 对羟基苯甲酸甲酯 ..... 0.4 %
<b>硬胶囊来源</b>	牛明胶

*Phyllanthus niruri* telah lama digunakan oleh masyarakat Melayu dan mempunyai pelbagai kegunaan tradisi.

<b>Rupa</b>	Warna sarung kapsul: hijau dan putih, saiz kapsul: satu, bertanda: NOVA dan HEPAR P.
<b>Indikasi</b>	Digunakan sebagai tonik hati secara tradisional .
<b>Kandungan</b>	Setiap 60 kapsul mengandungi 250 mg daripada ekstrak piawai <i>Phyllanthus niruri</i> . (4% corilagin dan 18% jumlah <i>Phyllanthus</i> flavonoids)
<b>Dos dan Pengambilan</b>	Dewasa : 2 kapsul, 3 kali sehari. Ubat ini boleh diambil sebelum atau selepas makan.
<b>Kesan Sampingan</b>	Tiada.
<b>Kontraindikasi</b>	Tiada.
<b>Amaran</b>	Jauhkan daripada capaian kanak-kanak. Sila berjumpa dengan ahli farmasi/doktor anda sebelum mengambil produk ini. Kontraindikasi kepada wanita yang hamil. Data dipercayai tidak mencukupi kepada wanita yang menyusukan anak. Ini adalah penyediaan tradisional.
<b>Cara Penyimpanan</b>	Simpan bawah 30°C. Lindungi daripada cahaya dan kelembapan.
<b>Saiz Pek</b>	60 Kapsul.
<b>Bahan Pengawet</b>	Propylparaben ..... 0.1 %
<b>Sarung Kapsul</b>	Methylparaben ..... 0.4 %
<b>Sumber kapsul</b>	Lembu

**Nova**®

Nova and Nova Logo are trademarks of Nova Laboratories Sdn. Bhd.  
Manufactured and Distributed by Product Registration Holder:  
**Nova Laboratories Sdn. Bhd. (179832-D)**  
Lot 702, Nova Avenue, Batu 4, 43950 Sungai Pelek, Sepang, Selangor, Malaysia.  
Tel: (03) - 3144 2181 Fax: (03) - 3141 1667  
E-mail: mail@nova.com.my

Revision Date: 10 FEB 2021