


Weighing

Our offering of disposable and reusable products ensures you will have the right tool for the right job



Weighing Boats & Dishes

Dishes for general-purpose weighing, dispensing, storage, food processing, evaporating, or drying

- Dishes also make good dust covers for open vessels
- Disposable

Aluminum Weighing Boats

- Sturdy yet lightweight boats feature a smooth, flat bottom for sample handling and a flanged, crimped wall for rigidity
- Finger tab handle can be etched for identification prior to weighing



Aluminum Weighing Boats

Aluminum Weighing Dish

- Designed for moisture determination balances with slightly tapered walls for stacking



Aluminum Weighing Dish



Item No.	Size	Dia. x H in	Dia. x H mm	Volume ml	UOM
HS14521A	Small	1.7 x 0.5	43 x 12	20	100 ea/pk, 36 pks/cs
HS14521B	Medium	2.2 x 0.6	57 x 14	39	
HS14521C	Large	2.8 x 0.6	70 x 16	50	
HS14522	Large	4 x 0.3	101 x 8	30	50 ea/pk, 20 pks/cs

smartPans™

- Ideal for microbalances, organic micro elementary and thermal analysis, and pharmaceutical use.
- Made of Ultra High Vacuum (UVH) Foil - "A" wettable and completely free from oils normally found on other grades of aluminum foil
- Foil meets ASTM B-479, specification 3.1.4 and 10.3.1
- "Cahn style" accessory pans are compatible with most commercially available analyzers and microbalances




Made in the
★USA

Item No.	Dia. x H in	Dia. x H mm	UOM
120627	1 x 0.1	25 x 3.6	20 ea/pk, 5 pks/cs

Weighing Papers

Nitrogen-free for a very smooth surface and good sample recovery. Strong enough to support dense material.

- Disposable



Item No.	L x H in	L x H cm	UOM
HS120116	3 x 3	7.6 x 7.6	500 ea/pk, 12 pks/cs
HS120117	4 x 4	10.2 x 10.2	
HS120118	6 x 6	15.2 x 15.2	

Weighing Boats

Flexible polystyrene boats feature smooth surfaces to provide accurate pour-outs with minimal sample loss

- Ideal for weighing, dispensing, or storing applications
- Select white, black, or blue for best color contrast to ensure sample is completely removed
- Biologically inert and resistant to dilute and weak acids, aqueous solutions, alcohols, and bases
- Temperature range -10 to 70°C (14 to 158°F)
- Antistatic versions available making the boats nonreactive with most substances and suitable for weighing static-affected samples
- Wide flat bottoms ensure stability and prevent tipping


- Rounded corners allow simple flexing for controlled pouring of liquid, powdered or granular samples
- Flat bottoms and sloping sides allow easy stacking for convenient storage
- Can be used with microwave moisture analyzers
- Made from FDA food grade polystyrene
- Disposable



Standard Weighing Boats



Square Weighing Boats



Diamond Weighing Boats



Hexagonal Weighing Boats



Pour-boat Weighing Dishes



Manufactured
and packaged in
a clean room

CLEANROOM



NEW!

Sterile!



Sterile Standard Weighing Boat

Ideal for applications where there is concern of cross contamination and 'clean' is a necessity in life science research, food, biopharmaceutical, environmental and molecular research environments

- Electron beam sterilized
- Lot number traceability for quality assurance
- Certificate of Sterility available upon request



Shape	Regular Material Item No.	Antistatic Material Item No.	Color	Size	Volume mL	L x W x H in	cm	UOM
Standard	HS1420A	HS1420AA	White <input type="checkbox"/>	Small	10	1.8 x 1.8 x .3	4.6 x 4.6 x .8	500 ea/pk, 40 pks/cs
	HS1421A	HS120222	Blue <input checked="" type="checkbox"/>					
	HS1423A	HS1423AA	Black <input checked="" type="checkbox"/>					
	HS1420B	HS1420BB	White <input type="checkbox"/>	Medium	85	3.4 x 3.4 x .9	8.5 x 8.5 x 2.4	
	HS1421B	HS120223	Blue <input checked="" type="checkbox"/>					
	HS1423B	HS1423BB	Black <input checked="" type="checkbox"/>					
	HS1420C	HS1420CC	White <input type="checkbox"/>	Large	280	5.5 x 5.5 x .9	14 x 14 x 2.2	
	HS1421C	HS120224	Blue <input checked="" type="checkbox"/>					
	HS1423C	HS1423CC	Black <input checked="" type="checkbox"/>					
Hexagonal	—	HS14251A	White <input type="checkbox"/>	Small	6	1.5 x 1 x .4	3.8 x 2.5 x .9	500 ea/pk, 40 pks/cs
	—	HS14251B		Medium	46	2.5 x 2 x .7	6.4 x 5.1 x 1.9	500 ea/pk, 20 pks/cs
	—	HS14251C		Large	194	4 x 3 x .9	10.2 x 7.6 x 2.2	500 ea/pk, 8 pks/cs
	—	HS14251D		X-Large	364	5 x 3.5 x 1.2	12.7 x 8.9 x 3.1	500 ea/pk, 8 pks/cs
Pour-boat	HS1419A	HS120225	White <input type="checkbox"/>	Small	14	1.7 x 2.3 x .5	4.3 x 5.8 x 1.3	500 ea/pk, 32 pks/cs
	HS1419B	HS120226		Medium	137	3.3 x 5.2 x 1	8.3 x 13.2 x 2.6	500 ea/pk, 20 pks/cs
	HS1419C	HS120227		Large	259	4.3 x 7.2 x 1	10.8 x 18.3 x 2.6	500 ea/pk, 8 pks/cs
Square	HS1422	—	White <input type="checkbox"/>	Medium	51	3.5 x 3.5 x .3	9 x 9 x .7	500 ea/pk, 8 pks/cs
Diamond	HS1424AA	HS1425AA	White <input type="checkbox"/>	Small	5	2.1 x 1.3 x .2	5.3 x 3.3 x .6	500 ea/pk, 40 pks/cs
	HS1427AA	HS1426AA	Black <input checked="" type="checkbox"/>					
	HS1424A	HS1425A	White <input type="checkbox"/>	Medium	25	2.6 x 1.9 x .6	6.7 x 4.7 x 1.4	
	HS1427A	HS1426A	Black <input checked="" type="checkbox"/>					
	HS1424B	HS1425B	White <input type="checkbox"/>	Large	30	3.1 x 2.2 x .6	7.8 x 5.6 x 1.4	
	HS1427B	HS1426B	Black <input checked="" type="checkbox"/>					
	HS1424C	HS1425C	White <input type="checkbox"/>	X-Large	100	4.5 x 3.3 x 0.7	115 x 85 x 17	
HS1427C	HS1426C	Black <input checked="" type="checkbox"/>						
Sterile Standard	—	120710	White <input type="checkbox"/>	Medium	85	3.4 x 3.4 x .9	8.5 x 8.5 x 2.4	5 ea/bag, 40 bags/pk, 8 pks/cs



smartBoats™

A truly green solution to sample weighing

Made from FSC® Certified (FSC® Mix Credit) paper (Eco-IN) and when disposed of in the standard waste stream they will naturally biodegrade (Eco-OUT)

- A cost-effective solution to reduce plastics in the lab
- Made of grease-proof paper that meets FDA 21 CFR 176.170 (components of paper in contact with aqueous and fatty foods) and with 21 CFR 176.180 (contact with dry foods)
- Control contents like a polystyrene weigh boat because they are easier to pour
- An alternative to regular weighing papers because they are easier to handle

Item No.	Color	Size	L x W x H in	L x W x H cm	UOM
HS120312	Brown	Small	1.4 x 1.4 x 0.6	3.5 x 3.5 x 16	500 ea/pk, 10 pks/cs
HS120314	White	Small	1.4 x 1.4 x 0.6	3.5 x 3.5 x 16	500 ea/pk, 10 pks/cs
HS120313	Brown	Medium	1.9 x 1.9 x 0.6	4.8 x 4.8 x 14	500 ea/pk, 10 pks/cs
HS120315	White	Medium	1.9 x 1.9 x 0.6	4.8 x 4.8 x 14	500 ea/pk, 10 pks/cs
120626	Brown	Large	3.8 x 3.8 x 1	9.5 x 9.5 x 2.5	250 ea/pk, 8 pks/cs
HS120195	White	Large	3.8 x 3.8 x 1	9.5 x 9.5 x 2.5	250 ea/pk, 8 pks/cs

SmartBoat™ is a trademark of LevGo Inc.

Functional in the Lab

Available in a small and medium in both brown for light colored samples and white for dark samples




smartSpatula®

Designed to fit perfectly with standard 0.2, 0.5, 1.5/2.0, 15 and 50 mL tubes

- Made of virgin, food-grade polypropylene
- Ideal for dispensing or sample collection of powders or soft solids
- Will not shatter when used with liquid nitrogen frozen samples
- Hollow core minimizes heat transfer—good for hot and cold liquids
- Antistatic, sterile and Eco-Friendly versions available
- Complies with FDA standards for food contact
- Disposable
- Autoclavable

Always there
and always
clean!



Lab tools that scoop, stir and scrape.



Item No.	Description	Color	Suggested Tube mL	L x W in	L x W cm	Spoon (Flare) in	Spoon (Flare) mm	Scoop/Pick L x W in	Scoop/Pick L x W mm	Taper	UOM
a HS120005	Micro Antistatic	Opaque	0.2 and 0.5	5.5 x .2	14 x .4	—	—	4.3	11 (V-Tip)	15°	300 ea/pk, 25 pks/cs
b HS120008	Eco-Friendly	Opaque	15 and 1.5	5.5 x .3	14 x .7	9.8 x 5.5	25 x 14	11.8 x 1.2	30 x 3		300 ea/pk, 24 pks/cs
c HS120003	Standard	Blue									300 ea/pk, 25 pks/cs
HS120004	Standard	Opaque									300 ea/pk, 25 pks/cs
d HS120007	Std. EtO Sterile	Opaque	15 and 1.5	8.3 x .3	21 x .7	9.8 x 5.5	25 x 14	11.8 x 1.2	30 x 3		100 ea/pk, 5 pks/cs
120625	Std. EtO Sterile*	Opaque									100 ea/pk, 5 pks/cs
e HS120006	Macro	Green	50	12.2 x .4	31 x 1	16.5 x 9.3	42 x 23.5	11.8	30	35°	150 ea/pk, 24 pks/cs

*Non Toxic/Non Pyrogenic

SmartSpatula™ is a trademark of LevGo Inc.

NEW!

Dual Purpose Scoops

The dual purpose scoops are a unique economical solution that combines the function of a scoop and a weigh boat into one product.

The weighing process has been streamlined, now just sample or retrieve the material in the scoop and place it directly on the scale. This eliminates the need for a weigh boat or weighing paper and saves valuable space in the lab.

- Made from anti-static polystyrene that is waterproof and reduces the chance of materials sticking to the scoop
- Ships and stores flat and when ready to use, is easy to assemble by inserting the locking tab into the hole
- Locking tab feature enables a scoop shape to help retain materials
- Coated to stand up to powders, gels, and semi-solids
- Broad tip design keeps the scoop stable while on the scale and enables materials to be easily scooped and dispensed
- Certificate of Sterility available upon request for sterile scoops
 - Electron beam sterilized products are ideally suited for biologically sensitive applications
 - The dosage requirements for electron beam sterilization that results in sterilized products is determined by procedures that are compliant with ISO 11137-3:2017
 - Lot number traceability for quality assurance
- Disposable



Item No.	Color	Size	L x W in	L x W cm	Sterile	UOM	
120656	White	<input type="checkbox"/>	Large	5 x 3.5	12.7 x 9	✓	100 ea/pk, 50 pks/cs
120679	Black	<input checked="" type="checkbox"/>					10 ea/bag, 10 bags/pk, 25 pks/cs
120657	White	<input type="checkbox"/>	Small	5 x 2.5	12.7 x 6.3	✓	100 ea/pk, 50 pks/cs
120680	Black	<input checked="" type="checkbox"/>					10 ea/bag, 10 bags/pk, 25 pks/cs

Forceps

Corrugated handles and serrated tips

- ABS plastic
- Disposable

* Forceps shown at actual size

Item No.	Color	Length in	Length cm	Tip	UOM
HS15998C	Blue	4.4	11.1	Straight	6 ea/pk, 200 pks/cs



HS15906



HS15907



HS15909

Spatulas

Transfer, lift, and handle powders and granular materials

- Made from nickel-plated, stainless steel wire
- Glazed spatula HS15906 has a Hayman-type end
- Autoclavable

Item No.	End Type	End L x W in	End L x W mm	Overall Length in	Overall Length cm	Finish	UOM
HS15906	Flat	1.2	30	6	15	Glazed	1 ea, 200 ea/cs
	Spoon	0.5 x 0.2	12 x 4				
HS15907	Round Flat	2 x 0.3	50 x 8	7.7	19.5	Mirror	1 ea, 200 ea/cs
	Tapered Flat	1.8 x 0.3	45 x 6.5				
HS15909	Flat	2	50	8.9	22.5	Mirror	1 ea, 200 ea/cs
	Spoon	1.5 x 0.6	38 x 15				