according to Regulation (EC) No. 1907/2006



## **GREASE off QUICK & EASY 6x325 ml**

WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : GREASE off QUICK & EASY 6x325 ml

Identification number : 64442

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : tana Chemie GmbH

Rheinallee 96 55120 Mainz +49613196403

Telephone : +49613196403 Telefax : +4961319642414

E-mail address : Produktsicherheit@werner-mertz.com

Responsible/issuing person

Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)6131-19240

#### SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P260 Do not breathe spray.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/

attention.

Disposal:

P337 + P313

P501 Dispose of contents/ container to an approved

waste disposal plant.

Safety data sheet available on request.

#### Classification in use concentration

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. No information available.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

## **Hazardous components**

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
2,2'-methyliminodiethanol	105-59-9 203-312-7	Eye Irrit. 2; H319	>= 5 - < 10
Decan-1-ol.ethoxylated	26183-52-8 Polymer	Eye Irrit. 2; H319 Acute Tox. 4; H302	>= 2 - < 5
1-phenoxypropan-2-ol	770-35-4 212-222-7 01-2119486566-23	Eye Irrit. 2; H319	>= 2 - < 5
ethanol	64-17-5 200-578-6 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319 SCL >= 50 % 2; H319	>= 1 - < 2



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 1 - < 2
		SCL 5 - < 10 % 2; H319 >= 10,0 % 1; H318	
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N- coco acyl derivs., hydroxides, inner salts	147170-44-3 931-296-8 01-2119488533-30	Eye Dam. 1; H318 Aquatic Chronic 3; H412 SCL > 4 - 10 % 2; H319 > 10,0 % 1; H318	>=1-<2

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Protect unharmed eye.

If easy to do, remove contact lens, if worn.

Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Irritation

Risks : No information available.



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

Special protective equipment for

firefighters

: In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must

not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation.

## 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Neutralise with acid.

Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section

8. Smoking, eating and drinking should be prohibited in the

application area. Dispose of rinse water in accordance with local and

national regulations.

Advice on protection against fire

and explosion

: Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

Store in original container. Keep container tightly closed in a dry and

well-ventilated place. Store at room temperature in the original

container.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

**DNEL** 

2,2'-methyliminodiethanol

105-59-9:

: End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 26 mg/m3

End Use: Workers Exposure routes: Dermal

Potential health effects: Long-term systemic effects

Value: 19 mg/kg

1-phenoxypropan-2-ol

770-35-4:

: End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term exposure, Systemic effects

Value: 42 mg/kg



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term exposure, Systemic effects

Value: 25,7 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term exposure, Systemic effects

Value: 21 mg/kg

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term exposure, Systemic effects

Value: 3,65 mg/kg

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term exposure, Systemic effects

Value: 12,7 mg/m3

ethanol : End Use: Workers 64-17-5: Exposure routes: In

Exposure routes: Inhalation

Potential health effects: Acute local effects

Value: 1900 mg/m3

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 950 mg/m3

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 343 mg/kg

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Acute local effects

Value: 950 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 206 mg/kg

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 114 mg/m3

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Value: 87 mg/kg



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Acute local effects

Value: 950 mg/m3

Alcohols, C12-14, ethoxylated, : End Use: Workers

sulfates, sodium salts

68891-38-3:

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 2750 mg/kg

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 175 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 1650 mg/kg

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 52 mg/m3

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Value: 15 mg/kg

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term local effects

Value: 0,132 mg/cm2

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term local effects

Value: 0,079 mg/cm2

1-Propanaminium, 3-amino-N-

(carboxymethyl)-N,N-

dimethyl-, N-coco acyl derivs.,

hydroxides, inner salts

147170-44-3:

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 44 mg/m3

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 12,5 mg/kg

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Value: 7,5 mg/kg



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 7,5 mg/kg

**PNEC** 

2,2'-methyliminodiethanol

105-59-9:

: Fresh water

Value: 1 mg/l

Marine water

Value: 0,0045 mg/l

intermittent release

Value: 1 mg/l

Fresh water sediment

Value: 0,78 mg/kg

Marine sediment

Value: 0,0351 mg/kg

Soil

Value: 0,097 mg/kg

STP

Value: 10 mg/l

1-phenoxypropan-2-ol

770-35-4:

: Fresh water

Value: 0,1 mg/l

Marine water Value: 0,01 mg/l

value. 0,01 mg/l

Fresh water sediment Value: 0,38 mg/kg

Marine sediment

Value: 0,038 mg/kg

value. 0,036 mg/kg

Soil

Value: 0,02 mg/kg

STP

Value: 10 mg/l

ethanol : Fresh water

**64-17-5:** Value: 0,96 mg/l

Marine water Value: 0,79 mg/l



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

> Fresh water sediment Value: 3,6 mg/kg

Soil

Value: 0,63 mg/kg

STP

Value: 580 mg/l

intermittent release Value: 2,75 mg/l

Alcohols, C12-14, ethoxylated,

sulfates, sodium salts

68891-38-3:

: Fresh water Value: 0,24 mg/l

Marine water Value: 0,024 mg/l

Value: 10000 mg/kg

intermittent release Value: 0,071 mg/l

Fresh water sediment Value: 5,45 mg/kg

Marine sediment Value: 0,545 mg/kg

Soil

Value: 0,946 mg/kg

1-Propanaminium, 3-amino-N-

(carboxymethyl)-N,N-

dimethyl-, N-coco acyl derivs., hydroxides, inner salts

147170-44-3:

: Fresh water

Value: 0,0135 mg/l

Marine water Value: 0,00135 mg/l

STP

Value: 3000 mg/l

Marine sediment Value: 0,1 mg/kg

Soil

Value: 0,8 mg/kg

### 8.2 Exposure controls

### Personal protective equipment

Eye protection : If splashes are likely to occur, wear:



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

Tightly fitting safety goggles

Hand protection

Material For prolonged or repeated contact use protective gloves.

Chemical resistant gloves made of butyl rubber or nitrile rubber

category III according to EN 374-1: 2003 (0,4 mm).

Remarks : Take note of the information given by the producer concerning

permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : Not required; except in case of aerosol formation.

Recommended Filter type:

ABEK-P3-filter

#### **Environmental exposure controls**

General advice : Do not flush into surface water or sanitary sewer system.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour orange

Odour characteristic Odour Threshold No data available ca. 10,0, at20 °C

: No data available Melting point/range Boiling point/boiling range : No data available Flash point : Not applicable Evaporation rate No data available Flammability (solid, gas) No data available

Burning rate No data available Lower explosion limit : No data available Upper explosion limit : No data available Vapour pressure : No data available Relative vapour density : No data available



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

Relative density : No data available

Density : ca. 1,029 g/cm3 at 20 °C

Water solubility : No data available Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

: No data available Ignition temperature Thermal decomposition : No data available : similar to water Viscosity, dynamic Viscosity, kinematic : No data available : No data available Explosive properties Oxidizing properties : No data available

#### 9.2 Other information

none

### SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No decomposition if

used as directed.

## 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

: No data available Materials to avoid

#### 10.6 Hazardous decomposition products

Hazardous decomposition

: No hazardous decomposition products are known.

products

Other information : No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

according to Regulation (EC) No. 1907/2006



## **GREASE off QUICK & EASY 6x325 ml**

WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

**Product** 

Acute oral toxicity : Acute toxicity estimate : > 2.000 mg/kg

Method: Calculation method

Skin corrosion/irritation : According to the classification criteria of the European Union, the

product is not considered as being a skin irritant.

Serious eye damage/eye

irritation

: According to the classification criteria of the European Union, the

product is not considered as being an eye irritant.

Respiratory or skin sensitisation : No data available

Further information : No data available

**Components:** 

Decan-1-ol.ethoxylated

26183-52-8:

Skin corrosion/irritation : Result: No skin irritation

Serious eye damage/eye

irritation

: Result: Eye irritation

1-phenoxypropan-2-ol

770-35-4:

Acute oral toxicity : LD50 Rat: > 2.000 mg/kg

Acute inhalation toxicity : LC50 Rat: 5,4 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Rabbit: > 2.000 mg/kg

ethanol 64-17-5:

Acute oral toxicity : LD50 Oral Rat: 10.470 mg/kg

Method: OECD Test Guideline 401

LD50 Rat: 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 Rat: 51 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal Rabbit: > 2.000 mg/kg



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

Method: OECD Test Guideline 402

LD50 Dermal Rabbit: > 10.000 mg/kg Method: OECD Test Guideline 402

Skin corrosion/irritation : Species: Rabbit

Result: No skin irritation

Method: OECD Test Guideline 404

Serious eye damage/eye

irritation

: Species: Rabbit

Result: Mild eye irritation

Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Species: Mouse

Result: Does not cause skin sensitisation. Method: see user defined free text

Reproductive toxicity : Species: Rat

Application Route: Oral NOAEL: 5.200 mg/kg

Species: Rat

Application Route: Oral NOAEL: 13.800 mg/kg

Species: Rat

Application Route: Inhalation NOAEL: 30400 mg/m3

Repeated dose toxicity : Rat, male: NOAEL: > 20 mg/kg

Method: OECD Test Guideline 403

Rat, female: NOAEL: 1.730 mg/kg

Method: OECD Test Guideline 408

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Acute oral toxicity : LD50 Oral Rat: 4.100 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute dermal toxicity : LD50 Rat: > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Skin corrosion/irritation : Species: Rabbit

Method: OECD Test Guideline 404



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

Serious eye damage/eye : Species: Rabbit

irritation Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Test Method: Maximisation Test

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 406

Germ cell mutagenicity

Genotoxicity in vitro : Result: negative

Method: OECD Test Guideline 471

Reproductive toxicity : Species: Rat

Application Route: Oral NOAEL: > 300 mg/kg,

F1: > 300 mg/kg, Method: OECD Test Guideline 416

Teratogenicity : Species: Rat

Application Route: Oral

>1.000 mg/kg > 1.000 mg/kg

Method: OECD Test Guideline 414

Repeated dose toxicity : Rat: NOAEL: > 225 mg/kg

Application Route: Oral Exposure time: 90 Days

Method: OECD Test Guideline 408

Target Organs: Liver

STOT - repeated exposure : Exposure routes: Ingestion

Target Organs: Liver

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts

147170-44-3:

Acute oral toxicity : LD50 Oral : > 8.000 mg/kg

Method: OECD Test Guideline 401

LD50 Rat: 2.335 mg/kg

Acute dermal toxicity : LD50 Rat: > 2.000 mg/kg

Reproductive toxicity : Species: Rat

Application Route: Oral NOAEL: 300 mg/kg

Teratogenicity : Species: Rat



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

Application Route: Oral

1.000 mg/kg 100 mg/kg

Method: see user defined free text

Repeated dose toxicity : Rat, male and female: NOAEL: 300 mg/kg

Application Route: Oral Exposure time: 90 d

Method: see user defined free text

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

Decan-1-ol.ethoxylated

26183-52-8:

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia (water flea)): 15 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae : EC50 : 19,6 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

1-phenoxypropan-2-ol

770-35-4:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 220 - 460 mg/l

Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 280 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: LC50 (Daphnia magna (Water flea)): 370 mg/l

Exposure time: 48 h

Test Type: static test

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Test Type: static test

Toxicity to bacteria : EC50 (Bacteria): > 1.000 mg/l

Exposure time: 17 h

ethanol 64-17-5:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13 g/l

Exposure time: 96 h

Method: OECD Test Guideline 203



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

LC50 (Leuciscus idus (Golden orfe)): 8.150 mg/l

Exposure time: 48 h

LC50 (Pimephales promelas (fathead minnow)): > 0,1 g/l

Exposure time: 96 h

LC50 (Fish): 11.200 mg/l

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 12.340 mg/l

Exposure time: 48 h

EC50: 5.012 mg/l

Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201

EC50 (Scenedesmus capricornutum (fresh water algae)): 12.900

mg/l

Exposure time: 48 h
Test Type: Growth inhibition
Method: No information available.

EC0 (Scenedesmus quadricauda (Green algae)): 5.000 mg/l

Exposure time: 168 h

EC50: 4.432 mg/l

EC10: 11,5 mg/l

EC10: 280 mg/l

Toxicity to bacteria : EC50 (Pseudomonas putida): 11.800 mg/l

Exposure time: 16 h

Test Type: Cell multiplication inhibition test

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7,1 mg/l

Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203

CL Division

GLP: yes

LC50 (Fish): > 1 - 10 mg/l Test Type: semi-static test

Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l

Method: OECD Test Guideline 203

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l

Exposure time: 28 d

Test Type: flow-through test



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

Method: OECD Test Guideline 204

LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l

Test Type: flow-through test

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 7,4 mg/l

Test Type: Immobilization

Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 0,27 mg/l

Exposure time: 21 d
Test Type: flow-through test
Method: OECD Test Guideline 211

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l

Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201

GLP: yes

EC50 (Scenedesmus subspicatus): 10 - 100 mg/l

Method: OECD Test Guideline 201

EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

NOEC: 0,95 mg/l

Test Type: Growth inhibition Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 0,93 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to bacteria : EC50 (Pseudomonas putida): > 10 g/l

Exposure time: 16 h

Test Type: Cell multiplication inhibition test

Method: DIN 38412

GLP: yes

EC10 (Pseudomonas putida): > 10 g/l Test Type: Cell multiplication inhibition test

GLP:

Toxicity to fish (Chronic toxicity) : NOEC: 1,2 mg/l



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

NOEC: 1 - 10 mg/l

Species: Leuciscus idus (Golden orfe)

NOEC: 0,14 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 204

Toxicity to daphnia and other aquatic invertebrates (Chronic

toxicity)

: NOEC: > 0,1 - 1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Toxicity to soil dwelling

organisms

: NOEC: 750 mg/kg Exposure time: 96 d

> Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts

147170-44-3:

Toxicity to fish : LC50 (Calamus penna): 1,11 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

EC10 (Fish): 1,11 mg/l Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 6,5 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 0,3 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to algae EC50 (Desmodesmus subspicatus (green algae)): 1,5 mg/l

Exposure time: 72 h

GLP: yes

Toxicity to bacteria : EC0 (Bacteria): > 3.000 mg/l

GLP:

Toxicity to fish (Chronic toxicity) : NOEC: 0,135 mg/l

Exposure time: 100 d

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other

aquatic invertebrates (Chronic

toxicity)

: NOEC: 0,32 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

according to Regulation (EC) No. 1907/2006



## GREASE off QUICK & EASY 6x325 ml

WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

Method: OECD Test Guideline 211

GLP: yes

## 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies

(comply) with the biodegradability criteria as laid down in Regulation

(EC) No. 648/2004 on detergents.

**Components:** 

1-phenoxypropan-2-ol

770-35-4:

Biodegradability : Biodegradation: 72 %

Exposure time: 28 d Method: OECD 301 F

ethanol 64-17-5:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 97 %

Method: OECD Test Guideline 301

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Biodegradability : Test Type: aerobic

Result: rapidly biodegradable Biodegradation: > 70 % Exposure time: 28 d Method: OECD 301 A

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner

salts

147170-44-3:

Biodegradability : Test Type: aerobic

Concentration: 20 mg/l Result: rapidly biodegradable

Biodegradation: 92 % Exposure time: 28 d Method: OECD 301 B

Test Type: anaerobic Concentration: 102,4 mg/l Biodegradation: 80 - 90 % Exposure time: 60 d

Method: see user defined free text

GLP: yes

Chemical Oxygen Demand

(COD)

: 1.000.000 mg/l

according to Regulation (EC) No. 1907/2006



## **GREASE off QUICK & EASY 6x325 ml**

WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

### 12.3 Bioaccumulative potential

**Components:** 

1-phenoxypropan-2-ol

770-35-4:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is not expected.

ethanol 64-17-5:

Bioaccumulation : Concentration: 3,2 mg/l

Partition coefficient: n-

octanol/water

: log Pow: -0,32

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

#### 12.4 Mobility in soil

Components:

ethanol 64-17-5:

Distribution among : Koc: 1Remarks: Highly mobile in soils

environmental compartments

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Distribution among : Adsorption/Soil environmental compartments Medium:Soil

Koc: 191Method: see user defined free text

#### 12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be

either persistent, bioaccumulative and toxic (PBT), or very persistent

and very bioaccumulative (vPvB) at levels of 0.1% or higher..

**Components:** 

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Assessment : This substance is not considered to be very persistent and very

bioaccumulating (vPvB).. This substance is not considered to be

persistent, bioaccumulating and toxic (PBT)..

12.6 Other adverse effects

**Product:** 

Additional ecological information : There is no data available for this product.



WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemical or

used container.

Offer surplus and non-recyclable solutions to a licensed disposal

company.

Contaminated packaging : Only give completely emptied packaging to special waste disposer.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Waste Code European Waste Catalogue

200129

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste

disposal authorities.

### **SECTION 14: Transport information**

#### 14.1 UN number

**ADR** 

Not dangerous goods

**IMDG** 

Not dangerous goods

IATA

Not dangerous goods

#### 14.2 Proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class

ADR

Not dangerous goods

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

### 14.4 Packing group

**ADR** 

Not dangerous goods

**IMDG** 

Not dangerous goods

IATA

Not dangerous goods

#### 14.5 Environmental hazards

ADR

according to Regulation (EC) No. 1907/2006



## GREASE off QUICK & EASY 6x325 ml

WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

Not dangerous goods

**IMDG** 

Not regulated as a dangerous good

**IATA** 

Not dangerous goods

14.6 Special precautions for user

Remarks Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and : Not applicable

the Council concerning the export and import of dangerous

chemicals

REACH - Restrictions on the manufacture, placing on the : Not applicable

market and use of certain dangerous substances, preparations

and articles (Annex XVII)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

TA Luft List (Germany)

Not applicable

: Total dust: Not applicable

Inorganic substances in powdered form: Not applicable

Inorganic substances in vapour or gaseous form: : portionClass 3:

0,27 %

: Organic Substances: : portionClass 1: < 0,01 % Carcinogenic substances: : portionClass 2: < 0,01 %

Mutagenic: : < 0,01 %

Toxic to reproduction: Not applicable

Volatile organic compounds

(VOC) content

Percent volatile: 1,95 %

104,11 g/l

VOC content excluding water

Volatile organic compounds

(VOC) content

: Percent volatile: 1,95 %

20,11 g/l

VOC content valid only for coating materials used on wood surfaces

according to Detergents

<5% Anionic surfactants, Amphoteric surfactants, Non-ionic

Regulation EC 648/2004 surfactants, Perfumes

according to Regulation (EC) No. 1907/2006



## **GREASE off QUICK & EASY 6x325 ml**

WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

GISBAU (D) : GU 80

#### 15.2 Chemical safety assessment

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

#### **Further information**

Classification procedure: H319 Calculation method

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS -Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified: NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

according to Regulation (EC) No. 1907/2006



# **GREASE off QUICK & EASY 6x325 ml**

WM 0713684 Order number: 0713684

Version 4.1 Revision Date 26.07.2018 Print Date 15.04.2019

500000004342