

WM 0712856	Order number: 0712856	
Version 3.3	Revision Date 10.11.2018	Print Date 31.07.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	NOWA CLEAN 15 L
Identification number	:	61992

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Cleaning agent
------------------------------	---	----------------

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company	: tana Chemie GmbH
	Rheinallee 96
	55120 Mainz
Telephone	: +49613196403
Telefax	: +4961319642414
E-mail address	: Produktsicherheit@werner-mertz.com
Responsible/issuing person	
Contact person	: Product development / product safety

1.4 Emergency telephone number

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1A

H314: Causes severe skin burns and eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word	: Danger	
Hazard statements	: H314	Causes severe skin burns and eye damage.
Precautionary statements	: P102 Prevention:	Keep out of reach of children.
	P260	Do not breathe spray.
	P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.



WM 0712856	Order number: 0712856	
Version 3.3	Revision Date 10.11.2018	Print Date 31.07.2019
	P305 + P351 + P338 IF IN EYES: Rinse several minutes. Re present and easy to P310 Immediately call a F Disposal:	r): Take off immediately all ing. Rinse skin with water. cautiously with water for emove contact lenses, if o do. Continue rinsing. POISON CENTER/doctor.

Hazardous components which must be listed on the label: sodium hydroxide

Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Aqueous surfactant solution.

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
Chemical hame		Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
tetrapotassium pyrophosphate	7320-34-5	Eye Irrit. 2; H319	>= 5 - < 10
	230-785-7		
	01-2119489369-18		
	01-2113-03303-10		
sodium etasulfate	126-92-1	Skin Irrit. 2; H315	>= 1 - < 2
	204-812-8	Eve Dam. 1; H318	
	01-2119971586-23	,,,,	
		SCL	
		10 - < 20 % 2; H319	
		>= 20 % 1; H318	
tetrapotassium pyrophosphate	7320-34-5	Eye Irrit. 2; H319	>= 5 - < 10
lellapolassium pyrophosphale		Lye III. 2, 11319	>= 5 - < 10
	230-785-7		
	01-2119489369-18		



VM 0712856	Order number: 0712	Order number: 0712856			
ersion 3.3	Revision Date 10.11.	2018	Print Date 31.07.2019		
sodium etasulfate	126-92-1 204-812-8 01-2119971586-23 1310-73-2 215-185-5 01-2119457892-27- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 SCL 10 - < 20 % 2; H319 >= 20 % 1; H318 Met. Corr. 1; H290 Skin Corr. 1A; H314 SCL >= 5 % 1A; H314 2 - < 5 % 1B; H314 0,5 - < 2 % 2; H315 0,5 - < 2 % 2; H319	< 1		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1	Description	of	first aid	measures
-----	-------------	----	-----------	----------

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. Protect unharmed eye. Continue rinsing eyes during transport to hospital.
If swallowed	 Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Take victim immediately to hospital.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms	: corrosive effects Irritation
Risks	: No information available.



NOWA CLEAN 15 L WM 0712856 Order number: 0712856 Version 3.3 Revision Date 10.11.2018 Print Date 31.07.2019 4.3 Indication of any immediate medical attention and special treatment needed Treatment : For specialist advice physicians should contact the Poisons

Information Service.

SECTION 5: Firefighting measure	s	
5.1 Extinguishing media		
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2 Special hazards arising from the	sul	bstance or mixture
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions :	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.
6.2 Environmental precautions	
Environmental precautions :	Do not flush into surface water or sanitary sewer system.
6.3 Methods and materials for containn	nent and cleaning up
Methods for cleaning up :	Neutralise with acid. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections



WM 0712856	Order number: 0712856	
Version 3.3	Revision Date 10.11.2018	Print Date 31.07.2019
	ction 8., Treat recovered material as descr on 15 for specific national regulation.	ibed in the section "Disposal
SECTION 7: Handling and stor	age	
7.1 Precautions for safe handling		
Advice on safe handling	: Avoid formation of aerosol. Avoid of personal protection see section 8. should be prohibited in the application handling keep bottle on a metal tra	Smoking, eating and drinking tion area. To avoid spills during
Advice on protection against finant and explosion	e : Normal measures for preventive fir	re protection.
Hygiene measures	: Handle in accordance with good in practice. When using do not eat or Wash hands before breaks and at	drink. When using do not smoke.
7.2 Conditions for safe storage, in	cluding any incompatibilities	
Requirements for storage areas and containers	 Store in original container. Keep containers well-ventilated place. Containers were sealed and kept upright to prevent temperature in the original containers. 	hich are opened must be carefully nt leakage. Store at room
Other data	: No decomposition if stored and ap	plied as directed.
7.3 Specific end use(s)		
Specific use(s)	: Cleaning agent	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL

tetrapotassium pyrophosphate 7320-34-5:	: End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 2,79 mg/m3
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 0,68 mg/m3
	End Use: Consumers



NOWA CLEAN 15 L WM 0712856 Order number: 0712856 Version 3.3 Revision Date 10.11.2018 Print Date 31.07.2019 Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: > 70 mg/kg sodium etasulfate End Use: Workers ÷ 126-92-1: Exposure routes: Inhalation Potential health effects: Chronic effects, Systemic effects Value: 285 mg/m3 End Use: Workers Exposure routes: Skin contact Potential health effects: Chronic effects, Systemic effects Exposure time: 1 d Value: 4060 mg/kg End Use: Consumers Exposure routes: Ingestion Potential health effects: Chronic effects, Systemic effects Exposure time: 1 d Value: 24 mg/kg End Use: Consumers Exposure routes: Inhalation Potential health effects: Chronic effects, Systemic effects Value: 85 mg/m3 tetrapotassium ÷ End Use: Workers pyrophosphate Exposure routes: Inhalation 7320-34-5: Potential health effects: Long-term systemic effects Value: 2,79 mg/m3 End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 0,68 mg/m3 End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: > 70 mg/kg sodium etasulfate : End Use: Workers 126-92-1: Exposure routes: Inhalation Potential health effects: Chronic effects, Systemic effects Value: 285 mg/m3 End Use: Workers Exposure routes: Skin contact Potential health effects: Chronic effects, Systemic effects Exposure time: 1 d Value: 4060 mg/kg End Use: Consumers Exposure routes: Ingestion Potential health effects: Chronic effects, Systemic effects



VM 0712856	Order number: 0712856	
ersion 3.3	Revision Date 10.11.2018	Print Date 31.07.2019
	Exposure time: 1 d Value: 24 mg/kg	
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Chronic effects, Value: 85 mg/m3	Systemic effects
sodium hydroxide 1310-73-2:	: End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local Value: 1 mg/m3	effects
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term local Value: 1 mg/m3	effects
PNEC		
tetrapotassium pyrophosphate 7320-34-5:	: Fresh water Value: 0,05 mg/l	
	Marine water Value: 0,005 mg/l	
	STP Value: 50 mg/l	
	intermittent release Value: 0,5 mg/l	
sodium etasulfate 126-92-1:	: Fresh water Value: 0,1357 mg/l	
	Marine water Value: 0,0136 mg/l	
	Fresh water sediment Value: 1,5 mg/kg	
	Marine sediment Value: 0,15 mg/kg	
	STP Value: 1,35 mg/l	
	Soil Value: 0,22 mg/kg	
tetrapotassium pyrophosphate 7320-34-5:	: Fresh water Value: 0,05 mg/l	
7 320-34-3:	Marine water	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



NOWA CLEAN 15 L

WM 0712856	Order number: 0712856	
Version 3.3	Revision Date 10.11.2018 Prin	nt Date 31.07.2019
	Value: 0,005 mg/l	
	STP Value: 50 mg/l	
	intermittent release Value: 0,5 mg/l	
sodium etasulfate 126-92-1:	Fresh water Value: 0,1357 mg/l	
	Marine water Value: 0,0136 mg/l	
	Fresh water sediment Value: 1,5 mg/kg	
	Marine sediment Value: 0,15 mg/kg	
	STP Value: 1,35 mg/l	
	Soil Value: 0,22 mg/kg	
3.2 Exposure controls		
Personal protective equipment		
Eye protection	Tightly fitting safety goggles	
Hand protection		
Material	Chemical resistant gloves made of butyl rubber or nitr category III according to EN 374.	ile rubber
Remarks	Take note of the information given by the producer co permeability and break through times, and of special v conditions (mechanical strain, duration of contact).	
Skin and body protection	Choose body protection according to the amount and of the dangerous substance at the work place. Remove and wash contaminated clothing before re-used states and wash contaminated clothing before re-used states and wash contaminated clothing before re-used states are as a state of the states are as a states are as a state of the states are as a state of the states are as a state are as a states are as a states are as a state are as a states are as a states are as a state are as a states are as a state are as a states are as a states are as a state are as a	

Respiratory protection	 Not required; except in case of aerosol formation. Recommended Filter type: ABEK-P3-filter Ensure adequate ventilation, especially in confined areas.
	Ensure adequate ventilation, especially in contined areas.

Not required; except in case of aerosol formation.



WM 0712856

Version 3.3

Order number: 0712856

Revision Date 10.11.2018

Print Date 31.07.2019

Recommended Filter type: ABEK-P3-filter

Environmental exposure controls

General advice

: Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	Aqueous solution
Colour	:	gold
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	ca. 13,3
Melting point/range	:	No data available
Boiling point/boiling range	:	No information available.
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Flammability (liquids)	:	Not classified as supporting combustion according to the transport regulations.
Burning rate	:	No data available
Lower explosion limit	:	No data available
Upper explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	ca. 1,082 g/cm3
Water solubility	:	completely soluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Ignition temperature	:	No data available
Thermal decomposition	:	No data available
Viscosity, dynamic	:	No data available



WM 0712856	Order number: 0712856	
Version 3.3	Revision Date 10.11.2018	Print Date 31.07.2019
Viscosity, kinematic alkali reserve	: No data available : 2,725 g/100g	
Explosive properties Oxidizing properties	No data availableNo data available	
9.2 Other information		

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Stable under recommended storage conditions., No decomposition if used as directed.
10.4 Conditions to avoid	
Conditions to avoid	: No data available
10.5 Incompatible materials	
Materials to avoid	: No data available
10.6 Hazardous decomposition produced	ucts
Hazardous decomposition	: No hazardous decomposition products are known.
products Other information	: No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product	
Skin corrosion/irritation	: Extremely corrosive and destructive to tissue.
Serious eye damage/eye irritation	: May cause irreversible eye damage.
Respiratory or skin sensitisation	: No data available
Germ cell mutagenicity	: Not Rated
Carcinogenicity	: Not Rated

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



NOWA CLEAN 15 L			
WM 0712856		Order number: 0712856	
Version 3.3		Revision Date 10.11.2018	Print Date 31.07.2019
Denne destina tradicita			
Reproductive toxicity	÷	Not Rated	
STOT - single exposure	:	The substance or mixture is not classified as spe toxicant, single exposure.	ecific target organ
STOT - repeated exposure	:	The substance or mixture is not classified as spe toxicant, repeated exposure.	ecific target organ
Aspiration toxicity	:	Not Rated	
Further information	•	No data available	
<u>Components:</u> tetrapotassium pyrophosphate 7320-34-5:			
Acute oral toxicity	:	LD50 Oral Rat: > 2.000 mg/kg	
		LD50 Mouse: > 2.000 mg/kg	
Acute inhalation toxicity	:	LC50 Rat: 1,1 mg/l Method: OECD Test Guideline 403	
Acute dermal toxicity	:	LD50 Dermal Rabbit: > 7.940 mg/kg	
		LD50 Dermal Rabbit: > 2.000 mg/kg Method: OECD Test Guideline 402	
Skin corrosion/irritation	:	Result: Mild skin irritation	
		Result: No skin irritation	
Serious eye damage/eye irritation	:	Result: Eye irritation	
sodium etasulfate 126-92-1:			
Acute oral toxicity	:	LD50 Oral Rat: 4.000 mg/kg	
		LD50 Oral Rat: > 2.000 mg/kg	
Acute dermal toxicity	:	LD50 Dermal Rat: > 2.000 mg/kg	

tetrapotassium pyrophosphate



WM 0712856	Order number: 0712856	
Version 3.3	Revision Date 10.11.2018	Print Date 31.07.2019
7320-34-5: Acute oral toxicity	: LD50 Oral Rat: > 2.000 mg/kg	
	LD50 Mouse: > 2.000 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 1,1 mg/l Method: OECD Test Guideline 403	
Acute dermal toxicity	: LD50 Dermal Rabbit: > 7.940 mg/kg	
	LD50 Dermal Rabbit: > 2.000 mg/kg Method: OECD Test Guideline 402	
Skin corrosion/irritation	: Result: Mild skin irritation	
	Result: No skin irritation	
Serious eye damage/eye irritation	: Result: Eye irritation	
sodium etasulfate		
126-92-1: Acute oral toxicity	: LD50 Oral Rat: 4.000 mg/kg	
	LD50 Oral Rat: > 2.000 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rat: > 2.000 mg/kg	
sodium hydroxide 1310-73-2:		
Acute oral toxicity	: LD50 Oral Rat: 2.000 mg/kg	
Skin corrosion/irritation	: Result: Corrosive	
Serious eye damage/eye irritation	: Result: Corrosive	

SECTION 12: Ecological information

12.1 Toxicity

Components:
tetrapotassium pyrophosphate
7320-34-5:LC0 (Leuciscus idus (Golden orfe)): > 750 mg/l



VM 0712856		Order number: 0712856	
/ersion 3.3		Revision Date 10.11.2018	Print Date 31.07.2019
		Exposure time: 48 h	
		LC50 (Oncorhynchus mykiss (rainbow trout Exposure time: 96 h Method: OECD Test Guideline 203	t)): > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 Exposure time: 48 h Method: OECD Test Guideline 202) mg/l
Toxicity to algae	:	ErC50 : > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201	
		NOEC : > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201	
Toxicity to bacteria	:	(activated sludge): > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209	
Toxicity to fish (Chronic toxicity)	:	100 mg/l Exposure time: 96 h Species: Oncorhynchus mykiss (rainbow tro Method: OECD Test Guideline 203	out)
sodium etasulfate 126-92-1:			
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): > 100 mg/l Exposure time: 48 h	
Toxicity to algae	:	EC50 (Desmodesmus subspicatus (green a Exposure time: 72 h	algae)): > 100 mg/l
Toxicity to bacteria	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h	
tetrapotassium pyrophosphate 7320-34-5:			
Toxicity to fish	:	LC0 (Leuciscus idus (Golden orfe)): > 750 Exposure time: 48 h	mg/l
		LC50 (Oncorhynchus mykiss (rainbow trout Exposure time: 96 h Method: OECD Test Guideline 203	t)): > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 Exposure time: 48 h Method: OECD Test Guideline 202) mg/l



WM 0712856		Order number: 0712856	
Version 3.3		Revision Date 10.11.2018	Print Date 31.07.2019
Toxicity to algae		ErC50 : > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201	
		NOEC : > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201	
Toxicity to bacteria	:	(activated sludge): > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209	
Toxicity to fish (Chronic toxicity)	:	100 mg/l Exposure time: 96 h Species: Oncorhynchus mykiss (rainbow Method: OECD Test Guideline 203	trout)
sodium etasulfate 126-92-1:			
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg Exposure time: 96 h	/I
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): > 100 mg/l Exposure time: 48 h	
Toxicity to algae	:	EC50 (Desmodesmus subspicatus (greer Exposure time: 72 h	n algae)): > 100 mg/l
Toxicity to bacteria	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h	
sodium hydroxide 1310-73-2:			
Toxicity to fish	:	LC50 (Fish): 33 - 189 mg/l Exposure time: 96 h	
		LC50 (Gambusia affinis (Mosquito fish)): Exposure time: 96 h	125 mg/l
		LC50 (Poecilia reticulata (guppy)): 76 mg Exposure time: 24 h	/I
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 40,4 mg/l	
		EC50 (Daphnia magna (Water flea)): 76 r Exposure time: 24 h	ng/l
Toxicity to bacteria	:	EC50 (Photobacterium phosphoreum): 22 Exposure time: 15 min	2 mg/l

12.2 Persistence and degradability

Product:



NOWA CLEAN 15 L		
WM 0712856	Order number: 0712856	
Version 3.3	Revision Date 10.11.2018 Print Date 31.07.2019	
Biodegradability	Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.	
<u>Components:</u> tetrapotassium pyrophosphate 7320-34-5:		
Biodegradability	: Remarks: The methods for determining biodegradability are not applicable to inorganic substances.	
sodium etasulfate 126-92-1:		
Biodegradability	: Biodegradation: > 60 % Exposure time: 14 d Method: OECD 301 D Remarks: The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
Biochemical Oxygen Demand (BOD)	: 342 mg/g Incubation time: 5 d Method: see user defined free text	
Chemical Oxygen Demand (COD)	: 578 mg/g Method: DIN 38409-H-41	
tetrapotassium pyrophosphate 7320-34-5:		
Biodegradability	: Remarks: The methods for determining biodegradability are not applicable to inorganic substances.	
sodium etasulfate 126-92-1:		
Biodegradability	: Biodegradation: > 60 % Exposure time: 14 d Method: OECD 301 D Remarks: The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
Biochemical Oxygen Demand (BOD)	: 342 mg/g Incubation time: 5 d Method: see user defined free text	
Chemical Oxygen Demand (COD)	: 578 mg/g Method: DIN 38409-H-41	



VM 0712856		Order number: 0712856	
/ersion 3.3		Revision Date 10.11.2018	Print Date 31.07.201
sodium hydroxide			
1310-73-2:			
Biodegradability	:	Remarks: The methods for determining the are not applicable to inorganic substances.	
12.3 Bioaccumulative potential			
Components:			
tetrapotassium pyrophosphate 7320-34-5:			
Bioaccumulation	:	Remarks: Does not bioaccumulate.	
tetrapotassium pyrophosphate 7320-34-5:			
Bioaccumulation	:	Remarks: Does not bioaccumulate.	
sodium hydroxide 1310-73-2:			
Bioaccumulation	:	Species: Fish Remarks: No bioaccumulation is to be expe	ected (log Pow <= 4).
12.4 Mobility in soil			
No data available			
12.5 Results of PBT and vPvB assess	sm	ent	
Product:			
Assessment	:	This substance/mixture contains no compo either persistent, bioaccumulative and toxic and very bioaccumulative (vPvB) at levels of	: (PBT), or very persistent
12.6 Other adverse effects			
Product:			
Additional ecological information	:	There is no data available for this product.	

Product	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.



WM 0712856		Order number: 0712856		
Version 3.3		Revision Date 10.11.2018	Print Date 31.07.2019	
Waste Code	:	European Waste Catalogue 200129 According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.		
SECTION 14: Transport information	on			
14.1 UN number ADR IMDG IATA	: '	1760 1760 1760		
14.2 Proper shipping name				
ADR		CORROSIVE LIQUID, N.O.S. (sodium hydroxide)		
IMDG		CORROSIVE LIQUID, N.O.S. (sodium hydroxide)		
ΙΑΤΑ	: (Corrosive liquid, n.o.s. Not permitted for tra	ansport	
14.3 Transport hazard class ADR IMDG IATA	: 4	8		
14.4 Packing group ADR				
Classification Code Packaging group Hazard Identification Number Labels Tunnel restriction code IMDG Packaging group				
Labels EmS Number IATA		8 F-A, S-B		
(Cargo) Packaging group Labels	: (: : 8		ansport	
14.5 Environmental hazards ADR				
Environmentally hazardous	: 1	no		
IMDG				
Marine pollutant IATA	: 1	no		
Environmentally hazardous	: 1	no		



WM 0712856	Order number: 0712856	
Version 3.3	Revision Date 10.11.2018	Print Date 31.07.2019
properties of the unpackaged m	provided herein are for informational purposes of naterial as it is described within this Safety Data de of transportation, package sizes, and variatio	Sheet. Transportation
For personal protection see sec	ction 8.	
14.7 Transport in bulk according t Not applicable for product as su	o Annex II of MARPOL 73/78 and the IBC Codupplied.	de
SECTION 15: Regulatory inforr	nation	
15.1 Safety, health and environme	ntal regulations/legislation specific for the s	ubstance or mixture
Regulation (EC) No 649/2012 of the Council concerning the exp chemicals	of the European Parliament and : Not applic ort and import of dangerous	able
	: Directive 96/82/EC does not apply	
Seveso III: Directive 2012/18/E of the European Parliament and the Council on the control of major-accident hazards involvir dangerous substances. TA Luft List (Germany)	d of : Total dust: Not applicable : Inorganic substances in powdered form: : Inorganic substances in vapour or gased : Organic Substances: Not applicable : Carcinogenic substances: Not applicable : Mutagenic: Not applicable	ous form: Not applicable
Volatile organic compounds (VOC) content	 Toxic to reproduction: Not applicable Directive 2010/75/EU of 24 November 24 (integrated pollution prevention and cont Update: Percent volatile: 0,04 % 8,31 g/l VOC content excluding water 	
Volatile organic compounds (VOC) content	 Directive 2010/75/EU of 24 November 20 (integrated pollution prevention and cont Update: Percent volatile: 0,04 % 0,38 g/l VOC content valid only for coating mater 	rol)
according to Detergents Regulation EC 648/2004	: 5 - <15% Phosphates, <5% Anionic surfa	actants, Non-ionic

GISBAU (D) : GG 70



Order number: 0712856

WM 0712856 Version 3.3

order Humber. 07 12030

Revision Date 10.11.2018

Print Date 31.07.2019

15.2 Chemical safety assessment

There is no data available for this product.

SECTION 16: Other information

Full text of H-Statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Further information

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure:	H314	On basis of test data.
---------------------------	------	------------------------

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS -Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



WM 0712856

Version 3.3

Order number: 0712856 Revision Date 10.11.2018

Print Date 31.07.2019

50000001838