

SANET STAR 10 X 1 L

WM 1112927

Order number: 0712927

Version 4.0

Revision Date 08.05.2020

Print Date 13.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : SANET STAR 10 X 1 L
Identification number : 61189

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642414
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person
Contact person : Product development / product safety

1.4 Emergency telephone number

112
+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H315 Causes skin irritation.
H319 Causes serious eye irritation.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

SANET STAR 10 X 1 L

WM 1112927

Order number: 0712927

Version 4.0

Revision Date 08.05.2020

Print Date 13.08.2020

P264 Wash hands thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.

Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Safety data sheet available on request.

2.3 Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
sulphamidic acid	5329-14-6 226-218-8 01-2119846728-23	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Aquatic Chronic 3; H412	>= 10 - < 15
Alcohols, C12-14, ethoxylated (7 EO)	68439-50-9 932-106-6	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412 SCL > 10 % 1; H318 > 1 - 10 % 2; H319	>= 2,5 - < 3

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.

SANET STAR 10 X 1 L

WM 1112927

Order number: 0712927

Version 4.0

Revision Date 08.05.2020

Print Date 13.08.2020

- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Irritation
- Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products :
No hazardous combustion products are known

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SANET STAR 10 X 1 L

WM 1112927

Order number: 0712927

Version 4.0

Revision Date 08.05.2020

Print Date 13.08.2020

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

SANET STAR 10 X 1 L

WM 1112927

Order number: 0712927

Version 4.0

Revision Date 08.05.2020

Print Date 13.08.2020

Contains no substances with occupational exposure limit values.

DNEL

sulphamidic acid
5329-14-6:

: End Use: Consumers
Exposure routes: Ingestion
Value: 1,06 mg/kg

End Use: Workers
Exposure routes: Inhalation
Value: 7,5 mg/m³

End Use: Consumers
Exposure routes: Inhalation
Value: 1,85 mg/m³

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 5 mg/kg

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 10 mg/kg

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 5 mg/kg

PNEC

sulphamidic acid
5329-14-6:

: Fresh water
Value: 0,3 mg/l

Marine water
Value: 0,03 mg/l

intermittent release
Value: 0,3 mg/l

STP
Value: 200 mg/l

Fresh water sediment
Value: 0,3 mg/kg

Marine sediment
Value: 0,3 mg/kg

Soil
Value: 3 mg/kg

Fresh water

SANET STAR 10 X 1 L

WM 1112927

Order number: 0712927

Version 4.0

Revision Date 08.05.2020

Print Date 13.08.2020

Value: 0,048 mg/l

Marine water
Value: 0,0048 mg/l

STP
Value: 2 mg/l

Fresh water sediment
Value: 0,173 mg/kg

Marine sediment
Value: 0,0173 mg/kg

Soil
Value: 0,00638 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye protection : If splashes are likely to occur, wear:
Tightly fitting safety goggles

Hand protection

Material : For prolonged or repeated contact use protective gloves.
It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1: 2003 (0,4 mm).
As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : Not required; except in case of aerosol formation.
Recommended Filter type:
ABEK-P3-filter

Environmental exposure controls

General advice : Try to prevent the material from entering drains or water courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

SANET STAR 10 X 1 L

WM 1112927

Order number: 0712927

Version 4.0

Revision Date 08.05.2020

Print Date 13.08.2020

Colour	: pink
Odour	: odourized
Odour Threshold	: No data available
pH	: ca. 0,5
Melting point/range	: No data available
Boiling point/boiling range	: No information available.
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Burning rate	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 1,072 g/cm ³
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
acid reserve	: 5,17 g/100g
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

SANET STAR 10 X 1 L

WM 1112927

Order number: 0712927

Version 4.0

Revision Date 08.05.2020

Print Date 13.08.2020

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.
Other information : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

Skin corrosion/irritation : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation : Vapours may cause irritation to the eyes, respiratory system and the skin.
Causes serious eye irritation.

Respiratory or skin sensitisation : No data available

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity : Not Rated

Further information : No data available

Components:

5329-14-6:

Acute oral toxicity : LD50 Rat: 3.160 mg/kg

SANET STAR 10 X 1 L

WM 1112927

Order number: 0712927

Version 4.0

Revision Date 08.05.2020

Print Date 13.08.2020

		LD50 Oral Rat: > 2.000 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute dermal toxicity	:	LD50 Rat: > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes
Skin corrosion/irritation	:	Species: Rabbit Result: Irritating to skin. Method: OECD Test Guideline 404
Serious eye damage/eye irritation	:	Species: Rabbit Result: Eye irritation Method: OECD Test Guideline 405
Repeated dose toxicity	:	Rat: 1000 mg/kg NOAEL: 1.000 mg/kg Application Route: Oral Exposure time: 90 h Method: OECD Test Guideline 408

Alcohols, C12-14, ethoxylated (7 EO)

68439-50-9:

Acute oral toxicity	:	LD50 Oral Rat: 300 - 2.000 mg/kg
Acute dermal toxicity	:	LD50 Dermal Rabbit: > 2.000 mg/kg
Germ cell mutagenicity		
Genotoxicity in vitro	:	Type: Ames test Result: negative
Reproductive toxicity	:	Species: Rat NOAEL: > 250 mg/kg, F1: > 250 mg/kg, F2: > 250 mg/kg
Teratogenicity	:	Species: Rat Application Route: Oral >50 mg/kg > 50 mg/kg Species: Rat Application Route: Dermal >250 mg/kg > 250 mg/kg

SANET STAR 10 X 1 L

WM 1112927

Order number: 0712927

Version 4.0

Revision Date 08.05.2020

Print Date 13.08.2020

SECTION 12: Ecological information

12.1 Toxicity

Components:

sulphamidic acid

5329-14-6:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 70,3 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 71,9 mg/l Exposure time: 24 h Method: OECD Test Guideline 202
Toxicity to algae	:	ErC50 : 48 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Alcohols, C12-14, ethoxylated (7 EO)

68439-50-9:

Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): > 1 - 10 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 LC50 (Fish): > 1 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae	:	EC50 (Desmodesmus subspicatus (green algae)): 1 - 10 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 EC10 (Desmodesmus subspicatus (green algae)): 0,1 - 1 mg/l Exposure time: 72 h Test Type: static test
M-Factor (Short-term (acute) aquatic hazard)	:	1
Toxicity to bacteria	:	EC50 (Bacteria): 140 mg/l
Toxicity to soil dwelling organisms	:	220 mg/kg Species: Eisenia fetida (earthworms)
Plant toxicity	:	10 mg/l Species: Lepidium sativum (cress) Method: see user defined free text

SANET STAR 10 X 1 L

WM 1112927

Order number: 0712927

Version 4.0

Revision Date 08.05.2020

Print Date 13.08.2020

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Components:

Alcohols, C12-14, ethoxylated (7 EO)

68439-50-9:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 70 %
Exposure time: 28 d
Method: OECD 301 A

Result: rapidly biodegradable
Biodegradation: > 60 %
Exposure time: 28 d
Method: OECD 301 B

12.3 Bioaccumulative potential

Components:

sulphamidic acid

5329-14-6:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water : log Pow: -4,34

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SANET STAR 10 X 1 L

WM 1112927

Order number: 0712927

Version 4.0

Revision Date 08.05.2020

Print Date 13.08.2020

SECTION 14: Transport information

14.1 UN number

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

SANET STAR 10 X 1 L

WM 1112927

Order number: 0712927

Version 4.0

Revision Date 08.05.2020

Print Date 13.08.2020

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. TA Luft List (Germany)	: Not applicable : Total dust: Not applicable : Inorganic substances in powdered form: Not applicable : Inorganic substances in vapour or gaseous form: : portionClass 3: < 0,01 % : Organic Substances: : portionClass 1: < 0,01 % : Carcinogenic substances: Not applicable : Mutagenic: Not applicable : Toxic to reproduction: Not applicable
Volatile organic compounds (VOC) content	: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Update: Percent volatile: 0,04 % 4,39 g/l VOC content excluding water
Volatile organic compounds (VOC) content	: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Update: Percent volatile: 0,04 % 0,44 g/l VOC content valid only for coating materials used on wood surfaces
according to Detergents Regulation EC 648/2004	: <5% Non-ionic surfactants, Perfumes
GISBAU (D)	: GS 35

15.2 Chemical safety assessment

There is no data available for this product.

SECTION 16: Other information

Full text of H-Statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Further information

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure:	H315	Expert judgement and weight of evidence determination.
	H319	On basis of test data.



SANET STAR 10 X 1 L

WM 1112927

Order number: 0712927

Version 4.0

Revision Date 08.05.2020

Print Date 13.08.2020

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

500000002521