

# Air Conditioning Pipeline Condenser Cleaning Machine

Model : SJT-201



### **Product Description:**

SJT 201 portable pipeline cleaning machine adopts 550W high-quality three-phase motor as the power source, and the output speed of the motor is adjusted through a simple frequency converter, so that the cleaning brush is driven to rotate at high speed through the flexible shaft, and the brushing and flushing can be realized through synchronous water flow. Cleaning effect, to adapt to various working conditions, the product can be equipped with flexible shafts and cleaning brushes of various specifications and can be replaced quickly to improve work efficiency.

Model	SJT-201
Rated Power	550W
Working Speed	0-1400R/MIN
Product Size	400X320X280MM
Product Gross Weight	15KG

# **Trolley Type Pipeline Cleaning**

Model: SJT-750B



#### **Product Description:**

The SJT-750B trolley-type pipeline cleaning machine uses a 750W high-quality threephase motor as the power source and adjusts the output speed of the motor through a high- performance frequency converter, so that the cleaning brush is driven to rotate at high speedthrough the drinking shaft and the side effect can be realized through synchronous water flow. The cleaning effect of the side flush, to adapt to various working conditions, the product can be equipped with flexible shafts and cleaning brushes of various specifications and realize quick replacement and improve work efficiency.

Model	SJT-750B
Rated Power	750W
Working Speed	1000R/MIN
Product Size	920X530X400MM
Product Gross Weight	25KG



## **U-Shaped Nylon Brush**

Model: SJT-SZU Series



#### **Product Description:**

The nylon brush produced by our company is made of high-quality nylon wire and U- shaped technology. It has the advantages of standard size, wear-resistant brush wire and no damage to the pipe wall. And thicken and strengthen the iron wire wound in the middle to ensure that the brush wire does not fall off. The threaded interface adopts the popular M6 threaded interface in the market, which has good interchangeability. For other thread specifications, our company can accept customized services.

Model	SJT-SZ Series
Brush Diameter	6.54-25.4mm wool
Brush Wire Material	High-quality nylon wire
Molding Process	Туре О
Process Advantages	No damage to the pipe wall, firm



# **U Common Type Nylon Brush**

Model: SJT-SZ Series



### **Product Description:**

The ordinary nylon brush produced by our company is wound by a fully automatic brush making machine, and the brush is cut by automatic equipment, which has the advantages of accurate size and low production cost, and the little red cap is put on the cut. Suitable for mass production, our company accepts customized services.

Model	SJT-SZ Series
Brush Diameter	6.54-25.4mm wool
Brush Wire Material	High-quality nylon wire
Molding Process	Туре О
Process Advantages	No damage to the pipe wall, firm



# **Flexible Shaft for Gun Machine**

Model: SJT-703 Series



### **Product Description:**

SJT-703 series soft pumps are made of high-quality carbon steel materials, and the reasonable heat treatment process makes them have the advantages of wear resistance, distortion resistance and small high-break alarm. Greatly reduce the user's later use cost and improve production efficiency.

Model	SJT-703 Series
Soft Nano Diameter	12MM
Steel Wire Diameter	8MM
Protective Tube Material	PA6 nylon
Common Length	5.2/7.6M (can be customized)



## **Compatible Flexible Shaft**

Model: SJT-703 Series



### **Product Description:**

Our company can produce the flexible shafts of any company at home and abroad. At present, the conventional brands are: GOODWAY Kuaitong, Jieshitong, and so on. Our company can also undertake customized services for flexible shafts of unconventional brands. The flexible shaft has the advantages of wear resistance, torsion resistance and not easy to break, which can reduce the cost of use and improve production efficiency.

Model	SJT-703 Series
Soft Nano Diameter	8/10/12 (customizable)
Steel Wire Diameter	12MM
Protective Tube Material	PA6 nylon
Common Length	5/6/8 (can be customized)

