



# **K 5 Power Control**

For even greater control: The K 5 Power Control pressure washer with application consultant via app, G 160 Q Power Control spray gun, Vario Power spray lance and Kärcher Plug 'n' Clean system.










#### 1 Home & Garden app

- The Kärcher Home & Garden app makes you a cleaning expert.
- Make use of our extensive Kärcher knowledge for the perfect cleaning results.

#### 2 Power Control spray gun and Quick Connect spray lances

- The optimal setting for every surface. Three pressure settings and one detergent setting.
- Full control the manual display shows the settings that have been set.



#### **3** Plug 'n' Clean – the Kärcher detergent system

- Innovative insertion system for Kärcher detergent bottles.
- For quick, convenient and comfortable application of detergents with the pressure washer.

#### 4 Telescopic handle made from high-quality aluminium

- Can be adapted to people of different heights.
- The height of the telescopic handle can be adjusted by pulling.

# **TECHNICAL DATA AND EQUIPMENT**

### KARCHER




#### K 5 Power Control

- Power Control spray gun with pressure level display
- Maximum stability thanks to low centre of gravity, hose guide and
- larger base Highly efficient water-cooled motor

Technical data							
Order no.		1.324-550.0					
EAN code		4054278618265					
Current type	V / Hz	230 / 50					
Pressure	bar / MPa	) - max. 145 / 2 - max. 14.5					
Flow rate	l/h	max. 500					
Inlet temperature	°C	max. 40					
Connected load	kW	2.1					
Weight without accessories	kg	12.95					
Dimensions (L × W × H)	mm	402 × 306 × 588					

Equipment			
High-pressure spray gun	G 160 Q Power Control	Soft bag	•
Vario Power Jet			
Dirt Blaster			
High-pressure hose m	10		
Quick Connect on the side of the device			
Detergent application via	Plug 'n' Clean system		
Water suction			
Integrated water filter			
A3/4" garden hose connector adapter			
Telescopic handle			
Water-cooled motor			
Included in the scope of supply.			

## K 5 POWER CONTROL 1.324-550.0



				bodies.	
1-step lance extension	7	2.643-240.0		Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	
VP 180 S vario power jet short 360° for K 2-K 7	8	2.643-254.0		VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	
Telescopic spray lance	9	2.642-347.0		Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet con- nection and integrated, ergonomically adjustable trigger gur Weight: ca. 2 kg	1.
Trigger guns					
G 145 Q gun	10	2.643-634.0		High-pressure gun with LED display for the display of dif- ferent pressure stages and the cleaning agent mode. With Quick Connect. For Kärcher Power Control and Full Control pressure washers in classes K 4 to K 5.	
Surface cleaners			· · · ·		
T 7 Plus T-Racer surface cleaner	11	2.644-074.0		Power nozzle for ultimate cleaning power, even in corners and along edges: The T 7 Plus T-Racer surface cleaner with rinse function – for effective and splash-free cleaning of large areas.	
T 5 T-Racer surface cleaner	12	2.644-084.0		Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	
PS 30 power scrubber surface cleaner	13	2.644-123.0		The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	d 🗆
PS 30 Plus power scrubber surface cleaner	14	2.644-212.0		The PS 30 Plus power scrubber removes stubborn dirt with its three high-pressure nozzles. Thanks to the swivelling	

■ Included in the scope of supply. □ Available accessories.

side nozzle, all corners and edges are effortlessly cleaned

## K 5 POWER CONTROL 1.324-550.0

### KARCHER

			9		19		
		Order no.				Price	Description
Brushes							
WB 150 power brush	15	2.643-237.0					WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.
WB 120 rotating wash brush	16	2.644-060.0					Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.
Rotating wash brush	17	2.644-061.0					Ideal for cleaning smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable at-tachment.
WB 120 rotating wash brush car & bike	18	2.644-129.0					Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.
WB 60 soft surface wash brush	19	2.643-233.0					Soft flat brush for cleaning larger areas such as car, caravan, boat, conservatory or roller shutters. Good area perfor- mance with working width of 248 mm.
Wheel washing brush	20	2.643-234.0					Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.
Wash brush	21	6.903-276.0					Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.
Pipe cleaning				,			
PC 20 roof gutter and pipe clean- ing kit	22	2.642-240.0					The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.
PC 15 pipe cleaning kit	23						Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.
PC 7.5 pipe cleaning kit	24	2.637-729.0					Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.
Foam jet			· · · · ·				
FJ 6 foam jet	25	2.643-147.0					FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.
FJ 3 foam jet	26	2.643-150.0					FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying

■ Included in the scope of supply. □ Available accessories.

27

2.643-143.0

28 2.643-144.0

FJ 10 C Connect 'n' Clean foam jet

FJ 10 C foam jet Connect 'n' Clean

+ Ultra Foam Cleaner

with car shampoo 3-in-1

cleaning products to stone and wood surfaces and façades. Ultra foam cleaner + quick-change system FJ 10 C Connect

'n' Clean foam nozzle. Easy change between different deter-

Car shampoo + quick-change system FJ 10 C Connect 'n'

Clean foam nozzle. Easy change between different deter-

gents with just a simple click.

gents with just a simple click.

## K 5 POWER CONTROL 1.324-550.0

	an	3		5	
8 9		10	11	00000 0000 0000 0000 0000 0000 0000 0000	
High-pressure replacement hose: s	ystem	Order no. from 2009 with Quick Connect :	system	Price	Description
H 9 Q high-pressure hose Quick Connect	1	2.641-721.0			9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.
High-Pressure replacement hose ki Extension hose adapter kit	2	2.643-037.0			Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.
High-pressure extension hose: Syst XH 10 Q Quick Connect extension hose	3	2.641-710.0	stem		High-pressure hose extension for greater flexibility. 10-m, robust DN 8 quality hose for excellent durability. For K 3-K 7 devices with Quick Connect adapter.
XH 6 Q extension hose Quick Connect	4	2.641-709.0			High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.
Miscellaneous SH 5 suction hose	5	2.643-100.0			Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.
SH 3 suction hose	6	2.643-101.0			3 metre suction hose for drawing water from alternative sources such as water butts and barrels.
Sand and wet-blasting kit	7	2.638-792.0			Sand and wet-blasting kit for removing rust, paint and stub- born dirt using Kärcher abrasive.
Vario joint	8	2.640-733.0			Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.
Water filter	9	4.730-059.0			Water filter protects pressure washer pumps against dirt particles from dirty water.
	10	2.642-794.0			Water filter to protect the high-pressure pump against dirt particles from contaminated water.
Anti-twist adapter	11	2.644-257.0			The anti-twist adapter eliminates loops in the high-pressure hose for guaranteed twist-free working. For all high-pres-
O-ring set	12	2.640-729.0			sure hoses with a Quick Connect adapter on the gun. Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.
Hose storage and hose trolley		1			
Premium Hose Reel HR 7.315 Kit 5/8"	13	2.645-165.0			Watering Station for the practical and space-saving stowage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped.
Hose Trolley HT 3.420 Kit 5/8"	14	2.645-167.0			Compact hose trolley with height adjustable handle, angled hose connector, free-wheeling crank, and innovative folding
Hoses					function for space-saving stowage. Fully assembled.
Hose set for pressure washers	15	2.645-156.0			Hose set for high-pressure cleaning or garden watering. With 10 m PrimoFlex* hose (3/4"), G3/4 tap adaptor, 1 x universal hose connector and universal connector with Aqua
Included in the scope of supp					Stop.

 $\blacksquare$  Included in the scope of supply.  $\hfill\square$  Available accessories.

### KARCHER

# K 5 POWER CONTROL 1.324-550.0



							Τ
		Order no.			Price	Description	
Water supply hose set	16	2.645-258.0				Hose set for water supply (pressure washer, garden water- ing). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, and universal connection for non-threaded taps.	
PrimoFlex <sup>®</sup> hose 1/2" - 20 m	17	2.645-138.0				The PrimoFlex <sup>®</sup> (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant rein- forcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	
PrimoFlex* hose 3/4" - 25 m	18	2.645-142.0				PrimoFlex <sup>®</sup> quality garden hose (3/4"). 25-m long. With pressure-resistant reinforcement mesh. Contains no sub- stances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	
Hose Performance Plus 1/2" -20m	19	2.645-318.0				Flexible and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 20-me- tre long Performance Plus 1/2" garden hose. Ensures con- stant water flow.	
Hose Performance Plus 3/4" -25m	20	2.645-322.0				Easy-to-handle, long-lasting and weather-resistant: the 25-metre long Performance Plus 3/4" garden hose. Flexible ultra-robust and extremely resistant to kinks – for constant water flow.	
Performance Premium hose, 1/2" -20 m	21	2.645-324.0				The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter 1/2". Length: 20 m. With Kärcher Premium anti-torsion technology.	r: 🗆
Hose connection systems							
Universal hose coupling Plus	22	2.645-193.0				Universal hose coupling plus with soft plastic recessed grip: for comfortable handling. Compatible with all click systems.	
Universal hose coupling Plus with Aqua Stop	23					Universal hose coupling plus with Aqua Stop and soft plasti recessed grips for comfortable handling. Compatible with al click systems.	

■ Included in the scope of supply. □ Available accessories.