



K 4 Basic

The K 4 Basic pressure washer with water-cooled motor, for occasional use and moderately dirty cars, garden fences, bicycles etc. With extendable, space-saving handle.











- 1 Outstanding performance
 - The state-of-the-art water-cooled motor impresses with its long service life and high level of performance.
- 3 Three-piston axial pump
- Completely maintenance-free.

2 Quick Connect

■ Easy connection of pressure hose and high-pressure gun.

TECHNICAL DATA AND EQUIPMENT





K 4 Basic

| Technical data | | |
|----------------------------|-----------|-------------------------------|
| Order no. | | 1.180-080.0 |
| EAN code | | 4039784973473 |
| Pressure | bar / MPa | 20 - up to 130 / 2 - up to 13 |
| Flow rate | l/h | max. 420 |
| Inlet temperature | °C | max. 40 |
| Connected load | kW | 1.8 |
| Weight without accessories | kg | 10.9 |
| Dimensions (L × W × H) | mm | 285 × 309 × 876 |
| Current type | V / Hz | 230 / 50 |

| Equipment | | |
|---|-------|------------------------|
| High-pressure spray gun | | Standard Quick Connect |
| Vario Power Jet | | I |
| Dirt Blaster | | I |
| High-pressure hose | m | 6 |
| Quick Connect on the side of the device | | 1 |
| Water suction | | I |
| Integrated water filter | | 1 |
| A3/4" garden hose connector adapter | | i |
| Telescopic handle | | 1 |
| Water-cooled motor | | I |
| ■ Included in the scope of su | innly | |

Included in the scope of supply































| | | | | | | | _ |
|---|----|-------------|---|---|-------|---|-----|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | Order no. | | | Price | Description | |
| Surface cleaners | | | , | , | | | |
| T 7 Plus T-Racer surface cleaner | 1 | 2.644-074.0 | | | | Power nozzle for ultimate cleaning power, even in corners and along edges: The T 7 Plus T-Racer surface cleaner with rinse function – for effective and splash-free cleaning of large areas. | |
| T 5 T-Racer surface cleaner | 2 | 2.644-084.0 | | | | Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike. | |
| PS 30 power scrubber surface cleaner | 3 | 2.644-123.0 | | | | The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water. | |
| PS 30 Plus power scrubber surface cleaner | 4 | 2.644-212.0 | | | | The PS 30 Plus power scrubber removes stubborn dirt with its three high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges are effortlessly cleaned. | |
| Brushes | | | | | | | |
| WB 150 power brush | 5 | 2.643-237.0 | | | | WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time. | |
| WB 120 rotating wash brush | 6 | 2.644-060.0 | | | | Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever. | |
| Rotating wash brush | 7 | 2.644-061.0 | | | | Ideal for cleaning smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment. | |
| WB 120 rotating wash brush car & bike | 8 | 2.644-129.0 | | | | Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C. | |
| WB 60 soft surface wash brush | 9 | 2.643-233.0 | | | | Soft flat brush for cleaning larger areas such as car, caravan, boat, conservatory or roller shutters. Good area performance with working width of 248 mm. | |
| Wheel washing brush | 10 | 2.643-234.0 | | | | Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result. | : 🗆 |
| Wash brush | 11 | 6.903-276.0 | | | | Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers. | |
| Garden hose adapter | 12 | 2.640-732.0 | | | | Adapter for garden hose connection – suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system. | 1 |
| Spray lances | | | | | | | |
| TLA 4 telescopic spray lance | 13 | 2.644-190.0 | | | | Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge. | |
| Façade & glass cleaning kit | 14 | 2.644-249.0 | | | | Set comprising the telescopic spray lance TLA 4 and the façade and glass cleaning attachment. For easy cleaning of objects that are difficult to access such as house façades or conservatories. | |

























| | | Order no. | | Price | Description |
|---|----|-------------|--|-------|---|
| Splash guard | 15 | 2.642-706.0 | | | Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges. |
| Angled spray lance | 16 | 2.638-817.0 | | | Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies. |
| 1-step lance extension | 17 | 2.643-240.0 | | | Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories. |
| VP 180 S vario power jet short 360° for K 2-K 7 | 18 | 2.643-254.0 | | | VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach. |
| MP 145 multi power jet for K 3-K 5 | 19 | 2.643-239.0 | | | Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting. |
| Telescopic spray lance | 20 | 2.642-347.0 | | | Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg |
| Pipe cleaning | | | | | Weight. ed. 2 Ng |
| PC 20 roof gutter and pipe cleaning kit | 21 | 2.642-240.0 | | | The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m. |
| PC 15 pipe cleaning kit | 22 | 2.637-767.0 | | | Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes. |
| PC 7.5 pipe cleaning kit | 23 | 2.637-729.0 | | | Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes. |
| Foam jet | | | | | |
| FJ 3 foam jet | 24 | 2.643-150.0 | | | FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades. |
| FJ 10 C Connect 'n' Clean foam jet + Ultra Foam Cleaner | 25 | 2.643-143.0 | | | Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click. |
| FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1 | 26 | 2.643-144.0 | | | Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click. |
| FJ 10 C foam jet Connect 'n' Clean with stone cleaner 3-in-1 | 27 | 2.643-145.0 | | | Stone cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click. |

[□] Available accessories































| | | | | | T | \top |
|---|---------|------------------------------|------------|-------|---|------------|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | Order no. | | Price | Description | |
| High-pressure replacement hose: s | ystem | from 2009 with Quick Conne | ect system | | | |
| H 9 Q high-pressure hose Quick Connect | 1 | 2.641-721.0 | | | 9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect | l_{\Box} |
| High-Pressure replacement hose ki | t cycto | m from 1992 | | | quick coupling. 180 bar, 60°C. | |
| Extension hose adapter kit | 2 | I I | | | Two-part adapter set for connecting an extension hose with | J |
| Extension nose adapter kit | | 2.043-037.0 | | | screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines. | |
| High-pressure extension hose: Syst | em for | r devices with Quick Connect | system | | | |
| XH 10 Q Quick Connect extension hose | 3 | 2.641-710.0 | | | High-pressure hose extension for greater flexibility. 10-m, robust DN 8 quality hose for excellent durability. For K 3-K 7 devices with Quick Connect adapter. | |
| XH 6 Q extension hose Quick Connect | 4 | 2.641-709.0 | | | High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 serie from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose. | es 🗆 |
| Miscellaneous | | | | | | |
| SH 5 suction hose | 5 | 2.643-100.0 | | | Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers. | |
| SH 3 suction hose | 6 | 2.643-101.0 | | | 3 metre suction hose for drawing water from alternative sources such as water butts and barrels. | |
| Sand and wet-blasting kit | 7 | 2.638-792.0 | | | Sand and wet-blasting kit for removing rust, paint and stub- born dirt using Kärcher abrasive. | |
| Vario joint | 8 | 2.640-733.0 | | | Vario joint, rotates 180° for cleaning difficult to reach areas For connection between gun and accessory or extension lance and accessory. | |
| Water filter | 9 | 4.730-059.0 | | | Water filter protects pressure washer pumps against dirt particles from dirty water. | |
| | 10 | 2.642-794.0 | | | Water filter to protect the high-pressure pump against dirt particles from contaminated water. | |
| Anti-twist adapter | 11 | 2.644-257.0 | | | The anti-twist adapter eliminates loops in the high-pressure hose for guaranteed twist-free working. For all high-pressure hoses with a Quick Connect adapter on the gun. | |
| O-ring set | 12 | 2.640-729.0 | | | Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories. | |
| Hose storage and hose trolley | | | | | | |
| Premium Hose Reel HR 7.315 Kit 5/8" | 13 | 2.645-165.0 | | | Watering Station for the practical and space-saving stowage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped. | П |
| Hose Trolley HT 3.420 Kit 5/8" | 14 | 2.645-167.0 | | | Compact hose trolley with height adjustable handle, angled hose connector, free-wheeling crank, and innovative folding function for space-saving stowage. Fully assembled. | |
| Premium Hose Reel HR 7.315 Kit 1/2" | 15 | 2.645-164.0 | | | Watering Station for the practical and space-saving stowage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped. | |

[☐] Available accessories.





















| | | Order no. | | Price | Description | |
|--|----|-------------|--|-------|--|-----|
| Hoses | | | | | | |
| Hose set for pressure washers | 16 | 2.645-156.0 | | | Hose set for high-pressure cleaning or garden watering. With 10 m PrimoFlex* hose (3/4"), G3/4 tap adaptor, 1 x universal hose connector and universal connector with Aqua Stop. | , [|
| Water supply hose set | 17 | 2.645-258.0 | | | Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, and universal connection for non-threaded taps. | |
| PrimoFlex® hose 1/2" - 20 m | 18 | 2.645-138.0 | | | The PrimoFlex* (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar. | |
| PrimoFlex® hose 3/4" - 25 m | 19 | 2.645-142.0 | | | PrimoFlex® quality garden hose (3/4"). 25-m long. With pressure-resistant reinforcement mesh. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C. | |
| Hose Performance Plus 1/2" -20m | 20 | 2.645-318.0 | | | Flexible and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 20-metre long Performance Plus 1/2" garden hose. Ensures constant water flow. | |
| Hose Performance Plus 3/4" -25m | 21 | 2.645-322.0 | | | Easy-to-handle, long-lasting and weather-resistant: the 25-metre long Performance Plus 3/4" garden hose. Flexible, ultra-robust and extremely resistant to kinks – for constant water flow. | |
| Performance Premium hose, 1/2" -20 m | 22 | 2.645-324.0 | | | The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 1/2". Length: 20 m. With Kärcher Premium anti-torsion technology. | : _ |
| Hose connection systems | | | | | | |
| Universal hose coupling Plus | 23 | 2.645-193.0 | | | Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems. | Ш |
| Universal hose coupling Plus with Aqua Stop | 24 | 2.645-194.0 | | | Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems. | |
| Universal Hose Connector with Aqua Stop | 25 | 2.645-192.0 | | | Universal hose coupling with Aqua Stop. Ergonomic design for convenient handling. | |
| Universal Hose Connector | 26 | 2.645-191.0 | | | Ergonomically designed universal hose coupling for convenient handling. | |

[☐] Available accessories.