



K 2.050

Small, lightweight all-rounder for occasional use for light soiling. For example, garden furniture, bicycles and small areas around the house. Ideal for use as a second machine.



TECHNICAL DATA AND EQUIPMENT





K 2.050

| Technical data | | |
|---|-----------|-----------------|
| Order no. | | 1.601-652.0 |
| EAN code | | 4039784509849 |
| Pressure | bar / MPa | 100 / 10 |
| Flow rate | l/h | 342 |
| Max. inlet temperature | °C | max. 40 |
| Weight without accessories | kg | 3.9 |
| Dimensions (L × W × H) | mm | 241 × 160 × 426 |
| Current type | V / Hz | 220-240 / 50-60 |
| | | |
| | | |
| Equipment | | |
| Equipment Vario Power Jet | | - |
| | | - - |
| Vario Power Jet | | |
| Vario Power Jet One-jet spray lance | m | I |
| Vario Power Jet One-jet spray lance Dirt blaster | m | |
| Vario Power Jet One-jet spray lance Dirt blaster High-pressure hose | m | ■ 3 |
| Vario Power Jet One-jet spray lance Dirt blaster High-pressure hose Detergent application via | m | 3 Suction |

■ Included in the scope of supply.































| | | Order no. | | | | Price | Description | |
|--|----|-------------|---|---|-------|-------|---|------|
| Spray lances | | | | | l | | | _ |
| DB 145, Dirt Blaster for K 2-K 4 | 1 | 2.643-244.0 | | | | | Dirt blaster with powerful rotor nozzle (rotating pencil jet) ideal for removing stubborn dirt. Ideal for moss covered or weathered surfaces. | • |
| Telescopic spray lance | 2 | 2.642-347.0 | | | | | Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gur Weight: ca. 2 kg | n. 🗆 |
| Vario Power Jet Short 360° VP 145 S for K 2 - K 4 | 3 | 2.643-253.0 | | | | | VP 145 S: The Vario Power Jet Short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach. | |
| Trigger guns | | | | | | | | |
| G 160 trigger gun | 4 | 2.641-959.0 | | | | | Replacement gun for Kärcher K 2 to K 7 pressure washers. For all pressure washers where the hose is secured to the gun with a clip (without Quick Connect). | • |
| G 160 Q, Quick Connect Trigger Gun | 5 | 2.642-172.0 | | | | | The premium trigger gun fitted with Quick Connect and soft grip inserts guarantees a high level of comfort for cleaning. | |
| Surface cleaners | | | | | | | | |
| Replacement nozzles accessories for T 350 | 6 | 2.643-335.0 | | | | | The high-quality replacement nozzles guarantee easy replacement of nozzles and are suitable for the T-Racer T 300 / T 350 surface cleaners for the pressure washer unit classes K 2 to K 7. | |
| T 350 T-Racer surface cleaner | 7 | 2.643-252.0 | | | | | With the T-Racer surface cleaner T 350, large surfaces can be cleaned without splashing. Continuous pressure adjustment for hard and sensitive surfaces. Handle for vertical cleaning. | |
| Replacement nozzles accessories | 8 | 2.643-338.0 | | | | | High-quality replacement nozzles for all T-Racer surface cleaners (except T 350) for unit classes K 2 to K 7, gutter cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for F 2 to K 5. | |
| Brushes | | | 1 | 1 | | | | |
| WB 120 rotating wash brush | 9 | 2.644-060.0 | | | | | Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever. | |
| WB 120 rotating wash brush Car & Bike | 10 | 2.644-129.0 | | | | | Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C. | |
| Garden hose adapter | 11 | 2.640-732.0 | | | | | Adapter for garden hose connection – suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system. | |
| Wash brush | 12 | 2.642-783.0 | | | | | Universal brush with ergonomic handle and soft bristles for thorough and gentle cleaning of all surfaces. | |
| Rotating wash brush | 13 | 2.642-786.0 | | | | | Rotating wash brush for cleaning all smooth surfaces, e.g. paint, glass or plastic. | |
| Wash brush | 14 | 6.903-276.0 | | | | | Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers. | |
| High-Pressure replacement hose ki | | 1 | | | | | | |
| HK 12 high-pressure hose kit | 15 | 2.643-909.0 | | | | | Upgrade set with 12 m high-pressure hose, high-pressure gun and Quick Connect adaptor for the K 2 toK 7 ranges. Suitable for all Kärcher pressure washers manufactured between 1992 and 2017 without a hose reel. | |

[■] Included in the scope of supply.

Available accessories.































| | | ı | ı | 1 | T 1 | | T | _ |
|---|-------|-----------------|-----------------|------------------|------|-------|--|---|
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | Order no. | | | | Price | Description | |
| HK 7.5 high-pressure hose kit | 16 | 2.643-910.0 | | | | | Upgrade set with 7.5 m high-pressure hose, high-pressure gun and Quick Connect adapter piece for classes K 2-K 7. For all Kärcher pressure washers without a hose reel manufactured between 1992 and 2017. | |
| HK 4 high-pressure hose kit | 17 | 2.643-912.0 | | | | | Upgrade set 4 metres – suitable for all Kārcher K 2 high-pressure cleaners manufactured since 1992 (except hose reel machines). Including high-pressure gun and Quick Connect adapter. | |
| HK 7.5, High-Pressure Hose Kit | 18 | 2.641-828.0 | | | | | Accessory set for retrofitting the practical Quick Connect system. For all Kärcher Consumer pressure washers manufactured since 1992. Not suitable for hose reel machines. | |
| HK 12, High-Pressure Hose Kit | 19 | 2.642-953.0 | | | | | Accessory kit for retrofitting the Quick Connect system. For all Consumer high-pressure cleaners manufactured since 1992. | |
| High-pressure hose set 7.5 m | 20 | 2.643-908.0 | | | | | The 7.5-metre upgrade set for Kärcher pressure washers without hose reel manufactured since 1992. Including plastic adapter for Quick Connect adapter retrofit (K 2-K 7). | |
| High-pressure extension hose: Syst | em up | to 2007 and for | devices without | Quick Connect sy | stem | | | |
| High-pressure extension hose 7.5 m | 21 | 2.642-789.0 | | | | | High-pressure extension hose for greater versatility. Robust 7.5 m DN 8 quality textile braiding reinforced hose, non-kinking with brass connector. | |
| XH 10 R, extension hose rubber | 22 | 6.390-096.0 | | | | | High-pressure rubber hose extension for greater flexibility. 10 m high-quality steel-braided rubber hose for excellent durability. Temperature: up to 80 °C. Pressure: up to 160 bar. | |
| Pipe cleaning | | | | | | | Dai. | _ |
| PC 20 roof gutter and pipe cleaning kit | 23 | 2.642-240.0 | | | | | The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m. | |
| Pipe cleaning kit 7.5 m | 24 | 2.642-790.0 | | | | | Pipe cleaning kit for clearing blockages in pipes, drains, downpipes, etc. | |
| Foam jet | | | I . | | | | downpipes, etc. | _ |
| FJ 6 foam jet | 25 | 2.643-147.0 | | | | | FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades. | |
| FJ 10 C Connect 'n' Clean foam jet + 3-in-1 Ultra Foam Cleaner | 26 | 2.643-143.0 | | | | | Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click. | |
| FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1 | 27 | 2.643-144.0 | | | | | Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click. | |
| Foam nozzle, 0.3 litre | 28 | 2.641-848.0 | | | | | Foam nozzle with powerful foam effortlessly cleans all types of surfaces, e.g. car or motorcycle paint, glass or stone, 0.3 litre container. | |
| FJ 10 C foam jet Connect 'n' Clean with stone cleaner 3-in-1 | 29 | 2.643-145.0 | | | | | Stone cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click. | |
| FJ 3 foam jet | 30 | 2.643-150.0 | | | | | FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades. | |
| Accessory kits | | | | | , | | | |
| Car Cleaning Kit | 31 | 2.643-033.0 | | | | | The Car Cleaning Kit includes a universal brush and an FJ 3 foam jet - for thorough and gentle cleaning of all surfaces. | |
| ■ Included in the scope of suppl | v. [| ☐ Available acc | essories. | | | | | |

[■] Included in the scope of supply.

Available accessories.











| | | Order no. | | | Price | Description |
|-----------------------------------|----|-------------|--|--|-------|--|
| Accessory Kit Bike Cleaning | 32 | 2.643-551.0 | | | | Cleaning and care to perfection! The accessories kit for motorbike and bicycle cleaning includes 1 wheel washing brush, 1 universal wash brush, 1 litre of Car Shampoo 3-in-1 and 1 VPS 160 S. |
| Accessories set for wood cleaning | 33 | 2.643-553.0 | | | | Accessories kit for wood cleaning. With Power scrubber PS 40, Wood Cleaner 3-in-1 and Connect 'n' Clean FJ 10 C foam jet. Ideal for cleaning and maintaining wood and stone surfaces. |
| Miscellaneous | | | | | | |
| Sand and wet-blasting kit | 34 | 2.638-792.0 | | | | Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive. |
| Underbody cleaner | 35 | 2.642-561.0 | | | | Highly effective chassis cleaner for removing dirt, mud, sludge, sand and encrusted salt. With care nozzle for applying chassis wax (incl. 250 ml free tester). |
| Water filter | 36 | 2.642-794.0 | | | | Water filter to protect the high-pressure pump against dirt particles from contaminated water. |

[■] Included in the scope of supply. □ Available accessories.

























| | | Order no. | | Price | Description | |
|--|----|-------------|--|-------|---|-----|
| Hose storage and hose trolley | | | | | | Ī |
| Premium Hose Reel HR 7.315 Kit 5/8" | 1 | 2.645-165.0 | | | Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped. | [|
| Hose Trolley HT 3.420 Kit 5/8" | 2 | 2.645-167.0 | | | Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage. | [|
| Premium Hose Reel HR 7.315 Kit 1/2" | 3 | 2.645-164.0 | | | Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances. | [|
| Hoses | | | | | | |
| Hose set for pressure washers | 4 | 2.645-156.0 | | | Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex* hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop. | |
| Water supply hose set | 5 | 2.645-258.0 | | | Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, universal connection for taps without thread. | [|
| PrimoFlex* hose 1/2" - 20 m | 6 | 2.645-138.0 | | | The robust PrimoFlex* (1/2") garden hose is a 20 m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar. | ′ [|
| PrimoFlex® hose 3/4" - 25 m | 7 | 2.645-142.0 | | | PrimoFlex® quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C. | |
| Hose Performance Plus 1/2" -20m | 8 | 2.645-318.0 | | | | [|
| Hose Performance Plus 3/4" -25m | 9 | 2.645-322.0 | | | | [|
| Performance Premium hose, 1/2" -20 m | 10 | 2.645-324.0 | | | | |
| Hose connection systems | | | | | 1 | |
| Universal hose coupling Plus | 11 | 2.645-193.0 | | | Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems. | |
| Universal hose coupling Plus with Aqua Stop | 12 | 2.645-194.0 | | | Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems. | |
| Universal Hose Connector with Aqua Stop | 13 | 2.645-192.0 | | | Universal hose connector with Aqua Stop in ergonomic design for comfortable handling. | [|
| Universal Hose Connector | 14 | 2.645-191.0 | | | Universal hose connector in ergonomic design for comfortable handling. | [|

[■] Included in the scope of supply.

Available accessories.