



NT 30/1 Tact L

Rugged, durable components and strong suction power: the NT 30/1 Tact wet and dry vacuum cleaner with innovative Tact filter cleaning system and 30-litre container, bumper and metal castors.



1 Rugged container with bumpers and metal castors.

- Sturdy metal castors guarantee good manoeuvrability and unrestricted mobility on construction sites
- The rugged container protects the machine from bumps and knocks.



2 Flexible hose and power cable storage

- Enables secure fixing of hoses of different lengths and diameters.
- The power cable is always stored safely for transport.



3 Detachable filter casing

- With the detachable filter casing, removal and replacement of the filter is dust-free.
- It is impossible to insert the flat pleated filter incorrectly.



4 Central rotary switch

- Convenient switching via central rotary switch.



Page 2
 5.Object
 page6177186904267
 std_1_272x272px.jpg
 wurde anstatt
 PAGE6177186904267
 std_1_272x272px.jpg
 6.Object
 page6177182889156
 std_2_272x272px.jpg
 wurde anstatt
 PAGE6177182889156
 std_2_272x272px.jpg
 platz

NT 30/1 Tact L

- PES flat pleated filter
- Metal castors
- Antistatic preparation

Technical data

Order no.	1.148-201.0	
EAN code	4039784973299	
Current type	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	254 / 25.4
Container content	l	30
Container material	Plastic	
Rated input power	W	1380
Standard nominal diameter	DN 35	
Sound pressure level	dB(A)	69
Number of motors	1	
Weight	kg	13.5
Weight incl. packaging	kg	17.92
Dimensions (L × W × H)	mm	560 × 370 × 580

Equipment

Suction hose	m	2.5 / with bend	Protection class	II
Suction tube	piece(s) × m / mm	2 × 0.55 / 35 / Stainless steel	Stop swivel castor	■
Filter bag	piece(s)	1 / Fleece		
PE plastic bag for dust-free disposal	piece(s)	1		
Wet/dry floor nozzle	mm	360		
Crevise nozzle		■		
Automatic cut-out features at max. filling quality		■		
Antistatic preparation		■		
Flat pleated filter		PES		
Filter cleaning		Tact Filter Clean		
Sturdy bumper		■		

■ Included in the scope of supply.

NT 30/1 TACT L 1.148-201.0

KÄRCHER



		Order no.	Quantity				Price	Description	
Flat pleated filter, PES									
Wet & Dry flat pleated filter	1	6.907-662.0	1 piece(s)					Wet & Dry flat pleated filter made from PES fibre material with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	■
Flat pleated filter HEPA, dust class H									
HEPA flat pleated filter	2	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	□
Safety/HEPA flat pleated filter	3	6.907-671.0	1 piece(s)					Safety/HEPA flat pleated filter made from PES/PTFE fibre material with a red label. Certified for dust class H. For vacuuming hazardous dusts, coarse dirt and liquids.	□
Flat pleated filter, paper									
Dry flat pleated filter	4	6.904-367.0	1 piece(s)					Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	□
Flat pleated filter, PTFE									
Ultimate flat pleated filter	5	6.907-455.0	1 piece(s)					Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	□
Coarse dirt filter for wet vacuuming									
Coarse dirt filter for wet and dry vacuum cleaners	6	6.904-287.0	1 piece(s)					Coarse dirt filter with perforated metal plate and foam seal to protect the turbines of most single-motor wet and dry vacuum cleaners from the Tact and Ap class from Kärcher.	□
Plastic sacks for dust-free disposal									
Plastic bag for dust-free disposal	7	2.889-158.0	10 piece(s)					PE plastic sack for dust-free disposal.	□
Fabric filter									
Candle filter Wood	8	2.414-000.0	1 piece(s)					Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L.	□
Membrane filter	9	2.889-281.0	1 piece(s)					Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused.	□
Fleece filter bags									
Fleece filter bags	10	2.889-154.0	5 piece(s)					Fleece filter bag with 30-litre volume. Tear-resistant, dust class M, for suction hose port in machine head.	□

■ Included in the scope of supply. □ Available accessories.

Page 2

040 Object

page6177192889168_

std_0122222770.jpg kon-

wurde anstatt verwendet werden.

PA GE 6177192889168_

std_0122222770.jpg

plaziert 272x272px.jpg

K0 Object

page6177196903862_

std_01272x272px.jpg

page6177196903862_

std_01272x272px.jpg kon-

ste nicht anstatt verwendet werden.

plaziert

page6177196902104_

std_01272x272px.jpg

ktch01_272x272px.jpg

wurde anstatt






		Order no.	Quantity	ID	Length	Width	Price	Description	
Bend, plastic									
Bend Adv	1	2.889-170.0	1 piece(s)	DN 35				Ergonomic bend for the new clip system.	■
Bend	2	2.889-148.0	1 piece(s)	DN 35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	□
Bend Adv, electrically conductive	3	2.889-168.0	1 piece(s)	DN 35				Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	□
DN 40 bend	4	2.889-171.0	1 piece(s)	DN 40				Bend for the new clip system in nominal size DN 40.	□
Bend, electroconductive, NW40	5	2.889-172.0	1 piece(s)	DN 40				Bend for the new clip system in nominal diameter DN 40. In electrically conductive version. Especially suitable in event of large quantity of fine dust.	□
Floor nozzles									
Wet and dry floor nozzle Adv	6	2.889-152.0	1 piece(s)	35		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
Wet/dry floor nozzle, plastic as standard, DN 35	7	6.906-512.0	1 piece(s)	DN 35		300 mm		Wet/dry floor nozzle made from plastic in DN 35 for wet and dry vacuum cleaners. Fitted with side rollers, brush strips and squeegees. Working width: 300 mm.	□
Multi-purpose nozzle, wet/dry	8	6.906-384.0	1 piece(s)	35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Wet and dry floor nozzle	9	2.889-118.0	1 piece(s)	35		400 mm		Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. Squeegee and brush are quick and easy to change.	□
Wet/dry floor nozzle, plastic Adv, DN 40	10	2.889-153.0	1 piece(s)	40		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts, squeegees.	□
Wet/Dry floor nozzle standard	11	2.889-173.0	1 piece(s)	35		300 mm		300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	□
Wet/Dry floor nozzle standard DN40	12	2.889-174.0	1 piece(s)	40		360 mm		Standard floor nozzle, anthracite, in nominal diameter 40, with brush strips and squeegees. Suitable for all wet and dry applications.	□
Crevice nozzles									
Crevice nozzle NT Tact DN 35	13	2.889-159.0	1 piece(s)	35	225 mm			Crevice nozzle ID 35, for new Tact range.	■
Crevice nozzle NT Tact DN 40	14	2.889-160.0	1 piece(s)	40	225 mm			Crevice nozzle ID 40, for new Tact range.	□
Suction tubes, stainless steel									
Set suction tube stainless steel NW35 55	15	2.889-192.0	2 piece(s)	35	550 mm			Stainless steel suction tube set (2 x 0.55 m)	■
Set suction tube stainless steel NW40 55	16	2.889-194.0	2 piece(s)	40	550 mm				□
All-purpose brushes									
All-purpose brush	17	6.900-425.0	1 piece(s)	35	120 mm			All-purpose brush PPN_Bristle	□
Car cleaning nozzles									
Car nozzle	18	6.906-108.0	1 piece(s)	DN 35		90 mm		Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□
Rubber suction tools, nose 45°									
Rubber suction tool, nose 45°	19	6.902-104.0	1 piece(s)	35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
	20	6.902-105.0	1 piece(s)	40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□

■ Included in the scope of supply. □ Available accessories.

NT 30/1 TACT L 1.148-201.0

KÄRCHER



		Order no.	Quantity	ID	Length	Width	Price	Description	
Combi-nozzles, dry									
Combi-nozzle, dry	21	6.906-511.0	1 piece(s)	35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	<input type="checkbox"/>
Suction brushes									
Suction brush	22	6.903-862.0	1 piece(s)	35		70 mm		Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 × 45 mm.	<input type="checkbox"/>
Suction tubes, metal									
Suction tube set, chrome-plated, NW 35 550 mm	23	2.889-191.0	2 piece(s)	35	550 mm			Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

NT 30/1 TACT L 1.148-201.0

Page 2

14.Object

page6177212889343

std_01_272x272px.jpg

konnte nicht platziert werden.



1



2



8



9

		Order no.	Quantity	ID	Length	Price	Description	
Complete suction hoses (clip system)								
Suction hose	1	2.889-134.0	1 piece(s)	DN 35	2.5 m		2.5 m suction hose with new bayonet and clip fastener.	<input checked="" type="checkbox"/>
	2	2.889-135.0	1 piece(s)	DN 35	4 m		4 m suction hose with new bayonet and clip fastener.	<input type="checkbox"/>
Electrically conductive suction hose	3	2.889-136.0	1 piece(s)	DN 35	2.5 m		Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	<input type="checkbox"/>
	4	2.889-137.0	1 piece(s)	DN 35	4 m		4 m suction hose with new bayonet and clip fastener. Electrically conductive.	<input type="checkbox"/>
Suction hose DN 40, length 4 m	5	2.889-138.0	1 piece(s)	DN 40	4 m		4 m long suction hose with new bayonet and clip fastener.	<input type="checkbox"/>
Suction hose	6	2.889-139.0	1 piece(s)	DN 40	2.5 m		Suction hose with new bayonet and clip fastener. Length: 2.5 m.	<input type="checkbox"/>
Suction hose, oil-resistant	7	2.889-140.0	1 piece(s)	DN 40	4 m		Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m.	<input type="checkbox"/>
Electrically conductive suction hose	8	2.889-141.0	1 piece(s)	DN 40	4 m		4 m long, electrically conductive suction hose with new bayonet and clip fastener.	<input type="checkbox"/>
	9	2.889-142.0	1 piece(s)	DN 40	2.5 m		Suction hose, electrically conductive, with new bayonet and clip fastener. 2.5 m long.	<input type="checkbox"/>
Suction hose	10	2.889-161.0	1 piece(s)	DN 35	2 m		2 m long suction hose with new clip fastening, DN 35. Ideal for Kärcher dry vacuum cleaners. Robust, flexible and durable.	<input type="checkbox"/>
Repair kits								
Repair kit ID 35	11	2.889-149.0	1 piece(s)	DN 35			Repair kit ID 35 for the new clip system.	<input type="checkbox"/>
Repair kit ID 40	12	2.889-150.0	1 piece(s)	DN 40			Repair kit ID 40 for the new clip system.	<input type="checkbox"/>
Extension hoses (clip system)								
Extension hose	13	2.889-145.0	1 piece(s)	DN 35	2.5 m		Extension hose for new clip system ID 35. Length: 2.5 m.	<input type="checkbox"/>
	14	2.889-146.0	1 piece(s)	DN 40	2.5 m		Extension hose for new clip system ID 40. Length: 2.5 m.	<input type="checkbox"/>
Extension hose conductive packaged NW35	15	2.889-343.0	1 piece(s)	DN 35	2.5 m			<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

NT 30/1 TACT L 1.148-201.0




		Order no.	Flow rate	Inlet temperature	Length	Length	Price	Description	
Teleskopstangen									
Telescopic lance TL 10 H	1	4.762-611.0		max. 60 °C				Up to 10 m reach: hybrid telescopic lance TL 10 H. Comprising carbon-glass fibre mix and suitable for multifunctional use. Simple retraction and extension thanks to quick-release fasteners.	<input type="checkbox"/>
Telescopic lance TL 10 C	2	4.762-612.0		max. 60 °C				Carbon fibre telescopic lance TL 10 C. With up to 10 m reach and practical quick-release fasteners. Multifunctional use for cleaning facades, windows or solar panels.	<input type="checkbox"/>
TL vacuum cleaner adapter	3	9.751-306.0						TL suction cup for 10 and 14 m long telescopic lances comprising suction bend connection (DN 35, DN 40) and connection for the suction nozzles.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

NT 30/1 TACT L

1.148-201.0



		Order no.	Quantity	ID			Price	Description	
Connection adapter C ID (clip to cone), electrically conductive									
Adapter clip DN 35 on cone DN 35	1	5.407-005.0						Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	<input type="checkbox"/>
Adapter clip DN 40 to cone DN 40	2	5.407-006.0		DN 40				For connecting small nozzles and suction tubes with cone DN 40: Adapter clip system DN 40. Ideal for vehicle interior cleaning tasks, with no need to connect additional nozzles.	<input type="checkbox"/>
Connection adapter for power tools, clip-on, electrically conductive									
Tool collar DN 35, clip-on	3	2.889-151.0	1 piece(s)	35				Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	<input type="checkbox"/>

■ Included in the scope of supply. Available accessories.

NT 30/1 TACT L

1.148-201.0



		Order no.	ID				Price	Description	
Target-group-specific accessory kits for vacuum cleaners									
Universal trade and industrial set	1	2.637-595.0	DN 35					Wet and dry accessory kit (DN 35) for Kärcher vacuum cleaners for use in trade and industry. The trade set comprises a multi-purpose brush, a crevice nozzle, an upholstery nozzle, a combi floor nozzle and a wet floor nozzle.	<input type="checkbox"/>
Car cleaning accessory kit	2	2.862-166.0	DN 35					Vehicle interior cleaning accessory kit in nominal width DN 35 for Kärcher wet and dry vacuum cleaners. The kit comprises various nozzles and adapter pieces in nominal widths DN 35 and DN 40.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

NT 30/1 TACT L 1.148-201.0



Page 1

2.Object

page6177222889312_std_01_272x272px.jpg

wurde anstatt

PAGE6177222889312_std_01_272x272px.JPG

plaziert.1

3.Object

page6177225031436_std_01_272x272px.jpg

wurde anstatt

PAGE6177225031436_std_01_272x272px.JPG

plaziert.



		Order no.	Quantity	Width		Price	Description	
Other								
Drilling dust nozzle	1	2.679-000.0	1 piece(s)				Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Attachment kit for CS 40 Me cyclone preseparator	2	2.863-027.0	1 piece(s)				The attachment kit for the CS 40 Me cyclone preseparator for wet and dry vacuum cleaners is a specially developed, highly efficient accessory for fine dust applications on construction sites or in industrial applications.	<input type="checkbox"/>
Adapter clip new on clip old DN 35	3	2.889-312.0					Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	<input type="checkbox"/>
Adapter connection, electroconductive	4	5.031-436.0					Electroconductive, universal adapter for connecting old NT hoses of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.