



## **Metal spray gun Premium**

The high-quality and extra-robust metal spray gun Premium is made for especially long-lasting watering enjoyment, and sits comfortably in the hand.







- 1 Rotatable handle
- Individual operability with trigger handle pointed forward or backwards.
- 3 Easy locking of the trigger handle
- For convenient and continuous watering.

- 2 Ergonomic control valve
- Regulation of the flow rate on the nozzle with just one hand.
- 4 Spraying pattern continuously definable from hard jet to cone jet
- Ideal for watering (cone jet) and cleaning (point jet).

## **TECHNICAL DATA AND EQUIPMENT**





## **Metal spray gun Premium**

Technical data						
Order no.		2.645-270.0				
EAN code		4054278047553				
Weight	kg	0.23				
Weight incl. packaging	kg	0.25				
Dimensions (L × W × H)	mm	225 × 42 × 105				
Equipment						
Number of spray patterns		2	Point jet			
Rotatable handle			Sprinkler	-		
Locking at handle		I	Vertical flat jet	-		
Water flow regulation						
Self-draining function						
Soft plastic elements						
Metal						
Cone jet						
Spray mist		-				
Horizontal flat jet		-				
Aerator jet		-				

## METAL SPRAY GUN PREMIUM 2.645-270.0











		Order no.		Price	Description	
Hoses						
PrimoFlex* Premium hose 1/2" - 20 m	1	2.645-150.0			20 m PrimoFlex* Premium quality garden hose (1/2"). With patented dual-reinforcement technology. Contains no substances that are harmful to health. Bursting pressure: 50 bar. High temperature resistance from -20 to 65 °C.	
Hose connection systems						
Premium universal hose coupling	2	2.645-195.0			Premium universal hose coupling made of metal. Comes with a robust hose clamp made of corrosion-free aluminium and soft plastic recessed grips. Compatible with all click systems.	
Premium universal hose coupling with Aqua Stop	3	2.645-196.0			Premium universal hose coupling made of metal. Comes with Aqua Stop and a robust hose clamp made of corrosion-free aluminium and soft plastic recessed grips. Compatible with all click systems.	
G3/4 tap adaptor with G1/2 reduc- er	4	2.645-006.0			Extremely tough tap connector 3/4" thread with 1/2" thread reducer. The reducer allows connection to two thread sizes. Compatible with all click systems.	

<sup>☐</sup> Available accessories.