



Regulation Nozzle

Simply watering according to demand. With the spray nozzle with water flow regulation, which can be operated with one hand, and 2 adjustable spraying patterns.



1 Ergonomic control valve

- Regulation of the flow rate on the nozzle with just one hand.

3 Self-emptying

- Optimum protection against frost damage.

2 Spraying pattern continuously definable from hard jet to cone jet

- Ideal for watering (cone jet) and cleaning (point jet).



Regulation Nozzle

Technical data

Order no.		2.645-267.0
EAN code		4054278047522
Weight	kg	0.09
Weight incl. packaging	kg	0.12
Dimensions (L x W x H)	mm	210 x 42 x 79

Equipment

Number of spray patterns	2
Water flow regulation	■
Self-draining function	■
Cone jet	■
Spray mist	-
Horizontal flat jet	-
Aerator jet	-
Point jet	■
Sprinkler	-
Vertical flat jet	-

REGULATION NOZZLE 2.645-267.0



		Order no.					Price	Description	
Hoses									
PrimoFlex® hose 1/2" - 20 m	1	2.645-138.0						The PrimoFlex® (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	<input type="checkbox"/>
Hose connection systems									
Universal Hose Connector with Aqua Stop	2	2.645-192.0						Universal hose coupling with Aqua Stop. Ergonomic design for convenient handling.	<input type="checkbox"/>
G3/4 tap adaptor with G1/2 reducer	3	2.645-006.0						Extremely tough tap connector 3/4" thread with 1/2" thread reducer. The reducer allows connection to two thread sizes. Compatible with all click systems.	<input type="checkbox"/>
Universal Hose Connector	4	2.645-191.0						Ergonomically designed universal hose coupling for convenient handling.	<input type="checkbox"/>

☐ Available accessories.