

WBS 3

The innovative Kärcher WBS 3 cleaning spray gun with rotation jet. Quickly cleans slightly dirty plant pots, furniture and devices in the garden.













- Plug-and-play
- No set-up time, no additional accessories required.
- Compatible with all available hook-and-loop systems.
- 3 Precise point jet
- The high-quality metal nozzle allows for precision cleaning.

2 Innovative rotation jet

- The rotating jet reduces the cleaning time by up to 50% when compa- Ideal handling in every situation. red to classic garden sprayers.
- Runtime of up to one hour for the rotation jet with the AA batteries provided.

4 Ergonomic design

TECHNICAL DATA AND EQUIPMENT





WBS 3

- Effective cleaning with rotating jet
- Thorough completion of cleaning task thanks to precise point jet
 Compatible with all available hook-and-loop systems

Technical data		
Order no.		1.645-600.0
EAN code		4054278599809
Max. flow rate	l/h	583
Max. speed	rpm	1100
Battery runtime	h	approx. 1
Weight without accessories	kg	0.3
Weight (with accessories)	kg	0.46
Weight incl. packaging	kg	0.6
Dimensions (L × W × H)	mm	165 × 60 × 203

Equipment				
Number of spray patterns	2			
Self-draining function				
Point jet				
Rotation jet	•			
Click connection				
2-stage switch	•			
Batteries required				
Batteries included in scope of supply				

■ Included in the scope of supply.

WBS 3 1.645-600.0









		Order no.			Price	Description
Hoses						
Hose Performance Plus 1/2" -20m	1	2.645-318.0				Flexible and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 20-metre long Performance Plus 1/2" garden hose. Ensures constant water flow.
Hose connection systems						
Universal hose coupling Plus with Aqua Stop	2	2.645-194.0				Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.
G3/4 tap adaptor with G1/2 reduc- er	3	2.645-006.0				Extremely tough tap connector 3/4" thread with 1/2" thread reducer. The reducer allows connection to two thread sizes. Compatible with all click systems.

[☐] Available accessories.