



Rotating sprinkler RS 130/3

Rotating sprinkler RS 130/3 ideal for watering medium-sized areas and gardens. Covers up to 133 m².



1 Metal arms

- Robustness and durability



Rotating sprinkler RS 130/3

- For medium-sized surfaces and gardens
- Robust metal arms
- Max. area coverage 133 m

Technical data

Order no.	2.645-019.0	
EAN code	4039784289024	
Water volume	15,5 l/min	
Sprinkling diameter (2 bar)	≤ 11 m	
Sprinkling diameter (4 bar)	≤ 13 m	
Sprinkling area (2 bar)	95 m ²	
Sprinkling area (4 bar)	133 m ²	
Weight	kg	0.16
Weight incl. packaging	kg	0.2
Dimensions (L × W × H)	mm	200 × 248 × 100

ROTATING SPRINKLER RS 130/3

2.645-019.0



		Order no.					Price	Description	
Hoses									
PrimoFlex® hose 1/2" - 20 m	1	2.645-138.0						The PrimoFlex® (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	<input type="checkbox"/>
Hose connection systems									
Universal Hose Connector with Aqua Stop	2	2.645-192.0						Universal hose coupling with Aqua Stop. Ergonomic design for convenient handling.	<input type="checkbox"/>
G3/4 tap adaptor with G1/2 reducer	3	2.645-006.0						Extremely tough tap connector 3/4" thread with 1/2" thread reducer. The reducer allows connection to two thread sizes. Compatible with all click systems.	<input type="checkbox"/>
Universal Hose Connector	4	2.645-191.0						Ergonomically designed universal hose coupling for convenient handling.	<input type="checkbox"/>

Available accessories.