



Circular sprinkler CS 90 Spike

Circular sprinkler CS 90 with strong spike ideal for watering small areas and gardens and suitable for use on uneven or sloping areas. Max. watering area: 64 sqm.



1 Robust spike for uneven or sloping underground

- Guaranteed stability and robustness



Circular sprinkler CS 90 Spike

- For small surfaces and gardens
- Robust spike for uneven or sloping ground
- Max. area coverage 64 m
- Additional adapter for irrigation of rectangular surfaces (CS 90 Vario)

Technical data

Order no.	2.645-024.0	
EAN code	4039784289079	
Water volume	24 l/min	
Sprinkling diameter (2 bar)	9 m	
Sprinkling diameter (4 bar)	9 m	
Sprinkling area (4 bar)	64 m ² (4 bar)	
Weight	kg	0.07
Weight incl. packaging	kg	0.11
Dimensions (L × W × H)	mm	58 × 105 × 243

CIRCULAR SPRINKLER CS 90 SPIKE 2.645-024.0



		Order no.					Price	Description	
Hoses									
PrimoFlex® hose 1/2" - 20 m	1	2.645-138.0						The PrimoFlex® (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	<input type="checkbox"/>
Hose connection systems									
Universal Hose Connector with Aqua Stop	2	2.645-192.0						Universal hose coupling with Aqua Stop. Ergonomic design for convenient handling.	<input type="checkbox"/>
G3/4 tap adaptor with G1/2 reducer	3	2.645-006.0						Extremely tough tap connector 3/4" thread with 1/2" thread reducer. The reducer allows connection to two thread sizes. Compatible with all click systems.	<input type="checkbox"/>
Universal Hose Connector	4	2.645-191.0						Ergonomically designed universal hose coupling for convenient handling.	<input type="checkbox"/>

Available accessories.