



## T 12/1

Versatile, robust and tilt-proof dry vacuum cleaner T 12/1 with superb suction power. It is particularly quiet and manoeuvrable and on request is available with HEPA filter.



### 1 Highly effective HEPA-13 filter

- The optional HEPA filter ensures particle-free, hygienically clean outgoing air.
- High filtration and separation degree of 99.95% withholds tiny particles.



### 2 On-board cord storage

- The power cable is always stored safely for transport.



### 3 Main filter basket

- Large, washable permanent main filter for optimal dust separation.
- Machine operation is possible both with and without filter bag.



### 4 Great ergonomics

- Foot switch for ease of use. No need to bend.



## T 12/1

- Clip system
- Foldable cable hook
- Operation using foot switch

### Technical data

<b>Order no.</b>	1.355-100.0	
<b>EAN code</b>	4039784723320	
<b>Current type</b>	<b>Ph / V / Hz</b>	1 / 220 - 240 / 50 - 60
<b>Air flow</b>	<b>l/s</b>	43
<b>Vacuum</b>	<b>mbar / kPa</b>	220 / 22
<b>Container content</b>	<b>l</b>	12
<b>Rated input power</b>	<b>W</b>	max. 800
<b>Standard nominal diameter</b>	DN 35	
<b>Cable length</b>	<b>m</b>	12
<b>Sound pressure level</b>	<b>dB(A)</b>	60
<b>Sound power level</b>	<b>dB(A)</b>	72
<b>Weight</b>	<b>kg</b>	6.4
<b>Dimensions (L × W × H)</b>	<b>mm</b>	410 × 315 × 340

### Equipment

<b>Suction hose</b>	<b>m</b>	2 / with bend
<b>Suction tube</b>	<b>piece(s) × m</b>	2 × 0.5 / Metal
<b>Motor protection filters</b>	<b>piece(s)</b>	1
<b>Filter bag</b>	<b>piece(s)</b>	1 / Fleece
<b>Combi floor nozzle</b>	■	
<b>Container material</b>	Plastic	
<b>Clip system for extending hose</b>	■	
<b>Protection class</b>	II	
<b>Permanent filter basket</b>	Nylon	

■ Included in the scope of supply.

# T 12/1

## 1.355-100.0



		Order no.	Quantity				Price	Description	
<b>Main filter baskets</b>									
Permanent main filter basket	1	5.731-640.0	1 piece(s)					Main filter basket for T 15/1, T 12/1 and T 17/1 can be used as a main filter with or without filter bag. Nylon-plastic frame, washable up to 40°C.	■
	2	4.731-011.0	1 piece(s)					Plastic frames with reinforced fleece material, washable to 40°C.	□
<b>Exhaust air filter</b>									
Standard exhaust air filter	3	6.414-802.0	3 piece(s)					Standard exhaust filter and diffusor for reducing filtered air. Made of foam.	□
Motor protection filter	4	2.889-119.0	3 piece(s)					Motor protection filter, removable fleece, which can be replaced when heavily soiled.	□
Filter foam	5	4.414-015.0	3 piece(s)					Efficient exhaust filter made from PES fleece material (filter foam) in size 128 × 97 mm. Package content: Pack of 3.	□
<b>HEPA Filter</b>									
HEPA 13 filter, packaged	6	6.414-080.0	1 piece(s)					HEPA 13 filter with 99.95% separation degree certified according to test standard DIN EN 1822:2019. For increasing the filter capacity and improving the blower air.	□
<b>Paper filter bags</b>									
Paper filter bags	7	6.904-312.0	10 piece(s)					10 paper filter bags dust class M. Suitable for all T 12/1 models.	□
	8	6.904-318.0	200 piece(s)					Dust class M	□
<b>Fabric filter bag</b>									
Fabric filter bag	9	6.904-316.0	1 piece(s)					The fabric filter bag for Kärcher dry vacuum cleaners is made of cotton and can be washed at up to 40 °C.	□
<b>Fleece filter bags</b>									
Fleece filter bags	10	6.904-315.0	10 piece(s)					Extremely tear-resistant, 3-ply fleece filter bags, dust class M. Fleece filter bags have 2 to 3 times the capacity of conventional paper filter bags. Standard for T 10/1 and T 12/1.	□
	11	6.904-321.0	200 piece(s)					Fleece filter bag, 3-ply, tear-proof, dust class M, large-scale consumer unit.	□

■ Included in the scope of supply. □ Available accessories.

# T 12/1

## 1.355-100.0



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Bend, plastic</b>									
Bend	1	2.889-148.0	1 piece(s)	DN 35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	■
<b>Combi-nozzles, dry</b>									
Combi-nozzle, DN 35, 280 mm	2	2.889-129.0	1 piece(s)	DN 35		280 mm		Plastic floor nozzle, ID 35 and switchable.	■
Parquet nozzle, DN 35, 360 mm	3	2.889-196.0	1 piece(s)	DN 35		360 mm		Parquet nozzle with wide working width	□
Parquet nozzle, DN 35, 300 mm	4	2.889-197.0	1 piece(s)	DN 35		300 mm			□
<b>Suction tubes, metal</b>									
Suction tube, chrome-plated	5	6.902-074.0	1 piece(s)	35	505 mm			Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.	■
<b>Crevice nozzles</b>									
Crevice nozzle	6	2.889-130.0	1 piece(s)	35 mm	210 mm			Plastic crevice nozzle.	□
<b>Upholstery nozzles</b>									
Upholstery nozzle DN 35	7	6.905-998.0	1 piece(s)	DN 35				Plastic upholstery nozzle in DN 35.	□
<b>Suction brushes</b>									
Suction brush	8	2.889-221.0	1 piece(s)	35 mm				Suction brush NW 35 with horsehair natural bristles.	□
<b>Turbo nozzles</b>									
Turbo upholstery nozzle	9	2.860-113.0	1 piece(s)	32 mm		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	□
Turbo floor nozzle	10	2.860-114.0	1 piece(s)	32 mm		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	□

■ Included in the scope of supply. □ Available accessories.

# T 12/1

## 1.355-100.0




		Order no.	Quantity	ID	Length		Price	Description
<b>Complete suction hoses (clip system)</b>								
Suction hose	1	2.889-133.0	1 piece(s)	DN 35	2.5 m			2.5 m long suction hose with new clip fastener, C 35. <input checked="" type="checkbox"/>
<b>Hose connection</b>								
Adapter, ID 32/35, with internal thread	2	6.902-077.0	1 piece(s)	DN 32				For connecting two suction hoses (not ESB 28 and 34). <input type="checkbox"/>
<b>Extension hoses (clip system)</b>								
Extension hose DN 35 electrically conductive 2.5 m	3	2.889-343.0	1 piece(s)	DN 35	2.5 m			<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# T 12/1

## 1.355-100.0



		<b>Order no.</b>	<b>Quantity</b>	<b>ID</b>			<b>Price</b>	<b>Description</b>	
<b>Expansion pieces (tube -&gt; nozzle)</b>									
Adapter	1	6.902-083.0	1 piece(s)	32 mm				From DN 32 to DN 35: Plastic adapter (electrically non-conductive). Suitable for BV and T vacuum cleaners.	<input type="checkbox"/>
<b>Reducers (tube -&gt; nozzle)</b>									
Reducer from ID 35 to ID 32	2	6.902-072.0	1 piece(s)	35 mm				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
<b>Reduction/expansion adapter kit</b>									
Set of reducers / adapter sleeves	3	2.860-117.0	1 piece(s)					DN 40/35, DN 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>

Included in the scope of supply.
  Available accessories.

# T 12/1

## 1.355-100.0



		Order no.	Quantity	Width			Price	Description	
<b>Other</b>									
Adapter clip new on clip old DN 35	1	2.889-312.0						Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	<input type="checkbox"/>

Included in the scope of supply.
  Available accessories.

# T 12/1

## 1.355-100.0



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Further accessories dry vacuum cleaners</b>									
Repair set Kaercher NW35	1	2.639-329.0		DN 35				Repair kit for dry vacuum cleaner accessories in DN 35. The kit includes a threaded and clamping ring, a connecting adapter, as well as a seal.	<input type="checkbox"/>

■ Included in the scope of supply.  Available accessories.