



## NT 40/1 Tact Te L

Compact and easy to transport: the NT 40/1 Tact Te wet and dry vacuum cleaner with Tact filter cleaning system and 40-litre bumpered container for long, uninterrupted operation.



### 1 Suction hose connection in the machine head

- The suction hose port in the machine head enables a larger usable container capacity.
- Easy emptying of the container by connecting the hose and machine head.

### 2 Storage rack and fixing options

- Tool boxes can be placed on the flat machine head without slipping thanks to its rubberised surfaces.
- Transport eyelets facilitate secure fixing with conventional anchoring straps.

### 3 Optional push handle

- The optional push handle can be mounted quickly and easily for convenient transport to the location of use.

### 4 Moisture-resistant PES flat pleated filter

- The PES flat pleated filter for dust class M reliably holds back 99.9% of all particles.
- Whether for wet or dry application: it is not necessary to change the PES filter.



## NT 40/1 Tact Te L

- PES flat pleated filter
- Antistatic preparation
- Optional push handle

### Technical data

<b>Order no.</b>	1.148-311.0	
<b>EAN code</b>	4054278061344	
<b>Air flow rate</b>	<b>l/s</b>	74
<b>Vacuum</b>	<b>mbar / kPa</b>	254 / 25.4
<b>Container capacity</b>	<b>l</b>	40
<b>Max. rated input power</b>	<b>W</b>	1380
<b>Standard nominal width</b>		ID 35
<b>Sound pressure level</b>	<b>dB(A)</b>	68
<b>Container material</b>		plastic
<b>Number of motors</b>		1
<b>Frequency</b>	<b>Hz</b>	50-60
<b>Voltage</b>	<b>V</b>	220-240
<b>Weight</b>	<b>kg</b>	14.4
<b>Dimensions (L x W x H)</b>	<b>mm</b>	560 x 370 x 655

### Equipment

<b>Suction hose</b>	<b>m</b>	4	<b>Safety class</b>	I
<b>Filter bag</b>		fleece	<b>Steering roller stop</b>	■
<b>Wet and dry floor nozzle</b>	<b>mm</b>	360		
<b>Crevice nozzle</b>		■		
<b>Power tool connection adaptor</b>		■		
<b>Automatic switch-off at max. filling quantity</b>		■		
<b>Automatic on/off switch for power tools</b>		■		
<b>Antistatic preparation</b>		■		
<b>Flat pleated filter</b>		PES		
<b>Filter cleaning</b>		Tact filter cleaning system		
<b>Sturdy bumper</b>		■		

■ Included in the scope of supply.

# NT 40/1 TACT TE L

## 1.148-311.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Plastic sacks for dust-free disposal</b>									
Plastic bag for dust-free disposal	1	2.889-158.0	10 piece(s)					PE plastic sack for dust-free disposal.	■
<b>Flat pleated filter, PES</b>									
Flat pleated filter, PES	2	6.904-360.0	1 piece(s)					Flat pleated filter (PES) - BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	■
<b>Fleece filter bags (three-ply)</b>									
Fleece filter bags	3	2.889-155.0	5 piece(s)					Fleece filter bag with 40-50 litre volume. Tear-resistant, dust class M, for suction hose port in machine head.	■
<b>Bend, plastic</b>									
Bend Adv	4	2.889-170.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system.	■
DN 40 bend	5	2.889-171.0	1 piece(s)	ID 40				Bend for the new clip system in nominal size DN 40.	□
Elektricky vodivé koleno, DN 40	6	2.889-172.0	1 piece(s)	ID 40				Ohyb pro nový klipový systém o velikosti DN 40. Elektricky vodivý design. Speciálně vhodný pro vysoké koncentrace jemného prachu	□
Bend	7	2.889-148.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	□
Bend Adv, electrically conductive	8	2.889-168.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	□
<b>Floor nozzles</b>									
Wet and dry floor nozzle Adv	9	2.889-152.0	1 piece(s)	ID 35		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
Wet/Dry floor nozzle standard	10	2.889-173.0	1 piece(s)	ID 35		300 mm		300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	□
Podlahová hubice, antracit DN40	11	2.889-174.0						Standardní podlahová hubice, antracit, s průměrem 40, s kartáčovými lištami a stěrkami. Vhodné pro všechny mokré i suché aplikace.	□
Wet and dry floor nozzle	12	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	□
Multi-purpose nozzle, wet/dry	13	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Wet and dry floor nozzle	14	2.889-118.0	1 piece(s)	ID 35		400 mm		Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. Squeegee and brush are quick and easy to change.	□
Wet and dry floor nozzle Adv	15	2.889-153.0	1 piece(s)	ID 40		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts, squeegees.	□
<b>Crevice nozzles</b>									
Crevice nozzle NT Tact DN 35	16	2.889-159.0	1 piece(s)	ID 35	225 mm			Crevice nozzle ID 35, for new Tact range.	■
Crevice nozzle NT Tact DN 40	17	2.889-160.0	1 piece(s)	ID 40	225 mm			Crevice nozzle ID 40, for new Tact range.	□
<b>Suction tubes, stainless steel</b>									
Set suction tube stainless steel NW35 55	18	2.889-192.0	1 piece(s)	ID 35	550 mm			Stainless steel suction tube set (2 × 0.55 m)	■
Set suction tube stainless steel NW40 55	19	2.889-194.0	1 piece(s)	ID 40	550 mm				□

■ Included in the scope of supply. □ Available accessories.

# NT 40/1 TACT TE L

## 1.148-311.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Complete suction hoses (clip system)</b>									
Suction hose	20	2.889-135.0	1 piece(s)	ID 35	4 m			4 m suction hose with new bayonet and clip fastener.	■
	21	2.889-133.0	1 piece(s)	ID 35	2.5 m			2.5 m suction hose with new clip fastener, C 35.	□
	22	2.889-161.0	1 piece(s)	ID 35	2 m			Flexible, robust and durable suction hose with new clip fastener. Ideal for our dry vacuum cleaners. 2 m long. Nominal width: DN 35.	□
	23	2.889-134.0	1 piece(s)	ID 35	2.5 m			2.5 m suction hose with new bayonet and clip fastener.	□
Electrically conductive suction hose	24	2.889-136.0	1 piece(s)	ID 35	2.5 m			Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
	25	2.889-137.0	1 piece(s)	ID 35	4 m			4 m suction hose with new bayonet and clip fastener. Electrically conductive.	□
Suction hose DN 40, length 4 m	26	2.889-138.0	1 piece(s)	ID 40	4 m			4 m suction hose with new bayonet and clip fastener.	□
Suction hose	27	2.889-139.0	1 piece(s)	ID 40	2.5 m			Suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
Suction hose, oil-resistant	28	2.889-140.0	1 piece(s)	ID 40	4 m			Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m.	□
Electrically conductive suction hose	29	2.889-141.0	1 piece(s)	ID 40	4 m			4 m, electrically conductive suction hose with new bayonet and clip fastener.	□
	30	2.889-142.0	1 piece(s)	ID 40	2.5 m			Suction hose, electrically conductive, with new bayonet and clip fastener. 2.5 m long.	□
<b>Connection adapter for power tools, clip-on, electrically conductive</b>									
Tool collar DN 35, clip-on	31	2.889-151.0	1 piece(s)	ID 35				Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	■
<b>Suction tubes, metal</b>									
Suction tube set, chrome-plated, NW 35 550 mm	32	2.889-191.0	1 piece(s)	ID 35	550 mm			Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	□
<b>Suction hoses (clip system)</b>									
Suction hose	33	2.889-163.0	1 piece(s)	ID 35	2.5 m			Electroconductive suction hose, NW 35. Length: 2.5 metres.	□
<b>Flat pleated filter, paper</b>									
Dry flat pleated filter	34	6.904-367.0	1 piece(s)					Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	□
<b>Flat pleated filter, PTFE</b>									
Ultimate flat pleated filter	35	6.907-455.0	1 piece(s)					Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	□
<b>Coarse dirt filter for wet vacuuming</b>									
Coarse dirt filter	36	6.904-287.0	1 piece(s)					Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	□
<b>Fabric filter</b>									
Wood cartridge filter	37	2.414-000.0						Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L.	□
Membrane filter for the new Tact and Ap range	38	2.889-281.0						Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused.	□

■ Included in the scope of supply. □ Available accessories.

# NT 40/1 TACT TE L

## 1.148-311.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>HEPA, dust class H filter</b>									
HEPA flat pleated filter	39	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	<input type="checkbox"/>
<b>All-purpose brushes</b>									
All-purpose brush	40	6.900-425.0	1 piece(s)	ID 35	120 mm			All-purpose brush PPN_Bristle	<input type="checkbox"/>
<b>Car cleaning nozzles</b>									
Car nozzle	41	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>
<b>Combi-nozzles, dry</b>									
Combi-nozzle, dry	42	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	<input type="checkbox"/>
<b>Suction brushes</b>									
Suction brush	43	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
<b>Repair kits</b>									
Repair kit ID 35	44	2.889-149.0	1 piece(s)	ID 35				Repair kit ID 35 for the new clip system.	<input type="checkbox"/>
Repair kit ID 40	45	2.889-150.0	1 piece(s)	ID 40				Repair kit ID 40 for the new clip system.	<input type="checkbox"/>
<b>Extension hoses (clip system)</b>									
Extension hose	46	2.889-145.0	1 piece(s)	ID 35	2.5 m			Extension hose for new clip system ID 35. Length: 2.5 m.	<input type="checkbox"/>
	47	2.889-146.0	1 piece(s)	ID 40	2.5 m			Extension hose for new clip system ID 40. Length: 2.5 m.	<input type="checkbox"/>
<b>Other</b>									
Push handle for NT 40/1 Tact Te L	48	2.643-868.0	1 piece(s)					Ergonomic push handle for NT 40/1 Tact Te L.	<input type="checkbox"/>
Drilling dust nozzle	49	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
<b>Adapter for electric power tools, screwable</b>									
Adapter for electric power tools, screwable, ID 35	50	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>
<b>Target-group-specific accessory kits for vacuum cleaners</b>									
Universal trade and industrial set	51	2.637-595.0		ID 35				Accessory kit for trade and industry.	<input type="checkbox"/>
Heating boiler cleaning kit	52	2.638-852.0		ID 35				Accessory kit for vacuuming and cleaning boilers, oil stoves, etc.	<input type="checkbox"/>
Car cleaning accessory kit	53	2.862-166.0		ID 35				Target group-specific accessory nozzles in DN 35 for interior cleaning of vehicles, upholstery & fixtures.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.