

Puzzi 10/2 Adv

Puzzi 10/2 Adv: Spray extraction machine with defoamer dosage, cleaning agent compartment, integrated cable hook, holder for handle with trigger/suction pipe and a power outlet for PW 30/1 for improved area performance.









- 1 Optimal suitability for daily use
- Tool-free adjustment of the grip; Accessory/cable fastenings; quick change from floor to upholstery nozzle.
- Quickly adapts to different requirements.

With practical on-board storage compartment for tabs. For need-

3 Storage compartment for cleaning agent tablets

based dosing.

Improved cleaning performance


- With integrated adapter for the PW 30/1 additional power brush.
- High cleaning performance.

Diverse use

Various accessories for diverse applications (e.g. crevice nozzle for cleaning car seats and upholstery).

TECHNICAL DATA AND EQUIPMENT





Puzzi 10/2 Adv

- Defoamer dosage
- Storage compartment for cleaning agent tabsPower outlet for PW 30/1

Technical data		
Order no.		1.193-120.0
EAN code		4039784948136
Air flow	I/s	74
Vacuum	mbar / kPa	254 / 25.4
Spray volume	I/min	2
Spray pressure/back pressure	bar	2
Fresh/dirty water tank	I	10/9
Turbine capacity	W	1250
Pump capacity	W	80
Current type	V	220 - 240
Weight	kg	11.5
Dimensions (L × W × H)	mm	705 × 320 × 435
Spray pressure	PSI	29
Equipment		

Equipment		
Spray hose with integrated water supply	m	2.5
Socket for Professional washing head		PW 30/1
Detergents	piece(s)	RM 760 tabs 2
Storage compartment for cleaning agent tabs		
Additional handle		I.
Handle with trigger		I
Narrow floor nozzle, complete with flexible suction lip		•
Fixation for soft dusting brush		I .
Cable hook		I .
Induded in the seems of sumply		

■ Included in the scope of supply.

PUZZI 10/2 ADV 1.193-120.0

























		Order no.	Quantity	ID	Width	Length	Price	Description	
Floor tools		ı							Ė
Flexible floor nozzle, 240 mm, complete	1	4.130-007.0	1 piece(s)	32 mm	240 mm			Kit consisting of floor nozzle (240 mm), suction tube and D-handle. Transparent sight glass for checking the vacuumed dirty water. Flexible squeegee.	
Flexible floor nozzle, 240 mm, individual	2	4.130-008.0	1 piece(s)	32 mm	240 mm			Floor nozzle (240 mm), individual. Transparent sight glass for checking the vacuumed dirty water. Flexible squeegee. Included in kit 4.130-007.0.	ı
Spray/suction hoses									
Spray/suction hose, 2.5 m	3	6.394-826.0	1 piece(s)	32 mm		2.5 m		Standard spray/suction hose.	ı
Spray/suction hose, 4 m	4	6.394-375.0	1 piece(s)	32 mm		4 m		Optional spray/suction hose, 4 m.	[
Other									
Extension tube	5	4.025-004.0	1 piece(s)	DN 32	775 mm			Extension tube, individual.	- 1
Handle	6	4.130-000.0	1 piece(s)	32 mm				Modular handle for floor, upholstery and crevice nozzle. With integrated sight glass for inspecting the vacuumed dirl Adaptors for spray and suction hose.	t. I
D-handle	7	4.321-001.0	1 piece(s)					D-handle, individual, for extension tube 4.025-004.0.	ı
Cleaning agent container, complete	8	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	
Crevice nozzle	9	4.130-010.0	1 piece(s)	32 mm				Crevice nozzle for spray extraction machines.	[
Upholstery tools									
Upholstery nozzle	10	4.130-001.0	1 piece(s)	32 mm	110 mm			Compact, 110 mm wide upholstery nozzle for inserting in the standard handle 4.130-000.0 from the Puzzi range.	[
Hard surface adapters									
Hard floor rubber adapter, small 240 mm	11	4.762-014.0	1 piece(s)		240 mm			Hard surface adapter for floor nozzle, 240 mm.	[

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.