



BRC 45/45 C

Compact carpet cleaning machine for the deep and intermediate cleaning of medium-sized areas from 350 up to 1000 m². Forward and reverse cleaning direction with 2 contra-rotating roller brushes for fibre-deep cleanliness.

1 Floating brush head with contra-rotating roller brushes

- Two roller brushes for high cleaning performance.
- Simultaneously cleans deep into the pile from two sides.

2 Working direction, forwards or backwards

- Working direction adjustable to carpet.
- Cleaning direction selectable by folding push handle.



BRC 45/45 C

- For medium-sized areas
- Works forwards and backwards
- Two contra-rotating roller brushes with constant contact pressure.

Technical data

Order no.	1.008-056.0
EAN code	4039784497986
Area performance (deep cleaning / intermediate cleaning iCapsol)	m ² /h 350 / 1000
Air flow	45
Vacuum	mbar / kPa 300 / 30
Spray pressure for intermediate cleaning	bar 3.5
Spray pressure for deep cleaning	bar 7
Spray rate for intermediate cleaning	l/min 0.7
Spray rate for deep cleaning	l/min 3.2
Working width, vacuuming	mm 450
Fresh/dirty water tank	l 45 / 38
Turbine capacity	W 1100
Motor rating of brush motor	W 600
Weight	kg 48
Dimensions (L × W × H)	mm 770 × 545 × 1250

Equipment

Work direction	Forward or backwards
iCapsol mode	■
Number of rollers	piece(s) 2

■ Included in the scope of supply.

BRC 45/45 C
1.008-056.0



		Order no.	Hardness / Brush type	Length	Colour	Quantity	Price	Description	
Roller brushes									
Roller brush	1	8.621-605.0		450 mm		1 piece(s)		Standard, black, 2 required.	■
	2	8.629-552.0		450 mm		1 piece(s)		Soft, 2 required. For hard carpets such as needle felt or short loop-pile carpets.	□

■ Included in the scope of supply. □ Available accessories.

BRC 45/45 C

1.008-056.0



		Order no.	Quantity	ID	Width	Length	Price	Description	
Other accessories									
Adapter	1	8.631-030.0	1 piece(s)					For floor tool 4.130-061.0 and handle with trigger 4.130-163.0.	■
Upholstery tools									
Hand nozzle	2	4.130-163.0	1 piece(s)	38 mm	110 mm			For cleaning upholstery with Puzzi 400/E and Puzzi 400 K, with water flow reducer 3.637-029.0 - except Puzzi 400 K.	□
Spray/suction hoses									
Spray/suction hose, 4 m	3	4.440-644.0	1 piece(s)	38 mm	4 m			Complete, metal coupling.	□

■ Included in the scope of supply.
 □ Available accessories.