



### **BR 30/4 C Adv**

The very compact and light scrubber drier BR 30/4 C, weighing only 12 kg, is the innovative and powerful alternative for the manual cleaning of hard areas from 20 to 200 m². The floor is dry immediately after cleaning and is therefore anti-slip and walkable again. Perfect for cleaning smaller shops, restaurants, service stations, supermarkets, sanitary facilities, hotels in the snack area or can be used alongside existing scrubber driers. With manual suction for vacuuming inaccessible corners. With microfibre roller specially for cleaning fine stoneware tiles.









1 High-speed roller brush

3 Tanks are removable

- Ten times higher contact pressure than manual cleaning.
- The roller brush also cleans structured surfaces and crevices.

#### 2 Dries immediately

- The soft suction lips remove moisture backwards and forwards.
- For intensive cleaning, the suction can be switched off via the foot pedal.

# **TECHNICAL DATA AND EQUIPMENT**





#### **BR 30/4 C Adv**

- Suction can be switched off
- Operates forwards and backwards
- Manual vacuuming, microfibre roller

| Technical data            |        |                     |
|---------------------------|--------|---------------------|
| Order no.                 |        | 1.783-213.0         |
| EAN code                  |        | 4039784541405       |
| Current type              | V / Hz | 220 - 240 / 50 - 60 |
| Working width of brushes  | mm     | 300                 |
| Working width, vacuuming  | mm     | 300                 |
| Max. area performance     | m²/h   | 200                 |
| Fresh/dirty water tank    | 1      | 4 / 4               |
| Brush contact pressure    | g/cm²  | 100                 |
| Brush rotational speed    | rpm    | 1450                |
| Rated input power         | W      | 820                 |
| Weight (with accessories) | kg     | 12.9                |
| Dimensions (L × W × H)    | mm     | 390 × 335 × 1180    |

| Equipment             |   |  |  |
|-----------------------|---|--|--|
| Roller brush          |   |  |  |
| 2-tank system         | • |  |  |
| Mains operation       |   |  |  |
| Transport wheels      |   |  |  |
| 2 squeegees, straight |   |  |  |
|                       |   |  |  |

■ Included in the scope of supply.











|                |   |             |            | I      |        | I             |       |  | _ |
|----------------|---|-------------|------------|--------|--------|---------------|-------|--|---|
|                |   |             |            |        |        |               |       |  |   |
|                |   |             |            |        |        |               |       |  |   |
|                |   |             |            |        |        |               |       |  |   |
|                |   |             | Hardness / |        |        | Quanti-       |       |  |   |
|                |   | Order no.   | Brush type | Length | Colour | ty            | Price | Description  |   |
| Roller brushes |   |             |            |        |        |               |       |  |   |
| Roller brush   | 1 | 4.762-005.0 | medium     | 300 mm | red    | 1<br>piece(s) |       | Red standard roller brush for maintenance cleaning.  | • |
|                | 2 | 4.762-452.0 | soft       | 300 mm | White  | 1<br>piece(s) |       | White roller brush for cleaning sensitive floor coverings.   |   |
|                | 3 | 4.762-484.0 | high / low | 300 mm | orange | 1<br>piece(s) |       | Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings. |   |
|                | 4 | 4.762-499.0 | soft       | 300 mm | blue   | 1<br>piece(s) |       | For carpet cleaning.   |   |

 $<sup>\</sup>blacksquare$  Included in the scope of supply.  $\qed$  Available accessories.





|                   |   | Order no.   | Hardness /<br>Brush type | Length | Diame-<br>ter | Colour         | Price | Description   |
|-------------------|---|-------------|--------------------------|--------|---------------|----------------|-------|---|
| Microfibre shaft  |   |             |                          |        |               |                |       |   |
| Microfibre roller | 1 | 4.762-453.0 | microfibre               | 300 mm | 60 mm         | light<br>green |       | Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze. |

<sup>■</sup> Included in the scope of supply. 

□ Available accessories.







|           |   | Order no.   | Length | Colour | Quanti-<br>ty | Price | Description   |
|-----------|---|-------------|--------|--------|---------------|-------|---|
| Squeegees |   |             |        |        |               |       |   |
| Squeegee  | 1 | 4.777-008.0 | 300 mm | blue   | 1<br>piece(s) |       | Straight, oil-resistant.  |
|           | 2 | 4.777-324.0 | 300 mm | grey   | 1<br>piece(s) |       | Straight squeegee, oil-resistant, 300 mm. For cleaning, kitchens, workshops, restaurants, petrol filling stations, etc. |

 $<sup>\</sup>blacksquare$  Included in the scope of supply.  $\qed$  Available accessories.











|                                    |   | Order no.   | Length | Colour | Quanti-<br>ty | Price | Description  |  |
|------------------------------------|---|-------------|--------|--------|---------------|-------|--|--|
| Miscellaneous                      |   |             |        |        |               |       |  |  |
| Add-on kit eco!zero                | 1 | 5.388-133.0 |        |        | 1<br>piece(s) |       | With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide.  |  |
| Filling hose                       | 2 | 6.680-124.0 | 1.5 m  |        | 1<br>piece(s) |       | 1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.  |  |
| Extension cable                    | 3 | 6.647-022.0 | 20 m   |        | 1<br>piece(s) |       | Extension cable, 20 m, 3x1.5 mm <sup>2</sup> . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.  |  |
| Carpet kit                         |   |             |        |        |               |       |  |  |
| Carpet cleaning attachment kit     | 4 | 2.783-005.0 |        |        | 1<br>piece(s) |       | For intensive carpet cleaning, 2 suction lips for carpets + 1 blue roller brush + 1   RM 764 + 0.5   RM 769.   |  |
| Dosing aids                        |   |             |        |        |               |       |  |  |
| DS 3 Cleaning Agent Dosing Station | 5 | 2.641-811.0 |        |        | 1<br>piece(s) |       | After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717). |  |

 $<sup>\</sup>blacksquare$  Included in the scope of supply.  $\hfill\Box$  Available accessories.