

B 90 R Classic Bp Pack


The B 90 R Classic Bp Pack battery-powered ride-on scrubber dryer is compact, versatile, features an extended tank capacity and variable working widths (55-75 cm).















1 Highly manoeuvrable

- Thanks to its very short and narrow construction style, the machine is very agile and easy to manoeuver despite large water volumes.
- The 90° steering system allows you to turn on the spot.

2 Easy operation

- $\hfill \blacksquare$ The basic functions are easily controlled using the EASY switch.
- Operating hours can be viewed on the display.

3 Long running time

Large compartment for a large battery capacity. Maintenance-free gel batteries in the pack variants.

4 Quick replacement

- If required, the brush head can be replaced quickly with no need for tools
- The rollers on the R head can be changed in next to no time.

TECHNICAL DATA AND EQUIPMENT





B 90 R Classic Bp Pack

- Very easy to use
- With operating hour counterFor maintenance cleaning

Technical data		
Order no.		1.161-307.0
EAN code		4039784497856
Working width of brushes	mm	550 - 750
Working width, vacuuming	mm	850 - 940
Fresh/dirty water tank	I	90 / 90
Theoretical area performance	m²/h	4500
Brush contact pressure	g/cm² / kg	20 - 315 / 28 - 35
Battery voltage	V	24
Battery capacity	Ah	170
Battery runtime	h	max. 2.5
Rated input power	W	2200
Waste container	I	5 + 7
Weight (with accessories)	kg	272
Dimensions (L × W × H)	mm	1450 × 800 × 1200
Sound pressure level	dB(A)	69

Equipment			
Powerful traction drive			
Battery and built-in charger included	•		
Automatic water stop			
Tin			
2-tank system			

Included in the scope of supply.





		Order no.	Quantity	Battery voltage	Battery capaci- ty	Battery type	Price	Description
Batteries								
Battery kit	1	2.815-092.0	4 -part	24 V	170 Ah	mainte- nance- free		Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.
Accessories for batteries								
Battery mounting kit	2	2.638-064.0	5 -part					Installation kit for installing battery kit in a machine. Incl. 2 brackets and 3 connection cables.

[■] Included in the scope of supply.

Available accessories.





















		Order no.	Hardness / Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Pad drive boards			-						Ť
Pad drive board STRONG	1	4.762-591.0		375 mm		1 piece(s)		Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 75. 2 pc. required.	ı
	2	4.762-590.0		335 mm		1 piece(s)		Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 65. 2 pc. required.	r [
Pad drive board	3	4.762-447.0		375 mm		1 piece(s)		Pad driver plate for cleaning with pads, 375 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75.	[
	4	4.762-446.0		335 mm		1 piece(s)		Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65.	
	5	4.762-445.0		280 mm		1 piece(s)		Pad driver plate for cleaning with pads, 280 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 55.	
Microfibre pad Microfibre pad	6	6.371-078.0	microfibre	381 mm	White	5 piece(s)		5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine	Ι.
								stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD 40/25 C.) [
	7	6.369-959.0 6.369-120.0	microfibre microfibre	356 mm 280 mm	White	5 piece(s)		Microfibre disc pad for the reliable and gentle removal of grey haze. Ideal for fine stoneware tiles.	[
		0.303 120.0	IIIIcionbie	200 111111	VVIIICE	piece(s)			1
Pads				•		, , , , , , ,			
Pad	9	6.371-000.0	medium-soft	650 mm	red	5 piece(s)		Red, standard disc pad for regular maintenance cleaning.	
	10	4.642-025.0	hard	650 mm	brown	5 piece(s)		Very abrasive disc pad for chemical-free care film and decoating.	1
	11	6.369-791.0	medium-soft	381 mm	red	5 piece(s)		Red, standard disc pad for regular maintenance cleaning.	[
	12	6.369-790.0	medium-hard	381 mm	green	5 piece(s)		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.	[
	13	6.369-789.0 6.369-003.0	hard medium-soft	381 mm 356 mm	black	piece(s)		Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt. Red, standard disc pad for regular maintenance cleaning.	[
	14	0.500 005.0	meurom-sort	220 111111	Teu	piece(s)		nea, standard disc pad for regular maintenance clediling.	1
	15	6.369-002.0	medium-hard	356 mm	green	5 piece(s)		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.	[
	16	6.369-001.0	hard	356 mm	black	5 piece(s)		Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	[
	17	6.371-153.0	medium-soft	280 mm	red	5 piece(s)		Red, standard disc pad for regular maintenance cleaning.	[
	18	6.371-154.0	medium-hard	280 mm	green	5 piece(s)		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.	[
	19	6.371-155.0	hard	280 mm	black	5 piece(s)		Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	

[■] Included in the scope of supply.

□ Available accessories.











		Order no.	Hardness / Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Diamond pad			·		<u>'</u>				
Diamond pad	20	6.371-252.0	coarse	385 mm	White	5 piece(s)		White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	
	21	6.371-253.0	medium	385 mm	yellow	5 piece(s)		Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	
	22	6.371-236.0	fine	385 mm	green	5 piece(s)		Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	
	23	6.371-250.0	coarse	356 mm	White	5 piece(s)		White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	
	24	6.371-251.0	medium	356 mm	yellow	5 piece(s)		Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	
	25	6.371-235.0	fine	356 mm	green	5 piece(s)		Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	
	26	6.371-246.0	coarse	280 mm	White	5 piece(s)		White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	
	27	6.371-247.0	medium	280 mm	yellow	5 piece(s)		Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	
	28	6.371-233.0	fine	280 mm	green	5 piece(s)		Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	
Melamine pads									
Melamine pad	29	6.371-022.0		381 mm	Grey/ white	2 piece(s)		White melamine disc pad for intermediate and deep cleaning of microporous surfaces, as well as fine stone and other	
	30	6.371-021.0		356 mm	Grey/ white	2 piece(s)		hard floor coverings. Can also be used for removing grey haze.	

 $[\]blacksquare$ Included in the scope of supply. \square Available accessories.















		Order no.	Length	Colour	Quanti- ty	P	Price	Description	
Squeegees						I			_
Squeegee	1	4.777-080.0	1000 mm	transparent	1 piece(s)			Suitable for all conventional floors and with very good gliding properties on crevices: V-shaped squeegee with length of 1,000 mm and suction lips made from wear-resist ant polyurethane with a long lifetime.	t-
	2	4.777-079.0	900 mm	transparent	1 piece(s)			900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.	
	3	4.777-402.0	940 mm	transparent	1 piece(s)			Straight squeegee with adjustable support rollers, 940 mm. Oil-resistant, grooved squeegee blades of hard wearing polyurethane for all standard floors. Includes additional weights for uniform contact pressure.	
	4	4.777-401.0	850 mm	transparent	1 piece(s)			Straight, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane.	
Squeegee blades									
Squeegee blades for V-squeegee	5	6.273-024.0	1116 mm	transparent	2 -part			Designed for our 1,000 mm-long, V-shaped squeegees, this fluted suction lip set impresses on all floors. High-quality, oil-resistant design made from durable polyurethane.	
	6	6.273-023.0	1010 mm	transparent	2 -part			Suction lip set, fluted and developed for V-shaped squee- gees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for al floors.	II
Squeegee blades	7	6.273-208.0	960 mm	transparent	2 -part			Squeegee blade kit includes front and rear squeegee blades 960 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.	1
	8	6.273-205.0	960 mm	transparent	2 -part			Squeegee blade kit includes front and rear squeegee blades 960 mm. Slotted squeegee blades of hard-wearing, oil-re- sistant, transparent polyurethane. For sensitive floors.	5,
	9	6.273-291.0	960 mm	transparent	2 -part			Closed, oil-resistant, for structured floors.	
	10	6.273-214.0	960 mm	blue	2 -part			Squeegee blade kit includes front and rear squeegee blades 960 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	
Rubber lip set oil resistant BR- BD530,55	11	6.273-207.0	890 mm	transparent	2 -part			Squeegee blade kit includes front and rear squeegee blades 890 mm. Grooved squeegee blades of hard-wearing, oil-re- sistant, transparent polyurethane. For all standard floors.	
Squeegee blades	12	6.273-229.0	890 mm	transparent	2 -part			Squeegee blade kit includes front and rear squeegee blades 890 mm. Slotted squeegee blades of hard-wearing, oil-re- sistant, transparent polyurethane. For sensitive floors.	S,
	13	6.273-290.0	890 mm	transparent	2 -part			Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors.	
Rubber lip set standard	14	6.273-213.0	890 mm	blue	2 -part			Squeegee blade kit includes front and rear squeegee blades 890 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	

[■] Included in the scope of supply.

Available accessories.













		Order no.	Length	Colour	Quanti- ty		Price	Description	1
Wheels / tyres				•					
Tyres, supergrip	1	6.435-403.0		yellow	1 piece(s)			Oil-resistant, with especially good traction.	
Miscellaneous						·			
Add-on kit eco!zero	2	5.388-133.0			1 piece(s)			With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide.	
Filling hose	3	6.680-124.0	1.5 m		1 piece(s)			1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	
Dirty water tank filter	4	6.414-976.0			1 piece(s)			Improves airflow even when damp, thanks to modified filter material.	
Additional weight kit	5	5.031-498.0			1 piece(s)			ensures that squeegee glides optimally	
Dosing aids									
DS 3 Cleaning Agent Dosing Station	6	2.641-811.0			1 piece(s)			After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	

[■] Included in the scope of supply.

Available accessories.

















									T
		Order no.	Hardness / Brush type	Length	Colour	Quanti- ty	Price	Description	
Roller brushes	'		<u>'</u>		'				
Roller brush	1	6.906-985.0	soft	700 mm	White	1 piece(s)		White roller brush for cleaning sensitive floor coverings.	
	2	4.035-190.0	medium	700 mm	red	1 piece(s)		Red standard roller brush for maintenance cleaning.	
	3	6.906-986.0	high / low	700 mm	orange	1 piece(s)		Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	
	4	6.906-987.0	hard	700 mm	green	1 piece(s)		Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	
	5	6.906-988.0	very hard	700 mm	black	1 piece(s)		Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
	6	6.906-981.0	soft	638 mm	White	1 piece(s)		White roller brush for cleaning sensitive floor coverings.	
	7	4.035-187.0	medium	638 mm	red	1 piece(s)		Red standard roller brush for maintenance cleaning.	
	8	6.906-982.0	high / low	638 mm	orange	1 piece(s)		Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	
	9	6.906-983.0	hard	638 mm	green	1 piece(s)		Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	
	10	6.906-984.0	very hard	638 mm	black	1 piece(s)		Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
	11	6.906-977.0	soft	532 mm	White	1 piece(s)		White roller brush for cleaning sensitive floor coverings.	
	12	4.035-193.0	medium	532 mm	red	1 piece(s)		Red standard roller brush for maintenance cleaning.	
	13	6.906-978.0	high / low	532 mm	orange	1 piece(s)		Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	
	14	6.906-979.0	hard	532 mm	green	1 piece(s)		Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	
	15	6.906-980.0	very hard	532 mm	black	1 piece(s)		Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	

[■] Included in the scope of supply.

Available accessories.















		Order no.	Hardness / Brush type	Length	Diame- ter	Colour	Price	Description
Pad roller shafts								
Pad roller shaft	1	4.762-434.0		700 mm				Aluminium pad roller shaft suitable for holding roller pads
	2	4.762-433.0		638 mm				or microfibre rollers.
	3	4.762-432.0		532 mm				Pad roller shaft suitable for holding roller pads or microfibre rollers.
Roller pads								
Roller pad	4	6.369-454.0	soft		105 mm	yellow		Yellow roller pad for cleaning and polishing non-textured floor coverings.
	5	6.369-456.0	medium		105 mm	red		Red standard roller pad for the maintenance cleaning of non-textured floor coverings.
	6	6.369-455.0	hard		105 mm	green		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.
Microfibre shaft								
Microfibre roller	7	4.114-007.0	microfibre	700 mm	105 mm	light green		Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze.
	8	4.114-006.0	microfibre	638 mm	105 mm	light green		
	9	4.114-005.0	microfibre	532 mm	105 mm	light green		

[■] Included in the scope of supply.

Available accessories.















		Order no.	Hardness / Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Disc brushes									
Disc brush	1	4.905-019.0	very soft	385 mm	White	1 piece(s)		White, soft disc brush for the gentle cleaning of sensitive floor coverings.	
	2	4.905-020.0	soft	385 mm	natural	1 piece(s)		Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	
	3	4.905-018.0	medium	385 mm	red	1 piece(s)		Red standard disc brush for regular maintenance cleaning.	
	4	4.905-021.0	hard	385 mm	black	1 piece(s)		Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
	5	4.905-011.0	very soft	355 mm	White	1 piece(s)		White, soft disc brush for the gentle cleaning of sensitive floor coverings.	
	6	4.905-012.0	soft	355 mm	natural	1 piece(s)		Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	
	7	4.905-010.0	medium	355 mm	red	1 piece(s)		Red standard disc brush for regular maintenance cleaning.	
	8	4.905-013.0	hard	355 mm	black	1 piece(s)		Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
	9	4.905-015.0	very soft	300 mm	White	1 piece(s)		White, soft disc brush for the gentle cleaning of sensitive floor coverings.	
	10	4.905-016.0	soft	300 mm	natural	1 piece(s)		Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	
	11	4.905-014.0	medium	300 mm	red	1 piece(s)		Red standard disc brush for regular maintenance cleaning.	
	12	4.905-017.0	hard	300 mm	black	1 piece(s)		Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	

[■] Included in the scope of supply. □

[☐] Available accessories.



















		Order no.			Price	Description	
Brush heads							
Brush head R 75 S	1	2.763-006.0				Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	
Brush head R 65 S	2	2.763-004.0				Brush-head with 2 roller brushes and a working width of 65 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.	
Brush head R 55 S	3	2.763-002.0				Brush-head with 2 roller brushes and a working width of 55 cm. Brush change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.	
D 75 S brush head	4	2.763-005.0				Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	
D 65 S brush head	5	2.763-003.0				Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 65 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	
D 55 S brush head	6	2.763-001.0				Brush-head with 2 disc brushes, brush-quick-change and a working width of 55 cm. The side splash guards are adjustable in the height. So the water will be kept under the brushhead. The cleaning solution will be run optimally to the squeegee: Packed separately.	
Floor head S 65	7	2.763-030.0				Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners.	
Connection kit S 65	8	4.036-061.0				Kit for connecting the S 65 floor head to the B 90 R.	

Connection kit \$ 65 8 4.036-061.0
■ Included in the scope of supply. □ Available accessories.













		1		1				$\overline{}$
		Order no.	Length	Diameter	Quanti- ty	Price	Description	
Lighting / revolving signal light mo	ounting	kit						
Flashing beacon	1	2.641-718.0			1 piece(s)		Increases the safety of the working environment.	
Other attachment kits								
Auto-Fill	2	2.641-748.0			1 piece(s)		Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	
Support roller kit	3	2.641-773.0			1 piece(s)		Reduces the danger of damaging the floor through abrupt steering at high speeds, sharp breaking on corners or when turning on downhill slopes.	
Suction hose accessories	4	4.444-015.0	3.25 m		1 piece(s)		For vacuuming water out of corners or containers (e.g. freezers).	
Attachment kit stacked bumper roller squeegee	5	4.035-619.0			2 -part		Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet.	

[■] Included in the scope of supply.

Available accessories.