



KM 150/500 R D Classic

KM 150/500 R Classic sit-on vacuum sweeper with pocket filter, large sweeping container, robust steel chassis, easy lever operation, hydraulic rear-wheel drive and Flexible Footprint System.









1 Hydraulic rear-wheel drive with solid rubber tyres

- Good manoeuvrability and control even in tight spaces.
- Works even on sharp surfaces without causing tyre punctures.

3 Robust steel chassis with multiple corrosion protection

- Can be used under tough working conditions.
- Durable machine and components.

2 Large-area pocket filter with vibration motor

- Large filter area for dust-free vacuuming.
- Cleaning by means of vibration motor.

4 Ease of servicing

- Very simple technology with tried-and-tested components: fully hydraulic drive, electric rather than electronic.
- Easy access to all technical components.





KM 150/500 R D Classic

- High working and transport speed
- Simple operation via control lever
 Pocket filter with large filter area

Technical data		
Order no.		1.186-134.0
EAN code		4054278047874
Drive type		Diesel
Traction drive		Four-stroke engine
Motor manufacturer		Yanmar
Drive- performance	kW	15.8
Max. area performance	m²/h	18000
Working width	mm	1200
Working width with 1 side brush	mm	1500
Working width with two side brushes	mm	1800
Waste container	1	500
Climbing ability	%	18
Working speed	km/h	12
Filter areas	m²	10.5
Weight	kg	1400
Dimensions (L × W × H)	mm	2442 × 1570 × 1640

Equipment			
Pocket filter		Sweeping function, can be switched off	•
Filter cleaning manual		Wheels, solid rubber	
Main sweeper roller adjustable	•		
Power steering			
Dustpan principle			
Forwards traction drive			
Backwards traction drive			
Suction			
Hydr. high dump			
Outdoor use			
Elapsed time counter			
■ Included in the scope of supply.			

KM 150/500 R D CLASSIC 1.186-134.0









		1	1			1	
		Order no.	Installation ex works	Length / width	Diame- ter	Price	Description
Pocket filter					· ·		
Pocket filter, white	1	6.988-490.0					Pocket filter for KM 150/500 R D Classic vacuum sweeper with dimensions of $1100 \times 500 \times 320$ mm. Ideal for very fine dusts and large quantities of dirt thanks to 10.5 m^2 filter area.
Pocket filter, green	2	6.988-704.0					Developed for use in very dusty settings: Pocket filter, water resistant, large filter area (10.5 m²) for large areas of fine dusts. Dimensions 1100 x 500 x 320 mm, for KM 150/500 R D Classic.
Standard roller brush							
Standard roller brush	3	6.987-085.0		1194 mm	380 mm		Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.
Main sweeper roller, soft							
Main sweeper roller, soft	4	6.987-464.0		1194 mm	380 mm		Specially designed with polypropylene bristles for fine dust sweeping on smooth floors in both inside and outside areas.
Main sweeper roller, soft/natural	5	6.987-437.0		1194 mm	380 mm		Specially designed with natural bristles for sweeping fine dust on smooth floors indoors.
Main sweeper roller, hard							
Main sweeper roller, hard	6	6.987-436.0		1194 mm	380 mm		For removing stubborn dirt outdoors.

lacksquare Included in the scope of supply. \Box Available accessories.

KM 150/500 R D CLASSIC 1.186-134.0







		Order no.	Installation ex works		Price	Description	
Lighting		'					
Working lights	1	2.852-082.0	2.852-082.7			For increased visibility, e.g. in underground garages or warehouses.	
Road lighting	2	2.852-151.7	2.852-151.7			For increased work safety on the factory site: road lights consisting of indicators and working lights.	
Protective roof							
Protection shield sweeper 150 - 170 R	3	2.852-688.0	2.852-688.7				
Sweeping/Vacuuming							
Add-on kit vacuum cleaner KM 150-170 R	4	2.852-884.0	2.852-884.7			Holder for industrial sweepers for carrying the NT 22/1 we and dry vacuum cleaner from Kärcher. Makes it easier to clean corners and gaps in one work step.	Į
Other mounting kits							
Add-on kit ram protection KM 150/500 R	5	2.852-621.0					
Add-on kit wet sweep KM 150/500	6	2.852-821.0	2.852-821.7				
Side brushes, left							
Second left side brush attachment kit	7	2.851-274.0	2.851-274.7			Side brush, complete, including standard side brush for increasing area performance.	

[■] Included in the scope of supply.

□ Available accessories.

KM 150/500 R D CLASSIC 1.186-134.0





		Order no.	Installation ex works		Price	Description	
Tyres, puncture-proof							
Wheel solid rubber non-chalking	1	6.435-176.0				Recommended for sweeping metal shavings, glass shards, etc. Avoids tyre marks on light surfaces.	

[■] Included in the scope of supply.

□ Available accessories.