HP LaserJet Managed MFP E42540f



HP's entry-level Enterprise-class MFP with speeds up to 40 ppm⁹ and strongest security.¹

HP Managed MFPs and printers are optimized for managed environments. With increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.





Easy to use, simple to manage

- HP FutureSmart firmware can be updated with the latest features² to optimize your investment for years to come.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.³
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons.
- Set up this MFP fast, and easily manage device settings to help increase efficiency.



The world's most secure printing¹

- The operating code (BIOS) is automatically checked during startup and repairs itself if compromised.
- Common Criteria certified⁴ to continually monitor memory activity to detect and stop attacks in real time.
- Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.



Enhanced productivity to empower work teams

- Give workgroups what they need to succeed with hundreds of HP and third-party solutions and card reader support.
- Optimize workflows, reduce steps and errors, and support mobile workers with optional MFP apps that meet your specific business needs.
- Help ensure the security of confidential information with PIN/Pull printing to retrieve print jobs.
- Stay connected with an optional accessory for wireless, ⁶ Bluetooth [®] Low Energy, and NFC touch-to-print.



Sustainability is smart business

- Help save paper right out of the box. Two-sided (duplex) printing is set at default for automatic savings.
- Help reduce wasted paper and toner by only printing jobs that are truly needed, using HP Roam for Business.⁸
- Save energy without sacrificing performance—this MFP is ENERGY STAR® and Blue Angel certified.
- Leverage HP End of Life Solutions to ensure your Hardware and Supplies are sustainably retired.

Technical specifications

Product name	HP LaserJet Managed MFP E42540f
Product number	3P2754
Functions	Print, copy, scan, fax
Print	Advance (Jeffe IV)
Duplex printing	Automatic (default) Black (A4, normal) Up to 38 ppm (default); Up to 40 ppm (HP High Speed Mode); Black (A4, duplex): Up to 31 ipm; Black (letter, normal): Up to 40 ppm (default); Up to 42 ppm (HP High Speed Mode); Default (HP High Speed Mode);
Print speed ⁹	Model; Black (letter, duplex): Up to 33 ipm;
First page out ¹⁰ Print technology	Black (A4, ready): As fast as 6.5 sec; Black (A4, sleep): As fast as 8.8 sec Laser
Print resolution	Laser Black (best): Up to 1200 x 1200 dpj; Black (normal): Up to 600 x 600 dpj
Print resolution technology	300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200
Print cartridges number	1 (black)
Standard print languages	HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP Web JetAdmin), HP WS Pro Proxy Agent (Part of HP Web JetAdmin), Printer
Printer management	HP Printer Assistant, HP WE JEARINII TO SUMMER, HP JEARING MERGABLE AND HE SAMP PROXY PRINTER ASSISTANT, HP WE JEARINII AND TROX Agent (Part of HP WEDJELAUTHII), PRINTER Administrator Resource KT for HP Universal Print Driver (Driver Configuration Utility – Driver Proxy and the Universal Print Driver (Driver Configuration Utility – Driver Driver) Administrator (Printer Administrator)
Scan	
Scan speed ¹³	Normal (A4): Up to 29 ppm/46 ipm (b&w), up to 20 ppm/35 ipm (color); Duplex (A4) : Up to 46 ipm (b&w), up to 35 ipm (color) Scanner type Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Duplex ADF scanning : Yes, single pass duplex scanning; Scan size maximum (ADF): 216 x 356 mm; Scan size maximum
Scanner specifications	(flatbed): 216 x 297 mm; Optical scan resolution: Up to 600 dp; Enhanced Scan Resolution: Up to 600 dp; Enhanced Scan Resolution: Up to 600 dp; Hardware resolution: Up to 600 dp; Enhanced Scan Resolution: Up to 600 dp; Hardware resolution: Up to 600 dp; Hardwar
Scanner advanced features	Quick Sets
Copy	Black (A4, normal): Up to 38 cpm; Black (letter, normal): Up to 40 cpm; Black (A4, duplex): As fast as 31 cpm; Black (letter, duplex): As fast as 33 cpm
Copy speed First copy out	Black (A4, ready): As fast as 7.2 sec; Black (A4, sleep): As fast as 9.5 sec; Black (letter, ready): As fast as 6.8 sec
Copier specifications	Copier settings: Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; Content orientation; Collation; Booklet; Job build; Edge-to-edge; Job storage; ID Copy; Book Copy; A-to-B Copy (different media sizes); Maximum number of copies: Up to 9999 copies
Fax ⁶	
Fax speed	33.6 kbps / 3 sec per page
Fax specifications	Fax memory. Dependent on the amount of available disk space; Fax resolution: Up to 300 x 300 dpi; Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Junk barrier supported: Yes, as blocked fax numbers; Maximum speed dialing numbers: Up to 1000 numbers; PC interface supported: Yes, software not included; Fax polling supported: Yes (poll to receive only)
Fax smart software features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule
Connectivity	2 Hi-Speed USB 2.0 Host: 1 Hi-Speed USB 2.0 Device: 1 Gigabit Ethernet 10/100/1000T network: 1 FAX
Standard connectivity Mobile printing capability ⁵	2 Hi-Speed USB 2.0 Host, 1 Hi-Speed USB 2.0 Device, 1 Gigabit Ethernet 10/100/10001 network, 1 FAX HP ePrint; Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print; Roam capable for easy printing
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory
wireless capability	3.1069A
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (Optional); second Ethernet port (Optional).
Memory	Standard: 2GB; Maximum ⁷ : 2GB
Storage capacity Hard disk	16 GB eMMC
Processor speed	Not supported 800 MHz
Warm-up time	180 sec
Paper handling	
Duty cycle (monthly)	Duty cycle (monthly, A4): Up to 120,000 pages; Recommended monthly page volume: 1,500 to 7,500 pages
Input capacity	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF)
Input capacity Output capacity Number of paper trays Media types	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin Standard: 2; Maximum: 3 Paper (plain, EcoEfficient, light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels
Input capacity Output capacity Number of paper trays	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin Standard: 2; Maximum: 3 Paper (plain, EcoEfficient, light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels Tray 1: 60 to 175 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m²
Input capacity Output capacity Number of paper trays Media types	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin Standard: 2; Maximum: 3 Paper (plain, EcoEfficient, light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels
Input capacity Output capacity Number of paper trays Media types Media weight Media size Printer dimensions (W x D x H)	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin Standard: 2; Maximum: 3 Paper (plain, EcoEfficient, light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels Tray 1: 60 to 175 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (
Input capacity Output capacity Number of paper trays Media types Media weight Media size Printer dimensions (W x D x H) Printer weight	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin Standard: 2; Maximum: 3 Paper (plain, EcoEfficient, light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels Tray 1: 60 to 175 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; ADF: letter; legal; oficio; executive; statement; A4; RA4; A5; B5; 5 x 7 in; 5 x 8 in 420 x 390 x 323 mm 13.01 kg
Input capacity Output capacity Number of paper trays Media types Media weight Media size Printer dimensions (W x D x H) Printer weight Software included	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin Standard: 2; Maximum: 3 Paper (plain, EcoEfficient, light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels Tray 1: 60 to 175 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (
Input capacity Output capacity Number of paper trays Media types Media weight Media size Printer dimensions (W x D x H) Printer weight	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin Standard: 2; Maximum: 3 Paper (plain, EcoEfficient, light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels Tray 1: 60 to 175 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; ADF: letter; legal; oficio; executive; statement; A4; RA4; A5; B5; 5 x 7 in; 5 x 8 in 420 x 390 x 323 mm 13.01 kg
Input capacity Output capacity Number of paper trays Media types Media weight Media size Printer dimensions (W x D x H) Printer weight Software included What's in the box ¹	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin Standard: 2; Maximum: 3 Paper (plain, EcoEfficient, light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels Tray 1: 50 to 175 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 15 (JIS), B6 (J
Input capacity Output capacity Number of paper trays Media types Media weight Media size Printer dimensions (W x D x H) Printer weight Software included What's in the box ¹ Warranty	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin Standard: 2; Maximum: 3 Paper (plain, EcoEfficient, light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels Tray 1: 60 to 175 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), 86, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5; S x 7 in; 5 x 8 in 420 x 390 x 392 x 393 x 323 mm 13.01 kg No software solutions are included in the Box only on http://hp.com or http://123.hp.com HP Laser Jet Managed MFP E425540f printer; HP Black Original Laser Jet Toner Cartridge (~3,000 pages); Fixed-Size Paper Tray Guides; Getting started Guide; 1 Power cord
Input capacity Output capacity Number of paper trays Media types Media weight Media size Printer dimensions (W x D x H) Printer weight Software included What's in the box ¹ Warranty Systems	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin Standard: 2; Maximum: 3 Paper (plain, EcoEfficient, light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels Tray 1: 60 to 175 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; envelopes (B5, C5 ISO, C6, DL ISO): Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS), B6 (JIS), B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS), B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS), B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS), B6 (JIS),
Input capacity Output capacity Number of paper trays Media types Media weight Media size Printer dimensions (W x D x H) Printer weight Software included What's in the box ¹ Warranty Systems Compatible operating systems	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin Standard: 2; Maximum: 3 Paper (plain, EcoEfficient, light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels Tray 1: 50 to 175 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (
Input capacity Output capacity Number of paper trays Media types Media weight Media size Printer dimensions (W x D x H) Printer weight Software included What's in the box ¹ Warranty Systems Compatible operating systems	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin Standard: 2; Maximum: 3 Paper (plain, EcoEfficient, light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels Tray 1: 60 to 175 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; envelopes (B5, C5 ISO, C6, DL ISO): Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS), B6 (JIS), B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS), B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS), B6 (JIS), A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS), B6 (JIS),
Input capacity Output capacity Number of paper trays Media types Media weight Media size Printer dimensions (W x D x H) Printer weight Software included What's in the box¹ Warranty Systems Compatible operating systems Minimum system requirements	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin Standard: 2, Maximum: 3 Paper (plain, EcoEfficient, Light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels Tray 1: 60 to 175 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Supported (metric): Tray 1: 74 x 127 x 127 x 126 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Tray 2: 44; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356
Input capacity Output capacity Number of paper trays Media types Media size Printer dimensions (W x D x H) Printer weight Software included What's in the box¹ Warranty Systems Compatible operating systems Minimum system requirements Security management Fonts and typefaces Control panel	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin Standard: 2; Maximum: 3 Paper (plain, EcoEfficient, light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels Tray 1: 60 to 175 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Toay 2: 105 x 148 to 216 x 356 mm; Toay 2: 105 x 148 to 216 x 356 mm; Toay 2: 104; 365 mm; Toay 2: 104; 836 mm; Toay 2: 104; 805 (US), 86 (US), 86; US), 86 (US), 86; 105; 105 x 148 to 216 x 356 mm; ADF letter; legal; oficio; executive; statement; A4; RA4; A5; B5; 5 x 7 in; 5 x 8 in 420 x 390 x 323 mm 13.01 kg No software solutions are included in the Box only on http://hp.com or http://123.hp.com HP Laser Jet Managed MFP E425540f printer; HP Black Original LaserJet Toner Cartridge (~3,000 pages); Fixed-Size Paper Tray Guides; Getting started Guide; 1 Power cord One-year, On-site Repair 24-hour / 7 day a week phone support Windows Client OS (32/64 bit)—Winto, Win8.1, Win7 Ultimate, Mobile OS—105, Android, Mac-, Apple® MacOS High Sierra v10.13, Apple® MacOS Mojave v10.14, Apple® MacOS Catalina v10.15, Discrete PCLG Printer Divers.—For more information on the supported operating systems go to http://support.tp.com. Enter your product name and search, Click on User Guide, Search for your Product name)—User Guide, Search for your Product name and search for User Guide, Search for your Product name)—User Guide, Search for your Product name and search for User Guide, Search for your Product name)—User Guide, Search for your Product name and search for Search Guide, Search for your Product name and search for Search Guide, Search for your Product name and search for Search Guide, Search for your Product name and search for User Guide, Search for your Product name)—User Guide, Search for your Product name and search for User Guide, Search for your
Input capacity Output capacity Number of paper trays Media types Media size Printer dimensions (W x D x H) Printer weight Software included What's in the box¹ Warranty Systems Compatible operating systems Minimum system requirements Security management Fonts and typefaces	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin Standard: 2; Maximum: 3 Paper (plain, EcoEfficient, light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels Tray 1: 60 to 175 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; ray 2; 105 x 148 to 216 x 356 mm; Supported (metric): Tray 1: 64, RA4, AS, BS (JIS), B6 (JIS), 10 x 15 cm, AS, 16K, envelopes (BS, CS ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; AS; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; AS; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; AS; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; AS; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; AS; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; AS; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; AS; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; AS; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; AS; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; AS; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; AS; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; AS; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; AS; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; AS; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; AS; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; AS; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; BS (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4
Input capacity Output capacity Number of paper trays Media types Media size Printer dimensions (W x D x H) Printer weight Software included What's in the box¹ Warranty Systems Compatible operating systems Minimum system requirements Security management Fonts and typefaces Control panel	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin Standard; 2, Maximum: 3 Paper (plain, EcoEfficient, light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels Tray 1: 60 to 175 g/m²: tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 60 to 175 g/m²: tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 60 to 175 g/m²: tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 60 to 175 g/m²: tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 60 to 175 g/m²: tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric): Tray 1: 60 to 175 g/m²: tray 2, 60 to 180 g/m²: tray 10 to 180 g/m²: tray
Input capacity Output capacity Number of paper trays Media types Media size Printer dimensions (W x D x H) Printer weight Software included What's in the box¹ Warranty Systems Compatible operating systems Minimum system requirements Security management Fonts and typefaces Control panel Display Power	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin 150-sheet bin
Input capacity Output capacity Number of paper trays Media types Media weight Media size Printer dimensions (W x D x H) Printer weight Software included What's in the box! Warranty Systems Compatible operating systems Minimum system requirements Security management Fonts and typefaces Control panel Display Power Operating environment Ecolabels	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin 150-sheet
Input capacity Output capacity Number of paper trays Media types Media size Printer dimensions (W x D x H) Printer weight Software included What's in the box¹ Warranty Systems Compatible operating systems Minimum system requirements Security management Fonts and typefaces Control panel Display Power	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin 150-sheet bin
Input capacity Output capacity Number of paper trays Media types Media types Media size Printer dimensions (W x D x H) Printer weight Software included What's in the box' Warranty Systems Compatible operating systems Minimum system requirements Security management Fonts and typefaces Control panel Display Power Operating environment Ecolabels Sustainable impact specifications	1903-heet raty 1, 250-sheet injust tray 2, 50-sheet Automatic Document Feeder (ADF) 1503-sheet output bin 35andard 2, Maximum 3 Paper [plain, EcoEfficient, 1914, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels Tray 1: 610 to 175 gm²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Custom (metric). Tray 1: 75 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Supported (metric). Tray 1: 75 x 127 to 216 x 356 mm; Optional Tray 1: 05 x 148 to 216 x 356 mm; Supported (metric). Tray 1: 75 x 127 to 1216 x 356 mm; Optional Tray 1: 20 x 127 x 128 x 150 km; No. 100 x 128
Input capacity Output capacity Number of paper trays Media types Media size Printer dimensions (W x D x H) Printer dimensions (W x D x H) Printer weight Software included What's in the box ¹ Warranty Systems Compatible operating systems Minimum system requirements Security management Fonts and typefaces Control panel Display Power Operating environment Ecolabels Sustainable impact specifications Acoustics Safety approvals and	100-sheet ruty 1, 250-sheet injut tray 2, 50-sheet Automatic Document Feeder (ADF) 150-sheet output bin 35andard 2, Palavimum 3 Paper (plain, EcoEfficient, Light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels 17x9 1: 50 to 125 gm²; tray 2, optional 550-sheet tray 3: 50 to 120 g/m² Custom (metric). Tray 1: 75 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Special Colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels 17x9 1: 50 to 175 gm²; tray 2, optional 550-sheet tray 3: 50 to 120 g/m² Custom (metric). Tray 1: 75 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Special Colored, Recycled, Rec

Ordering information

Accessories

Number	Description	
3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory	
4QL32A	HP Legic Secure USB Reader	
8FP31A	HP Jetdirect LAN Accessory	
8ZN00A	HP HIP2 Card Reader Accessory Kit	
B5L31A	HP Foreign Interface Harness	
D9P29A	HP LaserJet Pro 550-sheet Feeder Tray	
X3D03A	HP Universal USB Proximity Card Reader	
Y7C05A	HP HIP2 Keystroke Reader	

HP Care Packs

Number	Description
U11E1E	HP 3 year Next Business Day Service for LaserJet Managed MFP E42540
U11E2E	HP 4 year Next Business Day Service for LaserJet Managed MFP E42540
U11E3E	HP 5 year Next Business Day Service for LaserJet Managed MFP E42540
U11E4E	HP 3 year 4 hour 9x5 Service for LaserJet Managed MFP E42540
U11E5E	HP 4 year 4 hour 9x5 Service for LaserJet Managed MFP E42540
U11E6E	HP 5 year 4 hour 9x5 Service for LaserJet Managed MFP E42540
U11E7E	HP 3 year Parts Exchange Service for LaserJet Managed MFP E42540 (Managed Component Only)
U11E8E	HP 4 year Parts Exchange Service for LaserJet Managed MFP E42540 (Managed Component Only)
U11E9E	HP 5 year Parts Exchange Service for LaserJet Managed MFP E42540 (Managed Component Only)
U11F0PE	HP 1 year Post Warranty Next Business Day Service for LaserJet Managed MFP E42540
U11F1PE	HP 2 year Post Warranty Next Business Day Service for LaserJet Managed MFP E42540
U11F2PE	HP 1 year Post Warranty 4 hour 9x5 Service for LaserJet Managed MFP E42540
U11F3PE	HP 2 year Post Warranty 4 hour 9x5 Service for LaserJet Managed MFP E42540
U11F4PE	HP 1 year Post Wty Parts Exchange Service for LaserJet Managed MFP E42540 (Managed Component Only)
U11F5PE	HP 2 year Post Wty Parts Exchange Service for LaserJet Managed MFP E42540 (Managed Component Only)

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc















Supplies and Media

Number	Description
4WN07A	HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Tabloid/11 x 17 in
4WN08A	HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Letter 8.5 x 11 in
7MV81A	HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A3/297 x 420 mm
7MV82A	HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A4/210 x 297 mm
W9024MC	HP Black Managed Original LaserJet Toner Cartridge (~11,500 pages)

Contact HP via phone: Asia: 65 6253 8500

HP Inc. offices

Australia 13 10 47 hp.com.au China (010) 6564 3888 hp.com.cn Hong Kong (852) 3077 2688 hp.com.hk India (80) 2612 9000 hp.com/in Indonesia (62-21) 579 1088 hp.com/idw Korea (02) 2199 0114 hp.co.kr Malaysia (603) 2332 3333 hp.com.my New Zealand (09) 0800 449 553 hp.con.z Philippines (632) 888 5900 hp.com/ph Singapore (65) 6275 3888 hp.com.sg Taiwan (02) 3789 9900 hp.com/tw Thailand (662) 353 9500 hp.com/th Vietnam (848) 3823 4151 hp.com/vn

Solutions

For more solutions information, please visit hp.com/go/gsc

Footnotes

- ¹ HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 quidelines for device cyber resiliency. For a list of compatible products, visit
- hp.com/go/PrintersThatProtect. For more information, visit hp.com/go/PrinterSecurityClaims

 Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
- ³ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

 ⁴ Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf
- Suse of the HP Trusted Platform Module may require a firmware upgrade.

 Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.
- Dependent upon country setup specifications.
- ⁸ To enable HP Roam, some devices may require firm vare to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam
- 9 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document

Technical specifications disclaimers

- 1 For vield information on the cartridge included with your printer, see http://www.hp.com/go/tonervield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

 ² Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield
- 3 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies 4 EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- ⁵ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB. Subscription may be required. For more information, visit http://www.hp.com/go/roam

 ⁶ Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

- 7 Memory not expandable on this product
 8 Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity
- 9 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. 10 First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, document complexity, media size, media orientation and media type.
- 11 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V
- device and 230V for Blue Angel.

 12 Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- 13 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

To learn more, visit hp.com

