

# KÄRCHER

makes a difference

鍾武堯

**Edwin Chong**

Sales Director

+6012-954 1088

edwin@hexoind.com



**Hexo Industries (M) Sdn Bhd** (939586-T)

1-2-11, I-Avenue, Medan Kampung Relau 1,  
11900 Bayan Lepas, Penang, Malaysia.

Tel/Fax: +604-611 1186

[www.hexoind.com](http://www.hexoind.com)



## PROFESSIONAL CLEANING EQUIPMENTS



# TABLE OF CONTENTS

## Description

### High-pressure cleaner

Cold water high-pressure cleaner	Page 1
Hot water high-pressure cleaner	Page 2
Special range high-pressure cleaner	Page 3

### Vacuum cleaners

Dry vacuum cleaners	Page 4
Wet & dry vacuum cleaners	Page 5
Carpet & upholstery cleaners	Page 6
Steam & steam vacuum cleaners	Page 7

### Scrubbers/ scrubber driers

Single disc/ compact scrubber driers	Page 8
Walk-behind/ Ride-on scrubber driers	Page 9

### Sweepers/ vacuum sweepers

Walk-behind/ Ride-on vacuum sweepers	Page 10
Industrial vacuum sweepers	Page 11

### Kärcher detergents

Page 12

### Our pictograms/ Kärcher Service

Page 13



## Commercial Pressure Cleaner

Kärcher supplies high-performance, reliable and easy-to-operate pressure cleaner to users in all business sectors. More performance with less consumption, longer service life with shorter cleaning times. Kärcher HD7/10 CXF is designed for use in hygiene-sensitive areas with its grey non-marking wheels and high pressure hose.



### 50% more power

Kärcher pencil jet sole focus on one spot cleaning for removing extremely stubborn dirt. Use to clean wet cement, solid soil, stain, etc.



### Efficient cleaning

Kärcher Fan Jet nozzle cleans large areas much faster and more effectively tackling stubborn dirt and stains. Use to clean floor, truck, etc.



### Engine Driven

Kärcher versatile pressure cleaner with internal combustion engine ideal for use where no electrical connection is available such as construction site, farm, public area, etc.

## Compact Class



Model:	HD 5/11P	HD 5/12C	HD 6/15 M	HD 7/14-4 M	HD 10/25-4 S
Max Pressure	160 bar	175 bar	225 bar	210 bar	275 bar
Operating Pressure	110 bar	120 bar	150 bar	140 bar	30-250 bar
Flow Rate	490 l/h	500 l/h	560 l/h	700 l/h	500-1000 l/h
Power	2.2kW / 1Ph	2.3kW / 1Ph	3.1kW / 1Ph	3.4kW / 1Ph	9.2kW / 3Ph
Standard Accessories	Power nozzle	Triple nozzle	Power nozzle	Power nozzle	Power nozzle
Application Time	0 - 1 Hour	1 - 2 Hours	1 - 2 Hours	2 - 3 Hours	3 - 4 Hours

## Classic Range



Model:	HD 5/11 Cage	HD 7/11-4	HD 9/20-4	HD 7/20 G	HD 9/23 DE
Max Pressure	160 bar	150 bar	240 bar	250 bar	270 bar
Operating Pressure	110 bar	70-100 bar	70-200 bar	200 bar	40-230 bar
Flow Rate	500 l/h	520-700 l/h	520-900 l/h	700 l/h	400-930 l/h
Power	2.2kW / 1Ph	2.9kW / 1Ph	6.9kW / 3Ph	4.1kW / Petrol	7.4kW / Diesel
Standard Accessories	Power nozzle	Power nozzle	Power nozzle	Power nozzle	Power nozzle
Application Time	1 - 2 Hours	4 - 6 Hours	4 - 6 Hours	1 - 2 Hours	2 - 3 Hours

## Engine Driven Special Class



## Hot Water Pressure Cleaner

High pressure combined with temperature improves cleaning performance by over 50%. Kärcher hot water units are used wherever stubborn dirt and grease has to be removed quickly, thoroughly and economically.



### Better cleaning result

Using heat cleaning with pressurized water can remove stubborn dirt, oils, greases and stains effectively. Useful for cleaning car engine, machine, etc.



### Improve hygiene

Hot water helps disinfection and reduces the levels of bacteria. You use less chemicals in the process as the chemicals react better at high temperature. Useful for cleaning kitchen, barns, etc.



### Dries faster

Cleaning with heat shorten cleaning time by 35% and cut down water usage. After cleaning, the object being cleaned dries quicker as it evaporates faster. Useful for cleaning public areas, hotel pools, etc.

## Compact Class



Model:	HDS 6/14-4 C	HDS 8/18-4 C
Operating Pressure	30-140 bar	30-180 bar
Flow Rate	240-560 l/h	300-800 l/h
Power	3.6kW/ 1Ph	6.0kW/ 3Ph
Standard Accessories	Power & Steam Jet Nozzle	Power & Steam Jet Nozzle
Max temperature	155°C	155°C
Fuel tank:	15 l	15 l
Application Time	2 - 3 Hours	2 - 3 Hours

## Middle Class

## Super Class

## Electric Driven



Model:	HDS 10/20-4M	HDS 13/20-4S	HDS-E 8/16-4M 24kW
Operating Pressure	30-200 bar	30-200 bar	30-160 bar
Flow Rate	500-1000 l/h	600-1300 l/h	300-760 l/h
Power	7.8kW / 3Ph	9.3kW / 3Ph	29.5kW / 3Ph
Standard Accessories	Power & Steam Jet Nozzle	Power & Steam Jet Nozzle	Power Nozzle
Max temperature:	155°C	155°C	85°C
Fuel tank:	25 l	25 l	-
Application Time	3 - 4 Hours	3 - 4 Hours	3 - 4 Hours

## Special Range Commercial Cleaning

Kärcher offers special range of pressure washers to suit special industrial cleaning requirements. With mobile efficient hot water system, powerful jet blaster and special model ideally suited for dangerous explosive environment, Kärcher has all the solutions.



### Hygiene cleaning

Kärcher low pressure jet suitable for cleaning with detergent suction. Use to disinfect areas, washing car, etc.



### Explosion Proof

HD10/16-4 Cage Ex complies with all safety requirements for use in potentially explosive atmospheres. Explosion protection II2GcT3. Ideal for chemical industry, oil & gas industry, etc.



### Powerful cleaning

With up to 1000 bar resistant is furtile. Kärcher very high pressure cleaner could score concrete, rust removal, etc effectively. Ideal for ship cleaning, painting, construction site, etc.

### Special Class: Hygiene Requirement



**Model:** HD 7/10 CXF

### Engine Driven Hot Water Pressure Cleaner



**Model:** HDS 1000 De

### Explosion Proof Pressure Cleaner



**Model:** HD 10/16-4 Cage Ex

Model:	HD 7/10 CXF	HDS 1000 De	HD 10/16-4 Cage Ex
Operating Pressure	10-100 bar	40-200 bar	160 bar
Flow Rate	250-700 l/h	450-900 l/h	1000 l/h
Power/Engine	4.5kW / 3Ph	7.4kW, Yanmar L100N/diesel	5.5kW/ 3Ph
Standard Accessories	Triple nozzle	Power nozzle	Power nozzle
Fuel tank:	-	5.5 l	
Application Time	1 - 2 Hours	3 - 4 Hours	4 - 6 Hours

### Electric Driven Very High Pressure Cleaner



**Model:** HD 13/35-4

### Engine Driven Very High Pressure Cleaner



**Model:** HD 9/50-4

**Model:** HD 13/35 Ge

**Model:** HD 9/50 Ge

### Electric Driven Ultra High Pressure Cleaner



**Model:** HD 9/100-4 Cage Classic

Model:	HD 13/35-4	HD 9/50-4	HD 13/35 Ge	HD 9/50 Ge	HD 9/100-4 Cage Classic
Operating Pressure	100-350 bar	150-500 bar	100-350 bar	150-500 bar	1000 bar
Flow Rate	1300 l/h	900 l/h	1300 l/h	900 l/h	978 l/h
Power/Engine	15kW / 3Ph		16.4kW / Petrol		30kW / 3Ph
Standard Accessories	Power nozzle		Power nozzle		Power nozzle, Dump Gun
Fuel tank:	-	-	15 l	15 l	-
Application Time	4 - 6 Hours		4 - 6 Hours		4 - 6 Hours



## Dry Vacuum cleaner

Kärcher new vacuum cleaners come with its own unique features that save costs & make your daily operations more convenient. Kärcher compact vacuum comes with a washable cloth filter which enables the customer to vacuum without often changing filter-this saves costs on your daily business expenses. With HEPA filter (optional for T12/1, BV5/1 and CV38/2) even the smallest allergy-causing particles stand no chance. The air blown out is even cleaner than the air in the room. CV38/2 and CV66/2 clean using an unique brush technology for effective threads or hairs removal.



### Quiet and hygiene

Designed to be lasting and quiet with efficient motor performance and airflow. With HEPA 12 filter even the smallest allergy-causing particles stand no chance. Ideal for hospital, office, college, etc.



### Special function

Kärcher bag pack vacuums are used in tight, steep, difficult to venture in spaces. ideal for termites cleaner, cinema, bus cleaning, etc.



### Large areas cleaning

CV66/2 with contra-rotating roller brush system is deal for efficient and thorough cleaning of large carpeted areas. Ideal for ball rooms, airports, college hall, museum, etc.

## Compact Vacuum



Model:	T 8/1	T 14/1	T 10/1 Adv	T 12/1	T 15/1 HEPA
Capacity	8 liter	14 liter	10 liter	12 liter	15 liter
Max power rating	1600 W	1600 W	800 W	800 W	800 W
Sound level	69 dB (A)	69 dB (A)	59 dB (A)	62 dB (A)	62 dB (A)
Filter type & bag	Cloth/Paper	Cloth/Paper	Cloth/Fleece	Cloth/Fleece	Cloth + Fleece
Optional Filter	-	-	-	HEPA 12	HEPA 12 (Included)

## Backpack Vacuum



## Carpet Vacuum



Model:	BV 5/1	BV 5/1 Bp	CV 38/2 Adv	CV 66/2
Capacity	5 liter	5 liter	5.5 liter	35 liter
Max power rating	800 W	650 W	850 W	1650 W
Sound level	62 dB (A)	57 dB (A)	65 dB (A)	73 dB (A)
Filter type & bag	Cloth/Fleece	Cloth/Fleece	Fleece	Paper
Optional Filter	HEPA 12	HEPA 12	HEPA 12	nil

## Wet & Dry Vacuum Cleaner

These specialty vacuum cleaners are specially designed for heavy duty cleaning jobs where there is heavy dust or powder to be cleaned. In conventional vacuum cleaners, suction power is reduced drastically over a short period due to clogged filters. With TACT (automatic filter cleaning system), these machines can work longer period with constant suction power.



### Standard Vacuum

The standard vacuum comes with a washable filter which allows customer to vacuum without often changing filter. Ideal to pick up large quantities of liquid and coarse dirt. Best for restaurant, automotive, etc.



### AP System

Semi-auto filter cleaning (cleaning filter at push of a button). It provides constant high suction power and lower upkeep costs. Ideal for vacuuming liquid, wet dirt and medium fine dusts. Best for Industry, warehouse, etc.



### TACT System

**(Triggered Action Cleaning Technology)**

Auto filter cleaning (filter cleans itself). It provides constant high suction power and lower upkeep costs. Ideal for liquids, coarse and fine dust with capacity for larger job. Best for Industry, construction, etc.

## Standard Vacuum



## Automatic Filter Cleaning Vacuum



Model:	NT 30/1 Me Classic	NT 38/1 Me Classic	NT 70/2 Me Classic	NT 30/1 Tact L	NT 40/1 Tact Te L
Capacity	30 liter	38 liter	70 liter	30 liter	40 liter
Power	1500 W	1600 W	2300 W	1380 W	1380 W
Vacuum	227 mbar	268 mbar	225 mbar	254 mbar	254 mbar
Filter type/bag	Cartridge/Paper	Cloth/Paper	Cartridge/Paper	Flat pleated filter/PES	Flat pleated filter/PES

## Semi-auto Filter Cleaning Vacuum



## Automatic Filter Cleaning Vacuum



Model:	NT 30/1 Ap L	NT 65/2 Ap	NT 75/2 Tact² Me
Capacity	30 liter	65 liter	75 liter
Power	1380 W	2760 W	2760 W
Vacuum	254 mbar	254 mbar	254 mbar
Filter type/bag	Flat pleated filter/Paper	Flat pleated filter/Paper	Flat pleated filter/Paper



## Carpet & Upholstery Cleaner

Carpets in buildings are subject to heavy traffic every day. Kärcher provides a cleaning solution for carpet cleaning. The cleaning solution is sprayed into the carpet under pressure and vacuumed away together with dissolved dirt. It provides fibre-deep cleaning of carpets, upholstery, mattresses and textile materials. This ensures thorough removal of stains, grease, dirt and odour.



### Dries faster

Kärcher cleaning agent (CarpetPro detergents) with quick dry formula could hasten the drying time by 70% compare with conventional carpet cleaning. Useful for cleaning hotel, airport, etc.



### Upholstery cleaning made easy


The upholstery accessory enables the best possible extraction of upholstery/ cushions at any angle. The modular system allows for quick changes between accessories.



### Clean 30% faster

With the 200° rotatable cleaning head on BRC 40/22 C, it ensures propulsion, also clean forwards to improve productivity.

## Spray Extraction Machine



Model:	PUZZI 8/1	PUZZI 10/1	PUZZI 10/2 Adv	PUZZI 30/4
Coverage	12-18 m <sup>2</sup> /h	20-25 m <sup>2</sup> /h	30-45 m <sup>2</sup> /h	60-75 m <sup>2</sup> /h
Air flow / Vacuum	61 l/s/ 230 mbar	54 l/s/ 220 mbar	54 l/s/ 220 mbar	74 l/s/ 254 mbar
Capacity	8 liter	10 liter	10 liter	30 liter
Power	1200W + 40W	1250W + 40W	1250W + 80W	1200W + 70W
Spray pressure	1 bar	1 bar	2 bar	4 bar

### The Spray Extraction Principle

Water and cleaning agent are sprayed deep into the carpet while simultaneously vacuuming the dirty solution in a single pass.

## Carpet Cleaner



Model:	BRC 30/15C	BRC 40/22 C	BRC 45/45C
Coverage	150 m <sup>2</sup> /h	500-900 m <sup>2</sup> /h	350-1000 m <sup>2</sup> /h
Air flow / Vacuum	300 mbar	47 l/s/ 299 mbar	300 mbar
Capacity	15 liter	22/ 19 liter (Fresh/Dirty)	45 liter
Power	1130W + 80W	1119W + 400W	1100W + 600W
Spray pressure	3.5 bar	7 bar	3.5 - 7 bar

### The Brush Mechanism

The brush mechanism of carpet cleaners with roller brush intensifies the cleaning power of the cleaning agent. This raises the carpet pile.



## Carpet & Upholstery Cleaner | Steam Cleaner

Kärcher BRS 43/500 C and the CarpetPro cleaner iCapsol RM 768 are an unbeatable team for intermediate carpet cleaning. They enable you to reach the dirt even deep into the carpet. With Kärcher Air Blowers dramatically speed up the drying of carpet and floors. A steam cleaner provides pressurized hot steam at above 100°C to penetrate and clean surfaces. Heat disinfects and cleans oily surfaces easier.



### Interim carpet cleaning

BRS 43/500 C: 2 in 1- fibre-cleaning and sweeping in a single operations. Suitable for iCapsol with high cleaning performance.



### Hygienic cleaning

Steam kills 99.99% of bacteria. it also cleans without chemicals which prevents allergic reactions. It also cleans oily surfaces easier. Useful for hotel, restaurant, hospital, etc.



### Efficient blower


Kärcher AB 30 air blower ensures a fast dehydration time of carpets. Ideal for the construction drying, toilet drying and after water damages in buildings.

## Carpet Cleaner iCapsol



BRS 43/500 C

Coverage :	60-75 m <sup>2</sup> /h
Spray rate :	0.38 l/min
Capacity :	7.5 liter
Power :	370 W
Spray pressure :	3.4 bar



### Intermediate Cleaning/ Encapsulation

- The iCapsol solution (RM768) is sprayed on the carpet with Carpet Cleaners.
- The iCapsol active ingredients bind the dirt and surfactants after cleaning to prevent resoiling of the carpet fibres.
- The iCapsol active ingredients form a crystalline structure when dry and can be removed by using Carpet Vacuum Cleaner (CV).
- This results in time saving of up to 50%.

## Steam Cleaner



Model: SG 4/4

## Steam Vacuum Cleaner



SGV 8/5

## Air Blower



Model: AB 30



AB 45

Steam pressure	4 bar	8 bar	Blower speed lvl: 1/2/3	950/1150/1350 rpm	950/1150/1350 rpm
Capacity	4 liter	5 liter	Max Air flow Rate	29.3 m <sup>3</sup> /min	44.6 m <sup>3</sup> /min
Cable	7.5 m	7.5 m	Cable	6.1 m	6.1 m
Power	2300 W	3000 W	Power	520 W	700 W
Voltage	230 - 240V	220 - 240V			

## Scrubber Drier

Now polishing & scrubbing your floor is extremely easy. Kärcher single disc & compact scrubbers ensure that you can achieve optimal polishing results on widest variety of floor surfaces. The robust construction makes the machine durable in all conditions usage & features numerous practical benefits like the ergonomic handle for user comfort.



### Powerful single disc

Multi-purpose single disc (150 rpm). Ideal for floor scrubbing, deep cleaning, stripping, wood grinding, crystallizing.



### Effective polishing

BDP50/1500C is an ultra-high speed polishing machine with built in vacuum ensures polishing 30% faster than conventional machines. Ideal for hotel, ball room, shop, etc.



### Glittering result

The roller brush has more advantage when it comes to cleaning stubborn dirt. It produces 5 times more contact pressure comparing to a single disc machine. Ideal for work shop, restaurant, etc.

## Single Disc Scrubber



#### Model:

**BDS 43/150 C Classic**



**BDP 50/1500C**

Working width	430 mm	510 mm
Rotating speed	150 rpm	1500 rpm
Brush pressure	30 g/cm <sup>3</sup>	4 g/cm <sup>2</sup>
Power	1500 W	1100 W

## Polishing Machines

## Compact Scrubber Drier



#### Model:

**BR 30/4 C Adv**

**BR 40/10 C Adv**

**BR 35/12 C Bp Pack**

Brush working width	300 mm	400 mm	350 mm
Brush rotating speed	1450 rpm	1100 rpm	700-1500 rpm
Brush pressure	100 g/cm <sup>2</sup>	100-200 g/cm <sup>2</sup>	150 g/cm <sup>2</sup>
Tank	4 litre	10 litre	12 litre
Power	820 W	2300 W	500 W

## Walk-behind scrubber Drier



#### Model:

**BD 50/50 C Classic Bp**  
**BD 50/60 C Classic Ep**

Brush working width	510 mm
Fresh/dirty water tank	50/50 or 60/60 litre
Max area performance	2040 m <sup>2</sup> /h
Power	1100 W



## Scrubber Drier

Kärcher offers wide range of scrubber driers from walk behind to ride-on scrubber driers. It is to cater for customer specific needs. Kärcher scrubber drier range demonstrates what modern versatility & user-friendliness can look like. They are extremely versatile to use as part of a perfectly tailored Kärcher system.



### Cleaning at ease

The step-on scrubber drier has a compact build that can fit in most lifts. Its small turning radius 130° allows it to perform well even in narrow walkways. Ideal for cleaning hypermarket, hotel, etc.



### Save Time

The ride-on scrubber drier allows working while seated which is simply less tiring. It enables continuous cleaning covering larger areas within a short spend of time. Ideal cleaning for mall, airport, etc.



### Benefits of Roller & Disc brush

- Roller brush
  - Cleaning on structured surfaces
  - Up to 6x higher contact pressure
  - High brush speed for polishing
- Disc brush
  - Result in high sheen surfaces
  - Cleaning on smooth surfaces

## Walk-behind Scrubber Drier



## Ride-on Scrubber Drier



Model:	B 40 C Ep/Bp	B 60 W Bp	BD 50/40 RS Bp	BD50/70 R Bp Classic
Brush working width	430/508 mm	650 mm	510 mm	510 mm
Fresh/dirty water tank	40/40 liter	60/60 liter	40/40 liter	70/75 liter
Max area performance	1700/2000 m <sup>2</sup> /h	2600 m <sup>2</sup> /h	2805 m <sup>2</sup> /h	2805 m <sup>2</sup> /h
Power	1300W/ 1100W	2100W	1080W	1400 W

## Ride-on Scrubber Drier



Model:	B 90 R Bp	BD 90/160 R Classic Bp	Optional: Sweeper attachment B 250 R I Bp	B 300 R I D
Brush working width	750 mm	900 mm	1000 mm	1045-1755 mm
Fresh/dirty water tank	90/90 liter	160/160 liter	250/250 liter	300/300 liter
Max area performance	4500 m <sup>2</sup> /h	5400 m <sup>2</sup> /h	7200 m <sup>2</sup> /h	16550 m <sup>2</sup> /h
Power	2200W	2800W	8000W	25kW/ diesel

## Sweepers/ Vacuum Sweeper

Kärcher offers wide range of push sweepers to walk behind vacuum sweepers. They are compact, manoeuvrable sweepers ideal for small to medium size areas. Effectively sweep and vacuum dust for thorough cleaning. Available in various: Battery/petrol/diesel engine driven.



### Sweep at ease

Kärcher compact sweeper can sweep up to seven times faster than conventional broom. It has built-in dustpan for more convenient sweeping. Ideal for cleaning work shop, petrol station, etc.



### Effective sweeping

KM75/40 & KM85/50 has convenient traction drive and powerful vacuum system which enable sweeping without a cloud of dust. Ideal for cleaning shop, hotel, etc.



### Save Time

The ride-on sweeper allows working while seated which is simply less tiring. It enables for continuous cleaning, covering larger areas within a short spend of time. Ideal for cleaning warehouse, college, etc.

## Walk-behind Sweeper



**Model:** KM 70/20 C Classic



**Model:** KM 75/40 W Bp



**Model:** KM 85/50 R Bp Classic

Model:	KM 70/20 C Classic	KM 75/40 W Bp	KM 85/50 R Bp Classic
Brush working width with 1 or 2 brush	700 mm	750 mm	850/1085 mm
Tank Capacity	42 liter	40 liter	50 liter
Coverage	2800 m <sup>2</sup> /h	3375 m <sup>2</sup> /h	5100 m <sup>2</sup> /h
Filter area	nil	1.8 m <sup>2</sup>	2.1 m
Drive/ Power	Manual/ nil	DC motor/ 400W	

## Ride on Vacuum Sweeper



**Model:** KM 100/100 R D



**Model:** KM 105/110 R D



**Model:** KM 125/130 R D

Model:	KM 100/100 R D	KM 105/110 R D	KM 125/130 R D
Brush working width with 1 or 2 brush	1000/1300 mm	1050/1400 mm	1250/1700 mm
Tank Capacity	100 liter	110 liter	130 liter
Coverage	8000 m <sup>2</sup> /h	7350 m <sup>2</sup> /h	10,000 m <sup>2</sup> /h
Power	Yanmar 4-stroke diesel engine/ 4.4kW	Yanmar 4-stroke diesel engine/ 4.5kW	-/6.6kW



## Ride on Vacuum Sweeper

Kärcher offers wide range of ride on vacuum sweeper. They are designed cater to customer specific needs. Kärcher sweepers are built to the latest engineering standards. Designed for rugged reliability, they incorporate highly efficient sweeping & vacuuming technology that leave nothing upswep. Kärcher sweepers are available in petrol, diesel, LPG & battery versions which are suitable for sweeping in both indoor & outdoor.



### High Performance

The impressive Industrial Sweepers are designed for use in heavy industry, such as in foundries or in the metalworking and logistics sectors.



### Robust & Efficient

The Industrial Sweepers utilize Dustpan Principle where it guarantees good cleaning results for coarse dirt and fine dusts. Which efficient filter system, it promises dust-free sweeping.



### Unique sweeper

MC50 could do much more than just sweeping. MC130 could be used as lawn mower and portable pressure cleaner. Ideal for municipal, academy, etc.

## Industrial Vacuum Sweeper



Model:	KM 120/250 R D Classic	KM 130/300 R D Classic	KM 150/500 R D Classic
Brush working width with 1 or 2 brush	1200/1500 mm	1300/1550 mm	1500/1800 mm
Tank Capacity	250 liter	300 liter	500 liter
Coverage	10800 m <sup>2</sup> /h	13000 m <sup>2</sup> /h	18000 m <sup>2</sup> /h
Drive/ Power	Yanmar 4-stroke diesel engine/ 15.8kW	Yanmar 4-stroke diesel engine/ 15.8kW	Yanmar 4-stroke diesel engine/ 15.8kW





















## Industrial Vacuum Sweeper



Model:	KM 170/600 R D	MC 80	MC 130
Working width	1680/2000 mm	550-1630 mm	1200/2250 mm
Tank Capacity	600 liter	800 liter	1000 liter
Coverage	23520 m <sup>2</sup> /h	16300 m <sup>2</sup> /h	22500 m <sup>2</sup> /h
Drive/ Power	Yanmar 4-stroke diesel engine/ 35kW	Yanmar 4-stroke diesel engine/ 26kW	Kubota 4-cylinder diesel engine/36.5kW

## Municipal Equipments

## Kärcher Detergents

Model:	Order No.	Size	Description	
Pressure Cleaner Detergent				
1. 	1. PressurePro Oil and Grease Cleaner Extra, RM31	6.295-069.0	20l	Removes stubborn stains such as oil/grease, soot & smoke resin. (For basic cleaning)
2. 	2. PressurePro Active Cleaner, RM81	6.295-556.0 6.295-557.0	10/20l	Removes heavy oil, grease & mineral stains. (For vehicle, tarpaulins & engines cleaning)
3. 	3. VehiclePro Prewash, RM803	6.295-547.0	10l	Softens and removes oil & grease deposit. (For car wash)
4. 	4. PressurePro Intensive Deep Cleaner, RM750	6.295-539.0	10l	Removes stubborn stains such as oil, grease, soot, blood, protein. (For stripping & manual)
5. 	5. PressurePro Foam Cleaner, RM91 Agri	6.295-654.0	10l	Grease dissolving properties & removes organic material - dung & dirt. (For cleaning poultry)
6. 	6. PressurePro Machine Protector Adv 1, RM110	6.295-625.0	1l	Scale inhibitor for hot water high pressure cleaners with integral corrosion protection. (For HDS machines)
7. 	7. PressurePro Solar Cleaner, RM99	6.295-798.0	10l	Remove stubborn stains, pollen, rust nad dust. (For solar panel cleaning)
Floor Polisher / Scrubber Detergent				
1. 	1. FloorPro Intensive Deep Cleaner Extra RM752 ASF	6.295-813.0	10l	Removes gloss, wax & polymer coatings. (For deep, maintenance & stripping cleaning)
2. 	2. FloorPro Wipe Care Extra RM780	6.294-997.0	10l	Foams a waterproof, hard-wearing & polish-able protective film with anti-slip properties. (For hard & resilient floors & coverings)
3. 	3. FloorPro Spray Cleaner RM748	6.295-162.0	10l	Removes heel marks & foot prints. Repairs & restores coated floor. (For all coated hard surface)
4. 	4. FloorPro Deep Cleaner RM69 ASF	6.295-415.0	20l	Removes stubborn oil, grease, soot, mineral soiling. (For deep, maintenance & manual cleaning)
5. 	5. FloorPro Shine Cleaner,extra low foam RM755 ES ASF	6.295-174.0	10l	Provides an attractive sheen on all hard floor. (For deep, maintenance & manual cleaning)
6. 	6. FloorPro Multicleaner RM758	6.295-914.0	10l	Removes gloss, wax & polymer coating.(For deep, maintenance cleaning & stripping)
7. 	7. FloorPro Fine Stoneware Cleaner RM753 ASF	6.295-082.0	10l	Removes oil, grease & mineral stains. (For all fine stoneware tiles)
8. 	8. FloorPro Tyre & Abrasion Marks Remover RM776	6.295-545.0	10l	Removes adhesive tape, rubber marks, heavy oil, soot soiling, polymer & wax coatings
Carpet Detergent				
1. 	1. CarpetPro Cleaner RM760 Tabs	6.295-850.0	16tab	Cleans textile coverings & upholstery. (For Deep & Interim cleaning)
2. 	2. CarpetPro Cleaner RM764 OA	6.295-854.0	10l	Clean textile coverings, upholstery, mixed fibre, absorb odour, Woollsafe approved, bleach-free. (For Deep & Interim cleaning)
3. 	3. CarpetPro Cleaner quick-drying RM767	6.295-198.0	10l	70% quicker drying tim for textile coverings & upholstery. (For Deep & Interim cleaning)
4. 	4. CarpetPro Cleaner iCapsol RM768	6.295-562.0	10l	Excapsulates the dirt (Encapsulation Technology) and helps to dry up carpets quickly. (For Deep & Interim cleaning)
5. 	5. Universal Stain Remover RM769	6.295-490.0	1l	Removes oil, tar, show polish, adhesive for all textile coverings, upholstery and hard surfaces.



## OUR PICTOGRAMS



**EASY!Force**  
HP trigger gun with zero holding force for effortless operation.



**Average application time: 2-3 hours**  
Recommended maximum duration of use in hours per day.



**E-start**  
Machine with electro start.



**EASY!Lock**  
Robust, long-lasting quick fastener: five times faster than screws.



**Average application time: 3-4 hours**  
Recommended maximum duration of use in hours per day.



**Explosion-proof**  
Machine is explosion-proof.



**Average application time: 0-1 hour**  
Recommended maximum duration of use in hours per day.



**Average application time: 4-6 hours**  
Recommended maximum duration of use in hours per day.



**TACT system**  
Machine with Auto Filter Clean System for constant high suction power.



**Average application time: 1-2 hours**  
Recommended maximum duration of use in hours per day.



**eco!efficiency**  
Particularly efficient machines that save energy, cleaning agents, water and time.



**Certified disinfection**  
Kills 99.999% bacteria without using chemicals.

## KÄRCHER SERVICE

All the servicing that a machine needs, with a peace of mind.



Optional extensions of the Kärcher Service packages



**Kärcher Service**  
**Whatsapp Only**  
**+6012-430 0399**

# FOR EVERYTHING. FOR PROFESSIONALS. FOR YOU.

Professionals today do not need general machines that can all do a little. They need targeted solutions that complete specific tasks efficiently. Preferably a complete solution, as a functional, balanced system. For this reason, we constantly analyse the needs of all relevant industries in order to understand them better and recognise trends at an early stage. The result is innovative and efficient industrial solutions that fulfil their purpose in an exemplary manner. Robust and reliable. Efficient and economical. Lightweight and quiet. Handy and hygienic. That is the Kärcher system.



Service Centre Info: <https://www.kärcher.com/my/services/contacts/retailer-and-service-search.html>

Please contact us for more information:

鍾武堯  
**Edwin Chong**  
Sales Director  
+6012-954 1088  
[edwin@hexoind.com](mailto:edwin@hexoind.com)



**Hexo Industries (M) Sdn Bhd** (939586-T)  
1-2-11, i-Avenue, Medan Kampung Relau 1,  
11900 Bayan Lepas, Penang, Malaysia.  
Tel/Fax: +604-611 1186  
[www.hexoind.com](http://www.hexoind.com)



Designed and engineered  
by Kärcher in Germany

## KÄRCHER

Kärcher Cleaning Systems Sdn Bhd (443599-P)  
No 5, Jalan Perintis U1/52,  
Kawasan Perindustrian Temasya Glenmarie,  
40150 Shah Alam, Selangor, Malaysia.  
Tel : 1-300-22-3188

[www.kärcher.com.my](http://www.kärcher.com.my)  
[kärcher.my@my.kärcher.com](mailto:kärcher.my@my.kärcher.com)

