2021





Wash+Dry Tap Hand Dryer

S 1 Wash+Dry Tap Hand Dryer




- Combines an automatic tap and hand dryer so you can wash and dry your hands at the basin,made from high grade, solid Brass.
- The 2 sheets of air are used to wipe the water from your hands into the sink. No dripping on the floor. No extra floor space needed for hand drying and washing.

VIRIDIAN TECHNOLOGIES

- Fitted with an anti bacterial HEPA filter to ensure the air used to dry users hands is as clean and hygienic as possible.
- The Air Tap is a space saving alternative to traditional hand dryer designs, using space over the basin that is otherwise overlooked. This saves valuable wall space, allowing you the opportunity to use this area for other items.

Body Material	Hpb59-1 Solid Brass
Voltage	220-240V
Frequency	50/60Hz
Total Power	800W
Motor Type	Digital brushless DC motor
RPM	60000
Electrical Lsolation	Class II
Hot & Cold Switch	No
Current	3.5A
Air Speed	95m/s
Dimensions (mm) WxHxD	262x141x175
Filter	HEPA(13)
Air Temperature (10 cm distance/21°C)	33°C
Net Weight	5.8kgs
Noise Level In Db(at 2m)	75
Water Splash Proof	IP24
Auto Cutoff	30s

- Allowing over basin drying helps to minimise washroom clean up, and prevent slips as it eliminates water spillage on floors.
- Great for washroom areas with little wall space, the Air Tap hand dryer is simple but elegant and attaches straight to the basin.
- A brushless, carbon free motor offer it a super long service life reach to 7-10 years.
- Making use of no touch technology offers a more hygienic hand drying solution.
- Low noise with smart air outlet design The airflow direction and speed has been carefully configured to ensure that there is no excess splashing or spray created and therefore works with a huge range of sinks.



www.kuaierte.com



Tap Hand Dryer

Tap Hand Dryer




- Made from high grade, solid Brass.
- Eco-efficient high speed hand drying in it's most simple and elegant format.
- Great for washroom areas with little wall space, the Air Tap hand dryer is simple but elegant and attaches straight to the basin.
- Allowing over basin drying helps to minimise washroom clean up, and prevent slips as it eliminates water spillage on floors.
- The Air Tap is a space saving alternative to traditional hand dryer designs, using space over the basin that is otherwise overlooked. This saves valuable wall space, allowing you the opportunity to use this area for other items.


Body Material	Hpb59-1 Solid Brass
Voltage	220-240V
Frequency	50/60Hz
Total Power	500W
Motor Type	Digital brushless DC motor
RPM	45000
Electrical Lsolation	Class II
Hot & Cold Switch	No
Current	2.2A
Air Speed	90m/s
Dimensions (mm) WxHxD	260x250x200
Filter	HEPA(13)
Air Temperature (10 cm distance/21°C)	33°C
Net Weight	4.8kgs
Noise Level In Db(at 2m)	75
Water Splash Proof	IP24
Auto Cutoff	30s

• No mess and no water on the floor.

reach to 7-10 years.

- Making use of no touch technology offers a more hygienic hand drying solution.
- Fitted with an anti bacterial HEPA filter to ensure the air used to dry users hands is as clean and hygienic as possible
- A brushless, carbon free motor offer it a super long service life
- Low noise with smart air outlet design The airflow direction and speed has been carefully configured to ensure that there is no excess splashing or spray created and therefore works with a huge range of sinks.






- Eco-efficient high speed hand drying in it's most simple and elegant format.
- Great for washroom areas with little wall space, the Air Tap hand dryer is simple but elegant and attaches straight to the basin.
- IRIDIAN TECHNICAL CARON CERTIFICATION SERVICE LIFE • Low noise with smart air outlet design - The airflow direction and
 - speed has been carefully configured to ensure that there is no excess splashing or spray created and therefore works with a huge range of sinks.
 - Allowing over basin drying helps to minimise washroom clean up, and prevent slips as it eliminates water spillage on floors.


Body Material	Hpb59-1 Solid Brass
Voltage	220-240V
Frequency	50/60Hz
Total Power	500W
Motor Type	Digital brushless DC motor
RPM	50000
Electrical Lsolation	Class II
Hot & Cold Switch	No
Current	3.1A
Air Speed	90m/s
Dimensions (mm) WxHxD	58x150x190
Filter	HEPA(13)
Air Temperature (10 cm distance/21°C)	33°C
Net Weight	4.4kgs
Noise Level In Db(at 2m)	75
Water Splash Proof	IP24
Auto Cutoff	30s

- No mess and no water on the floor.
- Making use of no touch technology offers a more hygienic hand drying solution.

Tap Hand Dryer

- Fitted with an anti bacterial HEPA filter to ensure the air used to dry users hands is as clean and hygienic as possible.
- Easy to clean and simple to operate, featuring a stylish LED indicator.
- The Air Tap is a space saving alternative to traditional hand dryer designs, using space over the basin that is otherwise overlooked. This saves valuable wall space, allowing you the opportunity to use this area for other items.










New Arrival

Jet hand dryer







DC brushle	ss motor	Commutator motor
Contact-free rotor eliminate wear and tear		Wear generated on brushes and rotor

Compact

1000 uses daily service life Approx. 7 years


Time and energy saving Drying time Approx 5~7sec.Air speed 95m/s


//	IQI		ΔΝ	TE	C	INO
V I		IJ	HIN		$L_{L}L$	ロソしょ



- The outer casing is made from an impact resistant, flameresistant ABS plastic with antimicrobial coating.
- An intelligent heating system will detect the ambient temperature of your washroom, automatically adjust the airflow temperature to keep running costs right down. Automatically adds heat to the airflow if it senses a room temperature drop below 25°C.
- It has a 2-level filter protection system, a pre-filter and a HEPA filter capture airborne bacteria to ensure your users hands are dried using clean, hygienic air particles.
- Using the heated model on the high powered option provides incredible drying times of between 9 and 11 seconds.
- The modern design and futuristic LED lighting make this a very popular addition to the most contemporary of washrooms.
- A water collection system (800ml) collects any excess water to keep your washroom clean, tidy and safe.
- HEPA filter is sterilised from microbes, bacteria and moulds by internal UVC technology, prolonging its effectiveness and preserving its cleanliness.

Model A: Powered by a brushless, carbon free motor means there are fewer parts to wear out, replace or break, meaning this hand dryer motor has a long life reach to 7-10 years.







Stainless steel

Jet hand dryer









Time and energy saving Drying time Approx 5~7sec. Air speed 95m/s






- A slimline, ultra-modern design and tough stainless steel case to protect against corrosion and vandalism.
- An intelligent heating system will detect the ambient temperature of your washroom, automatically adjust the airflow temperature to keep running costs right down. Automatically adds heat to the airflow if it senses a room temperature drop below 25°C.
- A water collection system (800ml) collects any excess

water to keep your washroom clean, tidy and safe.

Using the place most on the high powered option provides increainle drying times of between 9 and 11

- It has a smooth sound output and is engineered to minimalise noise transfer from one area to another.
- The modern design and futuristic LED lighting make this a very popular addition to the most contemporary of washrooms.
- As an optional extra a HEPA Filter can be purchased and installed to captures airborne bacteria.

Model A: Powered by a brushless, carbon free motor means there are fewer parts to wear out, replace or break, meaning this hand dryer motor has a long life reach to 7-10 years.

































- The outer casing is made from an impact resistant, flame resistant ABS plastic with antimicrobial coating.
- An intelligent heating system will detect the ambient temperature of your washroom, automatically adjust the airflow temperature to keep running costs right down. Automatically adds heat to the airflow if it senses a room temperature drop below 25°C.
- An LED display helps deliver the perfect dry by instructing the user on how fast to draw the hands through the airflow.
- A water collection system (800ml) collects any excess water to keep your washroom clean, tidy and safe.
- Using the heated model on the high powered option provides incredible drying times of between 9 and 11 seconds.
- It has a smooth sound output and is engineered to minimalise noise transfer from one area to another.
- The modern design and futuristic LED lighting make this a very popular addition to the most contemporary of washrooms.
- As an optional extra a HEPA Filter can be purchased and installed to captures airborne bacteria.

Model A: Powered by a brushless, carbon free motor means there are fewer parts to wear out, replace or break, meaning this hand dryer motor has a long life reach to 7-10 years.


300mm	220mm
-------	-------

Name	Code	Voltage	Air speed	Drying time	Motor	Safe protection	Power	N.W.		
Double jet	jet AC220-240V/ K2201 AC110V-127V 95m/s 5-7s DC brushless	DC brushless	Ex-high temperature	800W	9.5kg					
hand dryer	N2201	50/60Hz	901175	J-75	motor	motor	motor	Ex-long time Super-high current	800W+850W Heator	J.J. J.
Waterproof	IPX4	Product size	300X220X687(mm)		Packing size	75x3	38x59CM(2pcs)			









300mm



Corporate 1000 uses daily service life Approx. 7 years

Time and energy saving Drying time Approx 5~7 sec. Air speed 95m/s

Name	Double jet hand dryer	Safe protection	Ex-high temperature Ex-long time Super-high current
Code	K2	Power	800W+850W Heator
Voltage	AC220-240V/AC110V-127V, 50/60Hz	N.W.	9.5kg
Air speed	95m/s	Waterproof	IPX4
Drying time	5-7s	Product size	300x220x687mm
Motor	DC brushless motor	Packing size	75x38x59CM(2pcs)

- The outer casing is made from an impact resistant, flame resistant ABS plastic with antimicrobial coating.
- An intelligent heating system will detect the ambient temperature of your washroom, automatically adjust the airflow temperature to keep running costs right down. Automatically adds heat to the airflow if it senses a room temperature drop below 25°C.
- An LED display helps deliver the perfect dry by instructing the user on how fast to draw the hands through the airflow.
- A water collection system (800ml) collects any excess water to keep your washroom clean, tidy and safe.

• Using the heated model on the high powered option provides incredible drying times of between 9 and 11 seconds.

220mm

- It has a smooth sound output and is engineered to minimalise noise transfer from one area to another.
- The modern design and futuristic LED lighting make this a very popular addition to the most contemporary of washrooms.
- As an optional extra a HEPA Filter can be purchased and installed to captures airborne bacteria.

Model A: Powered by a brushless, carbon free motor means there are fewer parts to wear out, replace or break, meaning this hand dryer motor has a long life reach to 7-10 years.




Compact Horizontal Shape



K2019

Mini Horizontal

- The Mini powerful horizontal shape ensures the hand dryer can be sited in narrower, smaller bathrooms where wall space is limited.
- Equipped with advanced water-blasting technology, the upgraded motor delivers extremely impressive airflow speeds of up to 110 m/s.
- The hand dryer is fitted with an internal switch that can be altered from warm air using 950w or room temperature air using only 550w for energy savings during warmer months.
- Manufactured in grade 304 stainless steel 1.2mm thick to protect against corrosion and vandalism, it is a is a fully vandalproof dryer ideal for heavy duty areas.
- With a reduced noise level of 72 decibels, the hand dryer is perfectly suited to compact toilets where noise and the actual depth of the dryer must be reduced.
- Internal UVC technology Religent Ain TECHNOherral Officer 100 Security Secu
- Fitted with an anti bacterial HEPA filter to ensure the air used to dry users hands is as clean and hygienic as possible.




Body Material	S.S 304	Current	8.0A
Mounting	Wall Mounted	Air Speed	110m/s
Voltage	220-240V	Dimensions (mm)	275Wx183Hx162D
Frequency	50/60Hz	Cover thickness	1.2mm
Total Power	1000W	Air temperature (10 cm distance/25°C)	50°C
Motor Power	500W	Net Weight	4.5kgs
RPM	30000	Noise Level In Db(at 2m)	75
Electrical Isolation	Class I	Water Splash Proof	IPX3
Hot & Cold Switch	Yes	Auto Cutoff	60s


K2020

Mini Vertical

- The Mini powerful vertical shape ensures the hand dryer can be sited in narrower, smaller bathrooms where wall space is limited.
- Equipped with advanced water-blasting technology, the upgraded motor delivers extremely impressive airflow speeds of up to 110 m/s.
- The hand dryer is fitted with an internal switch that can be altered from warm air using 950w or room temperature air using only 550w for energy savings during warmer months.
- Manufactured in grade 304 stainless steel 1.2mm thick to protect against corrosion and vandalism, it is a is a fully vandalproof dryer ideal for heavy duty areas.
- Fitted with advanced sensors with a stylish blue LED light for washrooms which consequently provides a visible indication of operation and the drying zone ensuring that the users hand's are always in the warm air stream.
- Fitted with an anti bacterial HEPA filter to ensure the air used to dry users hands is as clean and hygienic as possible.















Body Material	S.S 304	Current	A0.8
Mounting	Wall Mounted	Air Speed	110m/s
Voltage	220-240V	Dimensions (mm)	183Wx275Hx162D
Frequency	50/60Hz	Cover thickness	1.2mm
Total Power	1000W	Air temperature (10 cm distance/25°C)	50°C
Motor Power	500W	Net Weight	4.5kgs
RPM	30000	Noise Level In Db(at 2m)	75
Electrical Isolation	Class I	Water Splash Proof	IPX3
Hot & Cold Switch	Yes	Auto Cutoff	60s



Voltage

RPM

Electrical Isolation

Hot & Cold Switch

220-240V

50/60Hz

350-800W

350W

50000

Class I

Yes

Cover thickness

Net Weight

Auto Cutoff

Water Splash Proof

Air temperature (10 cm distance/25°C)




Brushless Slim Hand Dryer





Stainless steel 304 brushed






- With an ultra slim design, the chassis measures just 100mm deep, making it ideal for a wide range of environments in all kinds of applications.
- Equipped with advanced water-blasting technology, utra high speed motor delivers extremely impressive airflow speeds of up to 120 m/s.
- A brushless, carbon free motor offer it a super long service life reach to 7-10 years.
- Internal UVC technology 360° sterilize in the air even filted by HEPA filter.
- Built-in outstanding doubled HEPA filter for improved entering the dryers.
- Only 800W power energy efficiency and down to surprising other hand dryers.









Body Material S.S 304 3.5A • Manufactured in grade 304 stainless steel 1.5mm thick to protect against corrosion and vandalism, it is a is a fully Wall Mounted 100m/s vandalproof dryer ideal for heavy duty areas.

230Wx346Hx100D

1.5mm

38°C

4.5kgs

79

IPX4

60s

hygiene,it will stop any airborne germs or bacteria from


350W if close the heater, costs up to 95% less to run than

VIRIDIAN TECHNOLOGIES VIRIDIAN TECHNOLOGIES

Brushless Slim Hand Dryer








- Manufactured in grade 304 stainless steel 1.5mm thick to protect against corrosion and vandalism,it is a is a fully vandalproof dryer ideal for heavy duty areas.
- Internal UVC technology 360° sterilize in the air even filted by
- Equipped with advanced water-blasting technology, utra




Stainless steel 304 polish


- Only 800W power energy efficiency and down to surprising 350W if close the heater, costs up to 95% less to run than other hand dryers.
- Built-in improved doubled HEPA filter for improved hygiene, it will stop any airborne germs or bacteria from entering the
- A brushless, carbon free motor offer it a super long service life reach to 7-10 years.
- Snit for behind the mirror.











Body Material	S.S 304	Current	3.5A
Mounting	Wall Mounted	Air Speed	100m/s
Voltage	220-240V	Dimensions (mm)	230Wx275Hx100D
Frequency	50/60Hz	Cover thickness	1.5mm
Total Power	350-800W	Air temperature (10 cm distance/25°C)	38°C
Motor Power	350W	Net Weight	4.5kgs
RPM	50000	Noise Level In Db(at 2m)	79
Electrical Isolation	Class I	Water Splash Proof	IPX3
Hot & Cold Switch	Yes	Auto Cutoff	60s





Brushless Slim Hand Dryer








- With an ultra slim design, the chassis measures just 100mm deep, making it ideal for a wide range of environments in all kinds of applications.
- Manufactured in grade 304 stainless steel 1.5mm thick to protect against corrosion and vandalism,it is a is a fully vandalproof dryer ideal for heavy duty areas.
- Equipped with advanced water-blasting technology, utra high speed motor delivers extremely impressive airflow

- Only 800W power energy efficiency and down to surprising 350W if close the heater, costs up to 95% less to run than
- Built-in improved doubled HEPA filter for improved hygiene, it will stop any airborne germs or bacteria from entering the
- A brushless, carbon free motor offer it a super long service life reach to 7-10 years.
- Internal UVC technology 360° sterilize in the air even filted by HEPA filter.







Body Material	S.S 304	Current	3.5A
Mounting	Wall Mounted	Air Speed	100m/s
Voltage	220-240V	Dimensions (mm)	230Wx172Hx100D
Frequency	50/60Hz	Cover thickness	1.5mm
Total Power	350-800W	Air temperature (10 cm distance/25°C)	38°C
Motor Power	350W	Net Weight	4.5kgs
RPM	50000	Noise Level In Db(at 2m)	79
Electrical Isolation	Class I	Water Splash Proof	IPX3
Hot & Cold Switch	Yes	Auto Cutoff	60s



Classic high speed hand dryer








Stainless steel 304 brushed

Stainless steel Black (spray paint)







Stainless steel 304 polish

K2008


- It has a market leading original clean and hygienic design. Together with a slim profile from the wall and only 75db noise level. Whilst drying hands in 7 to 10 seconds, makes this one of the class leading hand dryers in the World.
- Equipped with advanced water-blasting technology, the upgraded motor delivers extremely impressive airflow speeds of up to 100 m/s.
- The high speed motor has been built for longevity and is ideally suited to busy, high traffic washroom areas. Manufactured from high quality, top grade steel so you can feel confident that this hand dryer will stand up to the rigours of the job both internally and externally.
- Super smart, its ECO Air Sensor will detect the ambient temperature of your washroom, then automatically adjust the airflow temperature to keep running costs right down.

Time and energy saving

Time and energy saving Drying time Approx 7~10sec. Air speed 100m/s

With metal cover

Stainless steel 304 panel with thickness of 1.2mm



Name	Metal high speed hand dryer	Air temperature	40-650C
Code	K2008	Time protect	60S
Voltage	AC220-240V/110-127V	Ambient humidity	80%
Frequency	50/60Hz	Ambient temperature	0-400C
Rated power	1800W	Motor power	550W
Air speed	100m/S	Installation	Wall-mounted
Drying time	7-10S	N.W.	4.5kg
Sensing distance	12±3cm	Product size	295x175x325
Waterproof	IPX1	Packing size	71.5x38x45.5cm(4pcs)
Protection class	E.	Standard	IEC60335-2-23
Storage	clean indoor		





Stainless steel white (spray paint)




Stainless steel 304 brushed



Stainless steel Black (spray paint)

K2009A






─ Metal Base



___ LED Indicator


VIRIDIAN TECHNOLOGIES













Stainless steel 304 brushed



Stainless steel Black (spray paint)

- Equipped with advanced water-blasting technology, the upgraded motor delivers extremely impressive airflow speeds of up to 100 m/s.
 - Super smart, its Eco Air Sensor will detect the ambient temperature of your washroom, then automatically adjust the airflow temperature to keep running costs right down.
 - Its contemporary, sleek, ergonomic design makes this an exceptionally stylish dryer.
- Manufactured in grade 304 stainless steel 1.5mm thick to protect against corrosion and vandalism, it is a is a fully vandalproof dryer ideal for heavy duty areas.
- Fitted with advanced sensors with a stylish blue LED light for washrooms and red, green front indicator light which consequently provides a visible indication of operation and the drying zone ensuring that the users hand's are always in the warm air stream.



Name	Code	Voltage	Air speed	Drying time	Motor	Safe protection	Power	N.W.
Metal high speed hand dryer	K2009	AC220-240V/ AC110V-127V, 50/60Hz	100m/s	7-10s	carbon brush	Ex-high temperature Ex-long time Super-high current	1800W	5.4kg



K2010




Stainless steel 304 brush

- Equipped with advanced water-blasting technology, the upgraded motor delivers extremely impressive airflow speeds of up to 100 m/s.
- Super smart, its Eco Air Sensor will detect the ambient temperature of your washroom, then automatically adjust the airflow temperature to keep running costs right down.
- Its contemporary, sleek, ergonomic design makes this an exceptionally stylish dryer.
- Manufactured in grade 304 stainless steel 1.5mm thick to protect against corrosion and vandalism, it is a is a fully vandal proof dryer ideal for heavy duty areas.
- Fitted with advanced sensors with a stylish blue LED light for washrooms and red, green front indicator light which consequently provides a visible indication of operation and the drying zone ensuring that the users hand's are always in the warm air stream.



Stainless steel 304 polish





Name	Metal high speed hand dryer	Safe protection	Ex-high temperature Ex-long time Super-high current
Code	K2010	Power	1800W
Voltage	AC220-240V/AC110V-127V ,50/60Hz	N.W.	5.4kg
Air speed	100m/s	Product size	278X172X325(mm)
Drying time	7-10s	Packing size	64x38x44.5CM
Motor	carbon brush		

K2011





Stainless steel 304 bright



Stainless steel 304 black







- Equipped with advanced water-blasting technology, the upgraded motor delivers extremely impressive airflow speeds of up to 100 m/s.
- Super smart, its Eco Air Sensor will detect the ambient temperature of your washroom, then automatically adjust the airflow temperature to keep running costs right down.
- Its contemporary, sleek, ergonomic design makes this an exceptionally stylish dryer.
- Manufactured in grade 304 stainless steel 1.5mm thick to protect against corrosion and vandalism, it is a is a fully vandal proof dryer ideal for heavy duty areas.
- Fitted with advanced sensors with a stylish blue LED light for washrooms and red, green front indicator light which consequently provides a visible indication of operation and the drying zone ensuring that the users hand's are always in the warm air stream.


Name	Metal high speed hand dryer	Safe protection	Ex-high temperature Ex-long time Super-high current
Code	K2010	Power	1800W
Voltage	AC220-240V/AC110V-127V ,50/60Hz	N.W.	5.4kg
Air speed	100m/s	Product size	278X172X325(mm)
Drying time	7-10s	Packing size	64x38x44.5CM
Motor	carbon brush		



COMPACT

- The compact powerful shape ensures the hand dryer can be sited in narrower, smaller bathrooms where wall space is limited.
- Equipped with advanced water-blasting technology, the upgraded motor delivers extremely impressive airflow speeds of up to 100 m/s.
- Super smart, its Eco Air Sensor will detect the ambient temperature of your washroom, then automatically adjust the airflow temperature to keep running costs right down.
- Manufactured in grade 304 stainless steel 1.5mm thick to protect against corrosion and vandalism, it is a is a fully vandalproof dryer ideal for heavy duty areas.
- Fitted with advanced sensors with a stylish blue LED light for washrooms which consequently provides a visible indication of operation and the drying zone ensuring that the users hand's are always in the warm air stream.

240mm



K2012









Time and energy saving

Time and energy saving Drying time
Approx 7~10sec.
Air speed 100m/s

With metal cover

Stainless steel 304 panel with thickness of 1.5mm

Name	Metal high speed hand dryer	Water proof	IPX1
Code	K2012	Shell	Stainless steel 304
Voltage	220-240V/50Hz or 110-127V/60Hz	Rated Power	1800W
Air speed	100m/s	CTN G.W.:	4.2kg





174mm





Stainless steel 304 brushed finish


Stainless steel 304

Stainless steel 304

ECO








- Manufactured in grade 304 stainless steel to protect against corrosion and vandalism.
- It has a blade, rather than a tube of air, resulting in the amazingly economic performance and super fast drying
- Built-in removable air HEPA filter for improved hygiene,it will stop any airborne germs or bacteria from entering the
- Fitted with advanced sensors with a stylish blue LED light for washrooms which consequently provides a visible indication of operation and the drying zone ensuring that the users hand's are always in the warm air stream.
- Eco-friendly switchable power modes (down to 400W), With 4 settings to choose from, you can really customise this hand dryer based on your own unique requirements.
- Super easy installation The back cover on the dryer does not need removing for installation.











Super Easy Installation










Bright finish

Brushed finish

White

Name	Metal high speed hand dryer	Water proof	IPX1
Code	K2013A	Shell	Stainless steel 304
Voltage	220-240V/50Hz 110-127V/60Hz	CTN Size	56.7x31x42.5cm (4pcs)
Air speed	105m/s	CTN G.W.:	20kg (4pcs)
Rated power	1250W		












White

Silver

Black











White

Black

Name	ABS high speed hand dryer	Water proof	IPX1
Code	K2013B/K2013C	Shell	ABS
Voltage	220-240V/50Hz 110-127V/60Hz	CTN Size	57x31.5x44cm (4pcs)
Air speed	105m/s	CTN G.W.:	16.4kg(4pcs)
Rated power	1250W		




V Blade High speed hand dryer












oncealed installation for power on/off option, hot/cool option, strong/soft option




- Smart eco-mode switching, letting you choose the ideal settings for your washroom. Simply set the internal switches to hot or cool - with soft or strong air flow.
- Super easy installation The back cover on the dryer does not need removing for installation.

- With a state-of-the-art 800W motor, it uses twin-blades in a Vformation, generating quick-drying sheets of air at over 100 m/s.
- Built-in removable air HEPA filter for improved hygiene, it will stop any airborne germs or bacteria from entering the dryers.

Body Material	S.S 304
Voltage	220-240V
Frequency	50/60Hz
Total Power	600-2000W
Motor Power	600-800W
RPM	24000
Electrical Lsolation	Class I
Hot & Cold Switch	Yes
Current	5. 5A
Air Speed	100m/s
Dimensions (mm) WxHxD	310x325x188
Cover thickness	1.2mm
Air Temperature (10 cm distance/21°C)	38°C
Net Weight	5.9kgs
Noise Level In Db(at 2m)	70
Water Splash Proof	IPX3
Auto Cutoff	60s










Super-slimline
High Speed Hand Dryer



- it has the ability to be run at only 400W by switching off the internal heater, making this one of our most ecofriendly dryers.
- Manufactured in grade 304 stainless steel 1.5mm thick to protect against corrosion and vandalism.
- With an ultra slim design, the chassis measures just 100mm deep, making it ideal for a wide range of environments in all kinds of applications.
- With a reduced noise level of 75 decibels, the hand dryer is perfectly suited to compact toilets where noise and the actual depth of the dryer must be reduced.
- As an optional extra a HEPA Filter can be purchased and installed to captures airborne bacteria.
- Besides its great energy efficiency, the stainless steel case, secured by 4 security screws, prevents vandalism and ensures durability and It also has a solid steel backplate.



















Stainless steel white (spray paint)

Stainless steel 304 brushed

Stainless steel 304 polish

Stainless steel Black (spray paint)

Shell material	304 stainless steel	Operation	infrared automatic 'no touch'
Standard voltage	AC 220-240V/110V	Timing protection	Timing protection: 60 seconds auto cut off
Rated frequency	50/60 Hz	Thermal cut-out	Thermal cut-out: cut off above 70 C
Rated power	Variable: 400W-950 W (Switchable Heating Element)	Air filter	Yes
Drying time	7-12 Seconds	Certification	CE, RoHs, GS
Air speed	95 M/s	Package contents:	hand dryer, installation accessories and user manual
Noise Level	75dB	Carton size	64*38.5*28 cm (4pcs)
Water proof	IPX3		





Stainless steel 304 brushed





Stainless steel 304 polish

– Air Filter










- Manufactured from robust grade 304 stainless steel with a one piece outer and vandal proof lock screws for easy installation and strong anti vandal properties.
- Equipped with advanced water-blasting technology, the upgraded motor delivers extremely impressive airflow speeds of up to 110 m/s.
- As an optional extra a HEPA Filter can be purchased and installed to captures airborne bacteria.
- Super smart, its ECO Air Sensor will detect the ambient temperature of your washroom, then automatically adjust the airflow temperature to keep running costs right down.
- It has the ability to be run at only 550W by switching off the internal heater, making this one of our most eco-friendly



Shell material	304 stainless steel	Water proof	IPX3
Standard voltage	AC 220-240V/110V	Operation	infrared automatic 'no touch'
Rated frequency	50/60 Hz	Timing protection	60 seconds auto cut off
Rated power	Variable: 600W/1800 W (Switchable Heating Element)	Thermal cut-out	cut off above 95 C
Installation	Wall mounted	Air filter	Yes
Drying time	7-12 Seconds	Certification	CE, RoHs, GS,CB
Air speed	110m/s	Package contents	hand dryer, installation accessories and user manual
Noise Level	72dB	Carton size	70X41X47.5 cm (4pcs)



K2017B



Stainless steel 304 brushed



VIRIDIAN TECHNOLOGIES steel 304 polish


- Manufactured from robust grade 304 stainless steel with a one piece outer and vandal proof lock screws for easy installation and strong anti vandal properties.
- Equipped with advanced water-blasting technology, the upgraded motor delivers extremely impressive airflow speeds of up to 115m/s.
- Super smart, its ECO Air Sensor will detect the ambient temperature of your washroom, then automatically adjust the airflow temperature to keep running costs right down.
- It has the ability to be run at only 550W by switching off the internal heater, making this one of our most eco-friendly dryers.
- Fitted with advanced sensors with a stylish blue LED light for washrooms and red, green front indicator light which consequently provides a visible indication of operation and the drying zone ensuring that the users hand's are always in the warm air stream.
- As an optional extra a HEPA Filter can be purchased and installed to captures airborne bacteria.












70X41X47.5 cm (4pcs)







Noise Level




304 stainless steel



K2017C

- Inspired by the shape of diamond, manufactured in grade 304 stainless steel 1.5mm thick to protect against corrosion and vandalism, it is a is a fully vandalproof dryer ideal for heavy duty areas.
- Equipped with advanced water-blasting technology, the upgraded motor delivers extremely impressive airflow speeds of up to 115 m/s.
- As an optional extra a HEPA Filter can be purchased and installed to captures airborne bacteria.
- Super smart, its ECO Air Sensor will detect the ambient temperature of your washroom, then automatically adjust the airflow temperature to keep running costs right down.
- It has the ability to be run at only 550W by switching off the internal heater, making this one of our most









Stainless steel 304 brushed










Shell material	304 stainless steel	Water proof	IPX3
Standard voltage	AC 220-240V/110V	Operation	infrared automatic 'no touch'
Rated frequency	50/60 Hz	Timing protection	60 seconds auto cut off
Rated power	Variable: 600W/1800 W (Switchable Heating Element)	Thermal cut-out	cut off above 95 C
Installation	Wall mounted	Air filter	Yes
Drying time	7-12 Seconds	Certification	CE, RoHs, GS,CB
Air speed	115m/s	Package contents	hand dryer, installation accessories and user manual
Noise Level	76dB	Carton size	70X41X47.5 cm (4pcs)












- Powered by a brushless, carbon free motor means there are fewer parts to wear out, replace or break, meaning this hand dryer motor has a long life.
- Equipped with a 18cm deep alcove that captures and evaporates water thanks to a ceramic water absorbent surface.
- All welded corners secured to cabinet with vandalresistant screws.
- The built-in HEPA filter captures airborne bacteria to ensure your users hands are dried using clean, hygienic air particles.
- Air inlets on sides for better heat dissipation.








- Only 62mm Exposed



Shell material	304 stainless steel	Water proof	IPX3
Standard voltage	AC 220-240V/110V	Operation	infrared automatic 'no touch'
Rated frequency	50/60 Hz	Timing protection	60 seconds auto cut off
Rated power	1100 W	Thermal protection	cut off above 70 C
Installation	Wall recess mounted	Air filter	HEPA filter
Drying time	7-12 Seconds	Certification	CE, RoHs
Air speed	90 m/s	Package contents	hand dryer, installation accessories and user manual
Noise Level	75dB	Carton size	61*33*50.5 cm (2pcs)








K2502A

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 2300W Air speed: 25m/s Waterproof: IPX1 Shell: Stainless steel 304(1.2mm) Surface: bright or brushed CTN Size: 56.5x31.5x54.5CM (4 pcs) CTN.G.W: 21.5kg






K2502A-K

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 2300W Air speed: 25m/s Waterproof: IPX1 Shell: Stainless steel 304(1.2mm) Surface: bright or brushed CTN Size: 56.5x31.5x54.5CM (4 pcs) CTN.G.W: 21.5kg






K2502 (ABS silver) SPECIFICATION RIDIAN TECHNOLOGIES Voltage: 220-240 V OH. 27 10 11 D 6 12 N TECHNOLOGIES

Rated power: 2300W Air speed: 25m/s Waterproof: IPX1 Shell: ABS Color: gray CTN Size: 62x56x53.5CM (8 pcs) CTN.G.W: 29kg






K2502 (ABS white)

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 2300W Air speed: 25m/s Waterproof: IPX1 Shell: ABS Color: white CTN Size: 62x56x53.5CM (8 pcs) CTN.G.W: 29kg






K2503A

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 2300W Air speed: 25m/s Waterproof: IPX1 Shell: Stainless steel 304(1.2mm) Surface: bright or brushed CTN Size: 57x32.5x54CM (4 pcs) CTN.G.W: 23kg






K2503A-K

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 2300W Air speed: 25m/s Waterproof: IPX1 Shell: Stainless steel 304(1.2mm) Surface: bright or brushed CTN Size: 57x32.5x54CM (4 pcs) CTN.G.W: 23kg






K2504

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 2300W Air speed: 25m/s Waterproof: IPX1 Shell: Stainless steel 304(1.2mm) Surface: bright or brushed CTN Size: 56.5x31.5x54.5CM (4 pcs) CTN.G.W: 21kg




K2504 (ABS white)

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 2300W Air speed: 25m/s Waterproof: IPX1 Shell: ABS Color: white CTN Size: 62x56x53.5CM (8 pcs) CTN.G.W: 28kg






K2504 (ABS silver)

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 2300W Air speed: 25m/s Waterproof: IPX1 Shell: ABS Color: gray CTN Size: 62x56x53.5CM (8 pcs) CTN.G.W: 28kg





K1003


SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 1800W Air speed: 12m/s Waterproof: IPX1 Shell: ABS Color: white CTN Size: 57.5x55x54CM (8 pcs) CTN.G.W: 21kg

HAND DRYER








K1005A

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 1500W Air speed: 12m/s Waterproof: IPX1 Shell: stainless steel 304 Surface: bright CTN Size: 49x36x63CM(8pcs) CTN.G.W: 27kg






K2505A

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 2300W Air speed: 25m/s Waterproof: IPX1
Shell: Stainless steel 304 Surface: bright CTN Size: 56.5x32.5x51CM (4 pcs) CTN.G.W: 20kg





K1005E

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 1500W Air speed: 12m/s Waterproof: IPX1 Shell:ABS

Color: white
CTN Size: 49x36x/31/RSIDIAN TECHNOLOGIES
CTN.G.W: 23kg




K2505E

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 2300W Air speed: 25m/s Waterproof: IPX1 Shell: ABS Surface: white CTN Size: 56.5x32.5x51CM (4 pcs)

CTN.G.W: 15kg






K1006A

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 1500W Air speed: 12m/s Waterproof: IPX1 Shell: stainless steel 304 Surface: bright CTN Size: 49x36x63CM(8pcs) CTN.G.W: 27kg






K2003

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 2600W Air speed: 105m/s Waterproof: IPX1 Shell: ABS Surface: white CTN Size: 61.5x52.5x43.5CM (4 pcs) CTN.G.W: 20kg






K1006E

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 1500W Air speed: 12m/s Waterproof: IPX1 Shell:ABS Color: white CTN Size: 49x36x63CM(8pcs) CTN.G.W: 23kg






K2003

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 2600W Air speed: 105m/s Waterproof: IPX1 Shell: ABS Surface: silver CTN Size: 61.5x52.5x43.5CM (4 pcs) CTN.G.W: 20kg








K2001 (white)

SPECIFICATIONS: Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 1100W Air speed: 90m/s Waterproof: IPX1 Shell: ABS Color: white CTN Size: 62x32x43.5CM (4 pcs) CTN.G.W: 17kg






K2001-J1 (white)

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 1100W Air speed: 90m/s Waterproof: IPX1 Shell: ABS Color: white CTN Size: 61x42.5x46CM (4 pcs) CTN.G.W: 21.7kg







K2001 (silver)

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 1100W Air speed: 90m/s Waterproof: IPX1 Shell: ABS Color: gray






K2001-J1 (silver)

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 1100W Air speed: 90m/s Waterproof: IPX1 Shell: ABS Color: gray CTN Size: 61x42.5x46CM (4 pcs) CTN.G.W: 21.5kg






K2002 (white)

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 1100W Air speed: 90m/s Waterproof: IPX1 Shell: ABS Color: white CTN Size: 62x32x43.5CM (4 pcs) CTN.G.W: 17kg






K2002-J1 (white)

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 1100W Air speed: 90m/s Waterproof: IPX1 Shell: ABS Color: white CTN Size: 61x42.5x46CM (4 pcs) CTN.G.W: 22kg






K2002 (silver)

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 1100W Air speed: 90m/s Waterproof: IPX1 Shell: ABS Color: gray CTN Size: 62x32x43.5CM (4 pcs) CTN.G.W: 17kg





K2002-J1 (silver)

SPECIFICATIONS:

Voltage: 220-240V/50Hz or 110-127V/60Hz Rated power: 1100W Air speed: 90m/s Waterproof: IPX1 Shell: ABS Color: gray CTN Size: 61x42.5x46CM (4 pcs) CTN.G.W: 22kg



K8001A

Color: cream white/gray Horizontal



- Hinge system design, closing the table when not in use, more efficient and rational using space
- Hinge bracket with metal design provides high strength and stability .maximum load 20kg;
- With high quality gas spring design ,allows one-hand opening and closing operation;
- Large table with adjustable seat belts to better • protect baby.
- Built with sanitary pads diaper bag hooks
- and storage boxes
- Dimensions • Open: 855X560X495mm Closed: 855X560X107mm







Color: cream white/gray Horizontal




www.kuaierte.com






- Hinge system design, closing the table when not in use, more efficient and rational using space
- Hinge bracket with metal design provides high strength and stability .maximum load 20kg;
- With high quality gas spring design ,allows one-hand opening and closing operation;





• Open:855X560X495mm Closed:855X560X107mm









- Hinge system design, closing the table when not in use, more efficient and rational using space
- Hinge bracket with metal design provides high strength and stability .maximum load 20kg;
- With high quality gas spring design ,allows one-hand opening and closing operation;
- Large table with adjustable seat belts to better protect baby.
- Open:855X585X495mm Closed:855X585X107mm



















- Hinge system design, closing the table when not in use, more efficient and rational using space
- Hinge bracket with metal design provides high strength and stability .maximum load 20kg;
- With high quality gas spring design ,allows one-hand opening and closing operation;
- Large table with adjustable seat belts to better protect baby.











Recessed mounted




- 304 stainless steel cover, beautiful, luxury and firm
- Designed with concealed installation, achieving the integration of the aesthetic effect with the wall, and more space saved
- Hinge system design, closing the table when not in use, more efficient and rational using space
- Hinge bracket with metal design provides high strength and stability .maximum load 20kg;
- With high quality gas spring design ,allows one-hand opening and closing operation;
- A safety belt on the table, better protecting baby











- 304 stainless steel cover, beautiful, luxury and firm
- Designed with concealed installation, achieving the integration of the aesthetic effect with the wall, and more space saved
- Hinge system design, closing the table when not in use, more efficient and rational using space
- Hinge bracket with metal design provides high strength and stability .maximum load 20kg;
- With high quality gas spring design ,allows one-hand opening and closing operation;
- A safety belt on the table, better protecting baby



K8501

Color: cream white/gray




- Adjustable seat belts to better protect baby.
- Compact ultra slim profile
- Maximum load 25kg;
- Dimensions
 Open: 510x340x328mm Closed: 510x340x145mm

• Haft design, easy to open and close, saving space.





































AUTOMATIC SOAP DISPENSER



Automatic Soap Dispenser

Standard Color: White.Black





- Capacity Refillable bottle
- · Liquid, Foam, Spray Soap dispenser (3 different pumps for options)
- Strong ABS front cover
- Requires 4x C alkaline batteries (Not included)
- Battery Life up to 140,000 Cycles
- No Touch Operation
- Available color: white or black
- Key lockable, preventing misuse
- Window viewer to monitor content levels
- Low battery indicator on front for easy servicing
- Size:252*140*100mm
- Can be mounted on the wall, desktop stand or floor stand






Optional for Liquid, Foam, Spray







1000ml Refillable Bottle Can be mounted with metal desktop stand










- Liquid, Foam, Spray Soap dispenser (3 different pumps for options)
- · Strong ABS front cover
- · Requires 4x C alkaline batteries (Not
- Battery Life up to 140,000 Cycles
- No Touch Operation
- · Available color: white or black
- Key lockable, preventing misuse
- · Window viewer to monitor content levels
- Low battery indicator on front for easy servicing
- Size:250*130*100mm
- Can be mounted on the wall, desktop stand or floor stand





Automatic Soap Dispenser

Standard Color: White.Black




Optional for Liquid, Foam, Spray





1000ml Refillable Bottle Can be mounted with metal desktop stand








- 1650ml super large Capacity Refillable bottle (Also available for disposable
- Liquid, Foam, Spray Soap dispenser (3 different pumps for options)
- Strong ABS with toughened glass front surface
- Requires 4 x C alkaline batteries (Not included)
- Battery Life up to 140,000 Cycles
- No Touch Operation
- Available color: white or black
- Key lockable, preventing misuse
- Window viewer to monitor content levels
- · Low battery and failure indicator on front for easy servicing
- Size:292*160*121 mm
- Can be mounted on the wall, desktop stand or floor stand




K4503A

Automatic Soap Dispenser

Standard Color: White, Black










1650ml Refillable Bottle Can be mounted with metal desktop stand










- Strong ABS with toughened glass front surface
- Requires 4 x C alkaline batteries (Not included)
- Battery Life up to 140,000 Cycles
- No Touch Operation
- · Available color: white or black
- Key lockable, preventing misuse
- · Window viewer to monitor content levels
- · Low battery and failure indicator on front for easy servicing
- Size:275*140*120 mm
- Can be mounted on the wall, desktop stand or floor stand





Automatic Soap Dispenser


Standard Color: White.Black




Window viewer

Optional for Liquid, Foam, Spray











- 1300ml super large Capacity Refillable bottle (Also available for disposable bag)
- Liquid, Foam, Spray Soap dispenser (3 different pumps for options)
- Strong ABS with toughened glass front surface
- Requires 4 x C alkaline batteries (Not included)
- Battery Life up to 140,000 Cycles
- No Touch Operation
- · Available color: white or black
- Key lockable, preventing misuse
- Window viewer to monitor content levels
- Low battery and failure indicator on front for easy servicing
- Size:285*140*135mm
- Can be mounted on the wall, desktop stand or floor stand







Automatic Soap Dispenser

Standard Color: White, Black









Optional for Liquid, Foam, Spray







Can be mounted with metal desktop stand









Floor Stand for 1 unit







Floor Stand for 2 units

K6001A (Electric, 25W)

large 2.1 L capacity

the dispenser

the dispenser

to 240,000 cycles

• Automatically sprays liquid by infrared sensor, suitable

• Automatic wall-mounted liquid soap dispenser of super

• Suitable for high traffic facilities and for public use

• Level display located in the side of the dispenser. It

• Adjustable Spray volume from 0.6-10ml per use

K6001B (Battery Operated, 3W)

• Battery operated with super large 2.1 L capacity

• Suitable for high traffic facilities and for public use

• Level display located in the side of the dispenser. It

• Adjustable Spray volume from 0.6-2.4ml per use

constantly indicates the level of liquid available inside

• Operates on 4 C-cell alkaline batteries (not provided) up

• Automatically sprays liquid by infrared sensor, suitable

for use of various disinfectant liquids and hand sanitizer

constantly indicates the level of liquid available inside

for use of various disinfectant liquids and hand sanitizer




- K6002




Liquid Filling Method













Super Large Capacity

Touch-Free









Liquid Filling Method



















K6002A (Electric, 25W)

• Automatically sprays liquid by infrared sensor, suitable VERIDIAN TECHNOLOGIC Wair-mounted injurid soap dispenser of super large 1.6 L capacity

- Suitable for high traffic facilities and for public use
- Level display located in the side of the dispenser. It constantly indicates the level of liquid available inside the dispenser
- Adjustable Spray volume from 0.6-10ml per use
- Easy to refill Liquid

K6002B (Battery Operated, 3W)


- Automatically sprays liquid by infrared sensor, suitable for use of various disinfectant liquids and hand sanitizer
- Battery operated with super large 1.6 L capacity
- Suitable for high traffic facilities and for public use
- Level display located in the side of the dispenser. It constantly indicates the level of liquid available inside the dispenser
- Operates on 4 C-cell alkaline batteries (not provided) up to for 240,000 cycles
- Adjustable Spray volume from 0.6-2.4ml per use
- Easy to refill Liquid

www.kuaierte.com





























Super Large Capacity



Stainless steel model

K6501A (Electric, 25W)

• Automatically sprays liquily by prand sensor satally TECHNOLOGIES for use of various disinfectivit quite ratio as a tize.

- Automatic wall-mounted liquid soap dispenser of super large 2.3 L capacity
- Suitable for very high traffic facilities and for public use
- Designed with a plate to prevent water from dripping on the floor

K6501B (Battery Operated, 3W)

- Automatically sprays liquid by infrared sensor, suitable for use of various disinfectant liquids and hand sanitizer
- Battery operated with super large 2.3 L capacity
- Suitable for very high traffic facilities and for public use
- Operates on 4 C-cell alkaline batteries (not provided) up to for 240,000 cycles
- Designed with a plate to prevent water from dripping on

478mm 0 0 260mm 282mm

K6502A (Electric, 25W)

- Automatically sprays liquid by infrared sensor, suitable for use of various disinfectant liquids and hand sanitizer
- Automatic wall-mounted liquid soap dispenser of super large 2.3 L capacity
- Suitable for very high traffic facilities and for public use
- Designed with a plate to prevent water from dripping on the floor

K6502B (Battery Operated, 3W)


- Automatically sprays liquid by infrared sensor, suitable for use of various disinfectant liquids and hand sanitizer
- Battery operated with super large 2.3 L capacity
- Suitable for very high traffic facilities and for public use
- Operates on 4 C-cell alkaline batteries (not provided) up to for 240,000 cycles
- Designed with a plate to prevent water from dripping on the floor

www.kuaierte.com www.kuaierte.com

COMBINATION UNIT








K5011 SPECIFICATIONS:

Function:Towel Dispenser and Waste Bin Unit Size:1200*350*152mm Wall Opening Size: 1152*305*144mm

Material: Stainless steel 304 Installation: Recessed






K5012

SPECIFICATIONS:

Function:Towel Dispenser and Waste Bin Unit Size:1200*350*150mm






K5015

SPECIFICATIONS:

Function:Towel Dispenser Unit Size:300*118*398mm Wall Opening Size: 262*102*360mm

Material: Stainless steel 304 Installation: Recessed




K5016

SPECIFICATIONS:

Function:Towel Dispenser Unit Size:310*110*430mm Wall Opening Size: 272*100*390mm

Material: Stainless steel 304 Installation: Recessed






K5013

SPECIFICATIONS:

Function:Towel Dispenser and Waste Bin Unit Size:750*340*140mm Material: Stainless steel 304 Installation: Wall-Mounted






K5017

SPECIFICATIONS:

Function:Towel Dispenser, Waste Bin and Hand Drver Unit Size:1680*350*183mm Wall Opening Size: 1642*312*172mm Material: Stainless steel 304

Installation: Recessed





K5014

SPECIFICATIONS:

Function:Towel Dispenser and Waste Bin Unit Size:750*340*150mm Wall Opening Size: 712*305*141mm Material: Stainless steel 304 Installation: Recessed

K5018

SPECIFICATIONS:

Function:Towel Dispenser, Waste Bin and Hand Dryer Unit Size:1650*370*171mm


Wall Opening Size: 1602*325*159mm Material: Stainless steel 304

Installation: Recessed

PAPER TOWEL DISPENSER








K7601 SPECIFICATIONS:

Size:260mm*125mm*270mm Material: Stainless steel 304 Installation: Wall-Mounted






K7605 SPECIFICATIONS:

Size:290mm*100mm*460mm Material: Stainless steel 304 Installation: Wall-Mounted






K7602

SPECIFICATIONS:

Size:260mm*125mm*270mm Material: Stainless steel 304

Installation: Wall-Mounted VIRIDIAN TECHNOLOGIES




K7607

SPECIFICATIONS:

Size:265mm*100mm*100mm Material: Stainless steel 304 Installation: Wall-Mounted






K7603

SPECIFICATIONS:

Size:280mm*105mm*370mm Material: Stainless steel 304 Installation: Wall-Mounted






K7608

SPECIFICATIONS:

Size:265mm*103mm*120mm Material: Stainless steel 304 Installation: Wall-Mounted





K7604


SPECIFICATIONS:

Size:280mm*105mm*270mm Material: Stainless steel 304 Installation: Wall-Mounted

SOAP DISPENSER










Capability: 500ML Size:90mm*145mm Material: Stainless steel 304 Installation: Wall-Mounted






K4402A SPECIFICATIONS:

Capability: 500ML Size:90mm*145mm Material: Stainless steel 304 Installation: Wall-Mounted






K4401B

SPECIFICATIONS:

Capability: 800ML Size:100mm*180mm


Material: Stainless steel 304
Installation: Vall Part DIAN TECHNOLOGIES



K4402B SPECIFICATIONS:

Fcapability: 800ML Size:100mm*180mm Material: Stainless steel 304 Installation: Wall-Mounted






K4401C

SPECIFICATIONS:

Capability: 1000ML Size:120mm*205mm Material: Stainless steel 304 Installation: Wall-Mounted





K4402C

SPECIFICATIONS:

Capability: 1000ML Size:120mm*205mm Material: Stainless steel 304 Installation: Wall-Mounted



K4404B

SPECIFICATIONS:

Material: Stainless steel 304 Installation: Wall-Mounted



K4404A

SPECIFICATIONS:

Material: Stainless steel 304 Installation: Wall-Mounted