

DIAMOND



Coral Alkaline Water

DIAMOND Coral Mini  
User Guide

# Contents

## **Chapter 1: Ready for Installation**

- 4 What's in the Box
- 5 Find a Nice Place for Your DIAMOND Coral Mini

## **Chapter 2: Assemble Your DIAMOND Coral Mini**

- 7 Installing the Diverter and Connecting to Your DIAMOND Coral Mini
- 8 Installing the Ceramic Cartridge A

## **Chapter 3: Live with Your DIAMOND Coral Mini**

- 10 Basic Features of Your DIAMOND Coral Mini
- 11 Start Up Your DIAMOND Coral Mini
- 12 Taking Care of Your DIAMOND Coral Mini
- 14 Filter Replacement

## **Chapter 4: Last, but not least**

- 16 Carrying Your DIAMOND Coral Mini in the Right Way
- 17 Service Hotlines

20 中文简体

40 中文繁體

1

Ready for Installation

## What's in the Box

Your DIAMOND Coral Mini comes with following items.



1 3 Filters Water Machine   2 Diverter   3 Ceramic Cartridge A   4 Brush   5 Two 8-shape Rubber Rings   6 Filter A Opener   7 Connecting Hose

## Find a Nice Place for Your DIAMOND Coral Mini

There are different ways for installing your DIAMOND Coral Mini. You can have it **A** installed on tabletop or **B** installed under washing basin. Our professional technician will help you on the whole installation process.



**B** install under washing basin

2

Assemble Your DIAMOND Coral Mini

## Installing the Diverter and Connecting to Your DIAMOND Coral Mini.

Simply turn the diverter switch to  or  for DIAMOND Coral Water or Tap Water.


1 Remove the screw head from the faucet.

2 Screw the diverter anticlockwise to the head of the faucet.

3 Fix the placing locations of your DIAMOND Coral Water Machine and the Diverter. Measure the distance among them and cut 2 same lengths connecting hoses.

4 Insert the 8-shape rubber ring to keep the 2 connecting hoses together.

5 Connect the diverter to the machine with the hoses.  
(Blue) →(Inlet)  
(Yellow) →(Outlet)




## Installing the Ceramic Cartridge A

You need to know how to install the Ceramic Cartridge since it is required to replace a new one annually to keep the water clean and fine.

- 1 Rinse off the powder of the new cartridge with clean water.



- 2 Take out Filter A by turning anticlockwise for unlock.



- 3 Open the cap of Filter A by using the filter opener. Twist them in opposition direction for unscrewing.



- 4 Screw and secure the cartridge to the filter cap gently anti-clockwise, do not be too tight. Make sure the rubber ring is placed on top of the cartridge.



- 5 Assemble the Filter A and lock into the machine by turning clockwise.



- 6 Switch the Diverter to  $\blacklozenge$  and turn the tap on.



- 7 Long press the top button until air is totally released and water flow out.





3

Live with Your DIAMOND Coral Mini

## Basic Features of Your DIAMOND Coral Mini

### Organic Shape Water Machine Design

Water Machine should not be hidden in a kitchen cabinet. We have refined a water purifier from being an ordinary tool into The World's First Fine Water Machine - DIAMOND Coral Mini. It is simply beautiful. It will be the next collectible item in a modern family's kitchen.



### Semi-transparent Cover, See-through the Beautifully Designed Filters

The semi-transparent machine cover allows you to see through the tulip shape filters. It's a unique design that nice for your eyes.


### Easy-Turn Filter Design

The new filter design with a flat oval on the top allows you to grasp and turn the filter easily for replacement.

### User Friendly Diverter Switch Design

The diverter switch design is simple and user friendly. You can enjoy a glass of fine water simply by turning the switch to the  icon. For ordinary tap water, simply turn the switch to the  icon.

## Start Up Your DIAMOND Coral Mini

Simply turn the Diverter Switch to  and turn on the tap to allow the water to run through the filters for 30 minutes before using the water for drinking.




## Taking Care of Your DIAMOND Coral Mini

### Rinse ceramic cartridge

Filter A filters impurities such as silt and rust in water, therefore, the ceramic cartridge requires frequent cleaning.

When the water outflow becomes small, it is time for you to clean your ceramic cartridge. Just follow these steps :

- 1 Turn off the water and turn the Diverter Switch to  mode.



- 2 Then press the air release button on top of Filter A until air and water flow out.



- 3 Unlock the Filter A in an anti-clockwise direction. Carefully take out the filter A from the water machine.



- 4 Place the opener on the table and place Filter A on top of the opener.



- 5 Ensure the teeth of both filter and opener are matching.



- 6 Twist the filter and the opener in opposite direction to unscrew the filter cap.



**7** Carefully take out the ceramic cartridge.



**8** Brush gently to clean the ceramic cartridge under running tap water.



**9** Put in the ceramic cartridge carefully into the Filter A. Lock the cap of Filter A. Use the opener to tighten the cap.



**10** Re-assemble the Filter A in the water machine. Push it down and then lock it in a clockwise direction.



**11** Turn the Diverter Switch to  $\blacklozenge$  turn on the water to fill up the Filter A with DIAMOND water.



**12** Then press the air release button on top of Filter A until air and water flow out.



## Filter Replacement

### Filter A

Ceramic Cartridge of Filter A needs to be cleaned frequently and replaced yearly.

For replacing a new cartridge, follow the steps on P.8.

### Filter B, C

These filters need to be replaced according to the recommended usage period. The usage period has been marked at the bottom of each filters.

4

Last, but not least

## Carrying Your DIAMOND Coral Mini in the Right Way



NOTICE: Failure to follow this handling instruction could result in damage to your DIAMOND Coral Mini.

Before you lift or reposition your DIAMOND Coral Mini, removing the connecting hose. Carrying your DIAMOND Coral Mini up-right as shown in the picture.



## Service Hotlines

Don't forget to replace the filter on time to ensure optimum performance of your DIAMOND Coral Mini. Call us at the hotlines listed below.

<b>Hong Kong</b>	852 2891 2666
<b>China</b>	755 2399 6866
<b>Malaysia</b>	1 800 88 2399
<b>Singapore</b>	6484 6333
<b>Taiwan</b>	0800 217 556

DIAMOND promises to keep your machine performing well all time. Please call us for service and we will attend within 24 hours from your call. Our mission is to do the best for you.



diamond



diamond

diamond



diamondcoral.com



diamondcoral

DIAMOND



*Coral*

DIAMOND



珊 瑚 碱 性 水

DIAMOND Coral Mini  
使用手册

# 內容

## 第1章：准备安装

- 24 看看盒子里有什么
- 25 为DIAMOND Coral Mini找个合适的好地方

## 第2章：安装您的DIAMOND Coral Mini

- 27 安装分流开关和连接DIAMOND Coral
- 28 安装陶芯A

## 第3章：体验 DIAMOND Coral Mini 新生活

- 30 DIAMOND Coral Mini的特点
- 31 启用您的DIAMOND Coral Mini
- 32 保养您的DIAMOND Coral Mini
- 34 更换滤芯

## 第4章：极致服务，极致生活

- 36 以正确的方式提取DIAMOND Coral Mini
- 37 服务热线

1

准备安装

## 看看盒子里有什么

您的DIAMOND Coral Mini 配件项目



1 3滤芯净水器 2 分水器 3 陶芯A和O环 4 刷子 5 2个8字形胶圈 6 滤芯A手把 7 胶喉

## 为 DIAMOND Coral Mini 找个合适的好地方

可以选择不同的位置安装您的 DIAMOND Coral Mini。  
DIAMOND Coral Mini 可以安装在 **A** 厨房台面上或收藏于 **B** 洗涤盆下。  
我们专业的技术人员会帮您完成整个安装过程。



**B** 洗涤盆下



2

安装您 DIAMOND Coral Mini

## 安装分流开关和连接 DIAMOND Coral Mini

只要转换分水器上的开关制至  或 ，便可轻松选择自来水或DIAMOND Coral Mini极致泉源。


1 松脱水龙头顶端的螺丝头。



2 把分水器固定于水龙头顶端，以逆时针方向转动锁紧。

3 为您的DIAMOND Coral Mini 净水器和分水器选择一个理想位置放好，量度之间距离，剪下两条同等长度的接驳胶喉。

4 把8字胶圈套入两条胶喉以保持距离。



5 插入驳胶喉连接DIAMOND Coral Mini 净水器和分水器。  
(蓝色) → (Inlet)入水  
(黄色) → (Outlet)出水


## 安装陶芯A

为确保您享用的 DIAMOND CORAL Mini 极致泉源的水质，您需要知道以下轻松简便的陶芯A安装方法；我们建议应每年更换滤芯。

- 1 把新滤芯上的粉末冲洗干净。



- 2 打开DIAMOND Coral Mini的上盖，以逆时针方向把滤芯A松开，并取出。



- 3 将A滤芯套在手把上，旋转解开A滤芯盖。



- 4 把陶芯以逆时针方向扣上滤芯盖的底部，不宜过紧，并留意陶芯顶部的胶圈保持原位。



- 5 把组装好的滤芯A，以顺时针方向转动，装回净水器内。



- 6 把分水器开关转向◆，开启水龙头。



- 7 长按滤芯A顶端上的按钮直到气压与水完全流出。



3

让 DIAMOND Coral Mini 融入您的生活

## DIAMOND CORAL Mini的特点

### 极致独特外型

净水器不再被隐藏于厨房的角落里，我们把净水器从一件工具精致化，为全球首部精品水机 - DIAMOND CORAL MINI。她，就是美。她是具有收藏价值的厨房艺术品！


### 半透明盖子设计，窥探净水器中简约时尚的滤芯

简约时尚的滤芯设计，仿似一朵朵郁金香花在绽放，赏心悦目。

### 易拆装式滤芯设计

椭圆形顶端，令您更容易抓紧滤芯，轻轻转动，使可卸或装上滤芯，十分简便。

### 分流开关器 简易操作设计

分流开关器设计简单并且容易操作。只需要转换到 ◆ 标志，便可以轻松享受健康水。需要使用自来水时，只需转换到  标志即可。

## 启用您的 DIAMOND Coral Mini

把分流开关扭至 ◆ 方位，打开水龙头，让水把水机内6支滤芯彻底冲洗约30分钟，才开始饮用。



## 保养您的 DIAMOND Coral Mini

### 清洗A滤芯

A 滤芯的功用是滤除水中的泥沙、铁锈等杂质，它的陶芯必须经常清洗。

如果您发现DIAMOND水的流量开始减少，就表示您应该清洗陶芯了。步骤如下：

- 1 停止水流，然后将分流开关扭向 ◆ 方位。



- 2 将A滤芯顶端上的空气泄压头按下，让里面的水及气压流出来。



- 3 然后以反时钟方向将A滤芯旋脱。



- 4 将手把放在桌面上，然后将A滤芯套在手把上。确保A滤芯与手把合口接上。



- 5 旋转解开滤芯A盖。



- 6 轻轻的把陶芯拿出来。



7 将陶芯在自来水下洗刷干净。




8 将清洗干净的陶芯重新装回A滤芯。



9 将A滤芯盖旋上。



10 然后将A滤芯置放入饮水机内。把它按下，再以顺时针转向，将A滤芯锁紧。



11 把分流开关转向◆，开启水龙头，让A滤芯盛满 DIAMOND CORAL水。



12 再将A滤芯顶端上的空气泄压头按下，直到里面的水与气压流出来。





## 更换滤芯

### 滤芯A

A滤芯内的陶瓷芯须经常清洗，以及每年更换一次。

### 滤芯B, C

每支滤芯底部均列明建议更换时间，我们建议滤芯应按时更换，确保水质优良。

# 4 极致服务，极致生活

## 以正确的方式提取 DIAMOND Coral Mini



注意：不当摆放或移动净水器，有可能造成净水器损坏，影响操作。

若需要转换或移动您的 DIAMOND CORAL MINI 现有位置时，请先移除所有已连接的胶喉，并根据以上图示正确地拿起您的 DIAMOND CORAL MINI，切勿倒转。

## 服务热线

定时更换滤芯，以确保您的水机维持最佳状态，令您体验极致泉源，享受极致生活。

香港 852 2891 2666

中国 755 2399 6866

马来西亚 1 800 88 2399

新加坡 6484 6333

台湾 0800 217 556

「为您做到最好」是我们的宗旨。DIAMOND承诺为您提供最优质的服务。

如有任何疑问或技术支援，请致电我们的服务热线；在接到您的电话后，我们会在24小时内回覆。



diamond



diamond



diamondcoral.com



diamondcoral

DIAMOND



*Coral*

DIAMOND



珊 瑚 鹼 性 水

DIAMOND Coral Mini  
使用手冊

# 內容

## 第1章：準備安裝

- 44 看看盒子裡有什麼
- 45 為DIAMOND Coral Mini找個合適的好地方

## 第2章：安裝您的DIAMOND Coral

- 47 安裝分流開關和連接DIAMOND Coral Mini
- 48 安裝陶芯A

## 第3章：體驗DIAMOND Coral新生活

- 50 DIAMOND Coral Mini的特點
- 51 啟用您的DIAMOND Coral Mini
- 52 保養您的DIAMOND Coral Mini
- 54 更換濾芯

## 第4章：極致服務，極致生活

- 56 以正確的方式提取DIAMOND Coral Mini
- 57 服務熱線



1

準備安裝

## 看看盒子裡有什麼

您的DIAMOND Coral Mini 配件項目



1 3濾芯淨水器 2 分水器 3 陶芯A和O環 4 刷子 5 2個8字形膠圈 6 濾芯A手把 7 膠喉

## 為 DIAMOND Coral Mini 找個合適的好地方

可以選擇不同的位置安裝您的 DIAMOND Coral Mini。  
DIAMOND Coral Mini 可以安裝在 **A** 廚房檯面上或收藏於 **B** 洗滌盆下。  
我們專業的技術員會幫您完成整個安裝過程。



**B** 洗滌盆下

2

安裝您 DIAMOND Coral Mini

## 安裝分流開關和連接 DIAMOND Coral Mini

只要轉換分水器上的開關製至  或 ，便可輕鬆選擇自來水或DIAMOND Coral Mini極致泉源。


1 鬆脫水龍頭頂端的螺絲頭。



2 把分水器固定於水龍頭頂端，以逆時針方向轉動鎖緊。

3 為您的DIAMOND Coral Mini淨水器和分水器選擇一個理想位置放好，量度之間距離，剪下兩條同等長度的接駁膠喉。

4 把8字膠圈套入兩條膠喉以保持距離。



5 插入駁膠喉連接DIAMOND Coral Mini淨水器和分水器。  
(藍色) → (Inlet)入水  
(黃色) → (Outlet)出水


## 安裝陶芯A

為確保您享用的 DIAMOND Coral Mini 極致泉源的水質，您需要知道以下輕鬆簡便的陶芯A安裝方法；我們建議應每年更換濾芯。

- 1 把新濾芯上的粉末沖洗乾淨。



- 2 打開DIAMOND Coral Mini的上蓋，以逆時針方向把濾芯A鬆開，並取出。



- 3 將A濾芯套在手把上，旋轉解開A濾芯蓋。



- 4 把陶芯以逆時針方向扣上濾芯蓋的底部，不宜過緊，並留意陶芯頂部的膠圈保持原位。



- 5 把組裝好的濾芯A，以順時針方向轉動，裝回淨水器內。



- 6 把分水器開關轉向◆，開啟水龍頭。



- 7 長按濾芯A頂端上的按鈕直到氣壓與水完全流出。



3

讓 DIAMOND Coral Mini 融入您的生活

## DIAMOND CORAL MINI的特點

### 極致獨特外型

淨水器不再被隱藏於廚房的角落裡，我們把淨水器從一件工具精緻化，為全球首部精品水機 - DIAMOND CORAL MINI。她，就是美。她是具有收藏價值的廚房藝術品！

### 半透明蓋子設計，窺探淨水器中簡約時尚的濾芯

簡約時尚的濾芯設計，仿似一朵朵鬱金香花在綻放，賞心悅目。

### 易拆裝式濾芯設計

橢圓形頂端，令您更容易抓緊濾芯，輕輕轉動，使可卸或裝上濾芯，十分簡便。

### 分流開關器 簡易操作設計

分流開關器設計簡單並且容易操作。只需要轉換到 ◆ 標誌，便可以輕鬆享受健康水。需要使用自來水時，只需轉換到 🚰 標誌即可。



## 啟用您的 DIAMOND Coral Mini

把分流開關扭至 ◆ 方位，打開水龍頭，讓水把水機內6支濾芯徹底沖洗約30分鐘，才開始飲用。



## 保養您的 DIAMOND Coral Mini

### 清洗A濾芯

A 濾芯的功用是濾除水中的泥沙、鐵鏽等雜質，它的陶芯必須經常清洗。

如果您發現DIAMOND水的流量開始減少，就表示您應該清洗陶芯了。步驟如下：

- 1 停止水流，然後將分流開關扭向 ◆ 方位。



- 2 將A濾芯頂端上的空氣洩壓頭按下，讓裡面的水及氣壓流出來。



- 3 然後以反時鐘方向將A濾芯旋脫。



- 4 將手把放在桌面上，然後將A濾芯套在手把上。確保A濾芯與手把合口接上。



- 5 旋轉解開濾芯A蓋。



- 6 輕輕的把陶芯拿出來。



7 將陶芯在自來水下洗刷乾淨。




8 將清洗乾淨的陶芯重新裝回A濾芯。



9 將A濾芯蓋旋上。



10 然後將A濾芯置放入水機內。把它按下，再以順時鐘轉向，將A濾芯鎖緊。



11 把分流开关转向◆，开启水龙头，让A濾芯盛满DIAMOND CORAL水。



12 再將A濾芯頂端上的空氣洩壓頭按下，直到裡面的水與氣壓流出來。



## 更換濾芯

### 濾芯A

A濾芯內的陶瓷芯須經常清洗，以及每年更換一次。

### 濾芯B, C

每支濾芯底部均列明建議更換時間，我們建議濾芯應按時更換，確保水質優良。

4

極致服務，極致生活

## 以正確的方式提取 DIAMOND Coral Mini



注意：不當擺放或移動淨水器，有可能造成淨水器損壞，影響操作。

若需要轉換或移動您的 DIAMOND CORAL MINI 現有位置時，請先移除所有已連接的膠喉，並根據以上圖示正確地拿起您的 DIAMOND CORAL MINI，切勿倒轉。

## 服務熱線

定時更換濾芯，以確保您的水機維持最佳狀態，令您體驗極致泉源，享受極致生活。

香港 852 2891 2666

中國 755 2399 6866

馬來西亞 1 800 88 2399

新加坡 6484 6333

台灣 0800 217 556

「為您做到最好」是我們的宗旨。DIAMOND承諾為您提供最優質的服務。

如有任何疑問或技術支援，請致電我們的服務熱線；在接到您的電話後，我們會在24小時內回覆。



diamond



diamond





DIAMOND



*Coral*