Air Duster



Product Description:

Spanjaard Air Duster provides a high pressure blast of gas for cleaning dust and other contaminants from inaccessible areas of sensitive electronic and electrical equipment including office equipment, circuit boards, printers and keyboards.

- Penetrates difficult to reach areas.
- Safe on plastics.
- Low global warming potential and contains no ozone depleting substances.

Typical Properties:

| Appearance | Colourless and odourless |
|-----------------------|--------------------------|
| Gas Type | Propane/Butane Blend |
| Recommended Operating | 15-45°C |
| Temp °C | 15-45°C |
| Density (g/ml) | 0.56 |

Application Instructions:

NOTE: This product is flammable. Never spray onto live electrical equipment or near other ignition sources. Switch machinery off before use.

Use product with can in an upright position. Do not invert can or shake can during use.

Spray in short bursts to areas to be cleaned.



The can may become very cold during use. Take necessary precautions (gloves) to prevent cold burns.

For optimum performance ensure that the product is warmed to 20-30°C while in use. Performance will be negatively affected when the product is cold.

NOTE: Air **Duster Non-Flammable** is available for applications requiring a non-flammable product.

Air Duster



CAUTION:

DANGER - Extremely flammable aerosol. Pressurised container: May burst if heated. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/ national/international regulations.



SPANJAARD HQ: 748 – 750 Fifth Street, Wynberg, Sandton, Johannesburg, South Africa 2090

www.spanjaard.biz + 27 (0)11 386 7100

General Enquiries: info@spanjaard.biz | Technical Support: support@spanjaard.biz

Emergencies Only (NCEC): + 44 1865 407333