



CDS302 18.5kW; without coating; IP20; with LCP; H2; B4

131H9100

(/sg/en/CDS302-18-5kW%3B-without-coating%3B-IP20%3B-with-LCP%3B-H2%3B-B4/p/131H9100)

CDS302 18.5kW; without coating; IP20; with LCP; H2; B4

Contact

+ Add to comparison list

Product details

Documents

Visuals

Product details

Gross weight

18.97 Kg

Net weight

18.67 Kg

EAN

5702427596115


Coating	No
Description	CDS302 18.5kW; without coating; IP20; with LCP; H2; B4
Frame	B4
IP class	IP20
LCP	Yes
Length [mm]	242 mm
Model number	CDS302P18KT4P20H2
Power consumption [kW]	18.5 kW
Power consumption [W]	18.5 W
RFI class	H2
Supply power range [V] AC [Max]	480 V
Supply power range [V] AC [Min]	380 V
Total height [mm]	595 mm
Type	Frequency converter
Type designation	Frequency converter
Width [mm]	231 mm

Documents

Document Type	Singapore	English	Title
Catalog	Singapore	English	Spare parts and accessories for reciprocating and scroll compressors

Document Type	Singapore	English	Reciprocating and scroll CO Title (//assets.danfoss.com/doci AF200886436047en-000401 1911 KB
---------------	-----------	---------	--

Visuals

Visuals	Document Category	Title	Download
	Photo	Drive CDS302 - 303	› IMG306856012273 (//assets.danfoss.com/images/IMG306856012273)

[FAQs \(/sg/en/faq\)](/sg/en/faq)

[About us
\(https://www.danfoss.com/en-sg/about-danfoss/\)](https://www.danfoss.com/en-sg/about-danfoss/)

[Find nearest distributor
\(/sg/en/find-a-distributor\)](/sg/en/find-a-distributor)

[Contact us
\(https://www.danfoss.com/en-sg/contact-us/\)](https://www.danfoss.com/en-sg/contact-us/)
[Customer Service Center contacts
\(/sg/en/customer-service\)](/sg/en/customer-service)

[TERMS OF USE \(https://www.danfoss.com/en-sg/terms/\)](https://www.danfoss.com/en-sg/terms/) [PRIVACY POLICY \(/sg/en/privacy\)](/sg/en/privacy)

[GENERAL INFORMATION \(https://www.danfoss.com/en-sg/terms/generalinformation/\)](https://www.danfoss.com/en-sg/terms/generalinformation/)

[CONFIGURATION DISCLAIMER \(/sg/en/disclaimer_cpq\)](/sg/en/disclaimer_cpq)