

SAFETY DATA SHEET**504909 CLEARWOOD**Revision Date: 05-21-2018
Version # 02Page 1 of 10
Print Date: 05-21-2018**1. IDENTIFICATION**

Product Description: CLEARWOOD
CAS # 84238-39-1

Other means of identification
Vigon Item # 504909

Recommended use Concentrated aromatic ingredient which may be used fragrance compounds according to legal and IFRA guidelines.

Recommended restrictions For Manufacturing Use Only

Company

Vigon International, Inc.
127 Airport Road
E. Stroudsburg, PA 18301
For information call: 570-476-6300
Web Site: www.vigon.com

24 Hour Emergency Response Information

INFOTRAC (ACCT# 78928);
1-800-535-5053 WITHIN THE U.S.A.
1-352-323-3500 OUTSIDE THE U.S.A.

Manufacturer/Importer/Supplier/Distributor information**Manufacturer**

Company name Vigon International, Inc.
Address 127 Airport Road
E. Stroudsburg, PA 18301
United States

Telephone For information call: 570-476-6300
Website www.vigon.com
E-mail Not available.

Emergency phone number INFOTRAC (ACCT# 78928);
1-800-535-5053 WITHIN THE U.S.A.
1-352-323-3500 OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazards Not classified.

Health hazards Aspiration hazard Category 1

Environmental hazards Hazardous to the aquatic environment, long-term hazard Category 2

Label elements

Signal word Danger

Hazard statement May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

Precautionary statement
Prevention Avoid release to the environment.



SAFETY DATA SHEET

504909 CLEARWOOD

Revision Date: 05-21-2018

Page 2 of 10

Version # 02

Print Date: 05-21-2018

| | |
|--|--|
| Response | IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Collect spillage. |
| Storage | Store locked up. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Hazard(s) not otherwise classified (HNOC) | None known. |
| Supplemental information | 100% of the mixture consists of component(s) of unknown acute inhalation toxicity. 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. |

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

| Chemical name | Common name and synonyms | CAS number | % |
|---------------|--|------------|-----|
| CLEARWOOD | Patchouli Leaf Water patchouli oil replacer | 84238-39-1 | 100 |

4. FIRST-AID MEASURES

| | |
|---|---|
| Inhalation | If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist. |
| Skin contact | Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes. |
| Eye contact | Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids. |
| Ingestion | Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. |
| Most important symptoms/effects, acute and delayed | Aspiration may cause pulmonary edema and pneumonitis. |
| Indication of immediate medical attention and special treatment needed | Not available. |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. |

5. FIRE-FIGHTING MEASURES

| | |
|--|---|
| Suitable extinguishing media | Water spray, fog, CO2, dry chemical, or alcohol resistant foam. |
| Unsuitable extinguishing media | Do not use a solid water stream as it may scatter and spread fire. |
| Specific hazards arising from the chemical | Fire may produce irritating, corrosive and/or toxic gases. |
| Special protective equipment and precautions for firefighters | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires. |



SAFETY DATA SHEET

504909 CLEARWOOD

Revision Date: 05-21-2018

Page 3 of 10

Version # 02

Print Date: 05-21-2018

| | |
|---|--|
| Fire fighting equipment/instructions | In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control. |
| Specific methods | Use water spray to cool unopened containers. |
| General fire hazards | Static charges generated by emptying package in or near flammable vapor may cause flash fire. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|--|---|
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. |
| Methods and materials for containment and cleaning up | <p>Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.</p> <p>The product is immiscible with water and will spread on the water surface.</p> <p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the SDS.</p> |
| Environmental precautions | Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. |

7. HANDLING AND STORAGE

| | |
|---|---|
| Precautions for safe handling | Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling. |
| Conditions for safe storage, including any incompatibilities | Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| | |
|---|--|
| Occupational exposure limits | This substance has no PEL, TLV, or other recommended exposure limit. |
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Appropriate engineering controls | Use explosion-proof ventilation equipment to stay below exposure limits. Adequate ventilation should be provided so that exposure limits are not exceeded. |



SAFETY DATA SHEET

504909 CLEARWOOD

Revision Date: 05-21-2018

Page 4 of 10

Version # 02

Print Date: 05-21-2018

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|--|
| Eye/face protection | Wear safety glasses with side shields (or goggles). Face shield is recommended. |
| Skin protection | |
| Hand protection | Chemical resistant gloves. |
| Other | Not available. |
| Respiratory protection | Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided. |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|-----------------------------------|
| Appearance | Refer to Spec Sheet |
| Physical state | Liquid. |
| Form | Liquid. |
| Color | Refer to Spec Sheet |
| Odor | Characteristic. |
| Odor threshold | Not available. |
| pH | Not available. |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | > 200.0 °F (> 93.3 °C) Closed Cup |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | < 0.1 mm Hg at 20 °C |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Insoluble |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |

SAFETY DATA SHEET

504909 CLEARWOOD

Revision Date: 05-21-2018

Page 5 of 10

Version # 02

Print Date: 05-21-2018

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive.

Molecular formula Not applicable

Oxidizing properties Not oxidizing.

Specific gravity 0.96 at 25 °C

10. STABILITY AND REACTIVITY

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.

Symptoms related to the physical, chemical and toxicological characteristics Aspiration may cause pulmonary edema and pneumonitis.

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways.

| Product | Species | Test Results | |
|----------------------------|-------------|-----------------|------------|
| CLEARWOOD (CAS 84238-39-1) | | | |
| Acute | | | |
| <i>Dermal</i> | | | |
| LD50 | Unspecified | > 5000 mg/kg bw | Limit test |
| <i>Oral</i> | | | |
| LD50 | Unspecified | > 5000 mg/kg bw | Limit test |

Skin corrosion/irritation Skin irritation (in vivo) (EU Method B4) Not irritating

Serious eye damage/eye irritation Eye irritation (in vitro) (OECD 437) Not an ocular corrosive or severe irritant
Eye irritation (in vivo) (Similar to OECD 405) Not irritating

SAFETY DATA SHEET

504909 CLEARWOOD

Revision Date: 05-21-2018

Page 6 of 10

Version # 02

Print Date: 05-21-2018

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization Sensitisation - human (HRIPT) Not a skin sensitizer (2%)

Germ cell mutagenicity In vitro gene mutation study in bacteria - Ames test (OECD 471) Not mutagenic
 In vitro cytogenicity study in mammalian cell (OECD 473) Not clastogenic
 In vitro genotoxicity in mammalian cell (OECD 476) Not mutagenic

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not available.

Reproductive toxicity Toxicity to reproduction - screening (OECD 421) NOAEL = 277 mg/kg bw/day

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard May be fatal if swallowed and enters airways.

Chronic effects Repeated dose toxicity (28 days) (OECD 407) NOAEL = 977 mg/kg bw/day

12. ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic life with long lasting effects.

| Product | Species | | Test Results |
|----------------------------|---------|-------------------------------|--|
| CLEARWOOD (CAS 84238-39-1) | | | |
| Aquatic | | | |
| Algae | ErC50 | Algae | 73 mg/l, 72 hours Short-term toxicity |
| Crustacea | LL50 | Invertebrates (Invertebrates) | 21 mg/l, 48 hours Short-term toxicity |
| Fish | LL50 | Fish | 5.7 mg/l, 96 hours Growth inhibition study |

Persistence and degradability Ready biodegradation (OECD 301F) Readily biodegradable

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SAFETY DATA SHEET

504909 CLEARWOOD

Revision Date: 05-21-2018

Page 7 of 10

Version # 02

Print Date: 05-21-2018

13. DISPOSAL CONSIDERATIONS

| | |
|--|---|
| Disposal instructions | Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | Not established. |
| Waste from residues / unused products | Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |

14. TRANSPORT INFORMATION

ADN

| | |
|-----------------------------------|---|
| UN number | 3082 |
| UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLEARWOOD) |
| Transport hazard class(es) | 9 |
| Subsidiary class(es) | - |
| Packing group | III |
| Environmental hazards | Yes |
| Labels required | 9 |

ADR

| | |
|-----------------------------------|---|
| UN number | 3082 |
| UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLEARWOOD) |
| Transport hazard class(es) | 9 |
| Subsidiary class(es) | - |
| Packing group | III |
| Environmental hazards | Yes |
| Labels required | 9 |

RID

| | |
|-------------------------------------|---|
| UN number | 3082 |
| UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLEARWOOD) |
| Transport hazard class(es) | 9 |
| Subsidiary class(es) | - |
| Packing Group | III |
| Environmental Hazards | Yes |
| Labels required | 9 |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

DOT

BULK

| | |
|-----------------------------|---|
| UN number | 3082 |
| Proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLEARWOOD) |
| Hazard class | 9 |
| Packing group | III |

SAFETY DATA SHEET

504909 CLEARWOOD

Revision Date: 05-21-2018

Page 8 of 10

Version # 02

Print Date: 05-21-2018

Environmental hazards

| | |
|----------------------|-----|
| Marine pollutant | Yes |
| Packaging exceptions | 155 |
| Packaging bulk | 241 |
| Labels required | 9 |

DOT**NON-BULK**

Not regulated as dangerous goods.


IATA

Not regulated as dangerous goods.

IMDG

| | |
|--|---|
| UN number | 3082 |
| UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLEARWOOD) |
| Transport hazard class(es) | 9 |
| Subsidiary class(es) | - |
| Packing group | III |
| Environmental hazards | |
| Marine pollutant | Yes |
| Labels required | 9 |
| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not applicable. |

ADN; ADR; DOT BULK; IMDG; RID



Marine pollutant





SAFETY DATA SHEET

504909 CLEARWOOD

Revision Date: 05-21-2018

Page 9 of 10

Version # 02

Print Date: 05-21-2018

15. REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not available.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

Classified hazard categories Aspiration hazard

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

California Proposition 65

California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date 11-17-2015

Revision date 05-21-2018

Version # 02

HMIS® ratings Health: 1*
Flammability: 1
Physical hazard: 0



SAFETY DATA SHEET

504909 CLEARWOOD

Revision Date: 05-21-2018

Page 10 of 10

Version # 02

Print Date: 05-21-2018

Disclaimer

Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.