

Power Up T-4 series

Product Description:

Power Up T-4 ATF is formulated with the refined synthetic base oil for the application on a wide range of vehicles automatic transmission. It consists of high performance additives with specially selected friction modifier to provide the correct friction characteristic in the automatic transmission system. Its additive systems to provide excellent foam resistance, corrosion and wear protection. It is reinforced with metal treatment to provide outstanding protection on the auto-transmission gears. It is highly recommended for use in the Toyota Specification Type of ATF, General Motors ATF Dexron III (H revision) as well as Ford Mercon requirements. It also meets JASO 1A for Japanese vehicles and the Allison C4 specifications for power shifting usage & many other OEM claims. As well as it is recommended in CVT transmit engine with displacement below 2L. POWER UP T-4 ATF exceeds each of the OEMs: Toyota T-IV usually Toyota cars manufactured after 1996 models. Shelf life provided is 3 to 3½ years.

Applications / Benefits:

1. Provides excellent oxidation & thermal stability
2. Prolong fluid life and transmission life
3. Outstanding antiwear and friction properties
4. Smooth and quiet operation
5. Smooth shifting
6. Excellent viscosity stability (high VI)
7. Application in a wide variety of Auto Transmission
8. Much enhance fluidity at very low temperature

Typical Characteristics:

<i>Characteristics Method</i>	<i>Unit</i>	<i>Method</i>	<i>Typical Value</i>
Kinematic Viscosity @ 100 °C	cSt	ASTM D445	7.43
Kinematic Viscosity @ 40 °C	cSt	ASTM D445	32.3
Viscosity Index			160
Appearance	-	-	Red
Flash Point (PMCC)	°C	ASTM D93	205
Pour Point	°C	-	-38

Specifications, Approvals & Recommendations: