

# METEOR LED

## ECO SAC T8 Mirror Optic Louvre Fitting Series (Wood/Plaster Ceiling)

### Features

Designed for direct recess mounting on wood or plaster ceiling with single parabolic mirror optic louvre with christmas profile cross blades. Louvres reflection by means of slide lock set and can be lowered and hang from either side

### Luminaire Product Description

Mounting	Wood/Plaster
Housing Material	Cold Roll Steel
Coating	Epoxy Polyester Powder
Light Source	SJLITE ECO Glass Tube HO
Input Voltage	240V~, 50Hz
Power Factor	>0.9
Ingress Protection	IP20
Insulation Classification	Class I


### Optics

Louvre Material	High Quality Anodised Aluminium
Louvre Type	Specular

### Application

Mainly used for general lighting in offices, supermarkets and complexes.

### Wiring Diagram





### Control

\*Dimming Option      Fixed Output




## Dimension



## Order Reference

Model	Quantity Of Tube	Length Of Tube
ECO SAC	1	A (2ft)
	2	C (4ft)
	3	
	4	

### Example :



## Order Information

Model No.	No. Of Lamp	L(mm)	L1(mm)	W(mm)	W1(mm)	H(mm)	H1(mm)
ECO SAC 2A 220/W MOL	2	612	636	598	620	90	78
ECO SAC 2C 240/W MOL (1x4)	2	1222	1246	270	329		
ECO SAC 2C 240/W MOL	2			561	620		
ECO SAC 3C 340/W MOL	3						

Note : Subject to +/- 1.5mm

\*Other various types are available upon request.