Product data sheet Characteristics

E8331PRL1_WE_G11

Time delay switch, AvatarOn, complete product, IP20, white





Main

Range	AvatarOn
Product or component type	Time delay switch
Device presentation	Complete product

Complementary

Device mounting	Flush	
Number of gangs	1 gang	
Number of rocker	1	
Actuator	Rocker	
Fixing mode	Clip-in	
Colour tint	White	
Surface finish	Glossy	
[le] rated operational current	Resistive: 4 A Inductive: 4 A	
[Ue] rated operational voltage	250 V AC 5060 Hz	
Clamping connection capacity	14 mm² for rigid cable(s) 14 mm² for stranded cable(s) 14 mm² for flexible cable(s)	
Wire stripping length	12 Mm	
Material	PC (polycarbonate): base PC (polycarbonate): base cover PC (polycarbonate): grid plate PC (polycarbonate): surround PC (polycarbonate): dolly Brass: terminal cover	
Height	86 Mm	
Width	86 Mm	
Depth	34 Mm	
Embedding depth	25 Mm	
Product weight	0.077 Kg	

Environment

LITVITOTITICITE		
IP degree of protection	IP20	

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.4 Cm
Package 1 Width	8.6 Cm
Package 1 Length	8.6 Cm
Package 1 Weight	77.0 G
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	9.5 Cm
Package 2 Width	19.0 Cm
Package 2 Length	19.5 Cm
Package 2 Weight	842.0 G

Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	€Yes
China RoHS Regulation	☑ China RoHS Declaration
Environmental Disclosure	Product Environmental Profile

Product Life Status : Commercialised