

# Product datasheet

Specifications



## 21W Type A + Type C, PD+QC3.0 USB Charger, Lavender Silver

E8232ACQUSB\_LS\_G11

### Main

Range	Pieno
Product or component type	USB charger
Device application	Charger
Fixing mode	Screw

### Complementary

Device mounting	Flush
Device presentation	Mechanism
Colour tint	Lavender silver
Surface finish	Painted
Surface treatment	Polished
Number of modules	1 module 54.8 x 51.5 x 38.7 mm
Quantity per set	1 set
Condition of use	Room temperature
Ambient air temperature for storage	-5...60 °C
Relative humidity	0...90 %
[Ue] rated operational voltage	100/240 V 50/60 Hz
Power consumption in W	21 W
Integrated connection type	2 USB port 5 V, maximum load current: 3 A USB port 9 V, maximum load current: 2 A USB port 12 V, maximum load current: 1.5 A USB port 5 V, maximum load current: 2.1 A
Material	PC (polycarbonate): surround PC (polycarbonate): grid plate PC (polycarbonate): housing PC (polycarbonate): cover
Shape of screw head	Cross
Number of terminals	2 screw terminals
Clamping connection capacity	2.5 mm <sup>2</sup> for stranded cable(s) 2.5 mm <sup>2</sup> for solid cable(s) 1.5 mm <sup>2</sup> for stranded cable(s) 1.5 mm <sup>2</sup> for solid cable(s)
Wire stripping length	8 mm
Product compatibility	HTC

XiaoMi  
 Apple  
 Samsung  
 HW  
 Major smart phone and tablet

<b>Standards</b>	MS IEC 60950-1 IEC 60950-1 IEC 62368-1 IEC 61558-2-16
<b>Height</b>	87 mm
<b>Width</b>	87 mm
<b>Depth</b>	38.3 mm
<b>Embedding depth</b>	28.85 mm
<b>Net weight</b>	0.1221 kg

## Environment

<b>Product certifications</b>	SIRIM
<b>IP degree of protection</b>	IP20
<b>Environmental characteristic</b>	Liquid soap Alcohol Petrol

## Packing Units

<b>Unit Type of Package 1</b>	PCE
-------------------------------	-----

<b>Number of Units in Package 1</b>	1
-------------------------------------	---

<b>Package 1 Height</b>	4 cm
-------------------------	------

<b>Package 1 Width</b>	8.7 cm
------------------------	--------

<b>Package 1 Length</b>	8.7 cm
-------------------------	--------

<b>Package 1 Weight</b>	128 g
-------------------------	-------

<b>Unit Type of Package 2</b>	CAR
-------------------------------	-----

<b>Number of Units in Package 2</b>	8
-------------------------------------	---

<b>Package 2 Height</b>	9.5 cm
-------------------------	--------

<b>Package 2 Width</b>	15 cm
------------------------	-------

<b>Package 2 Length</b>	19 cm
-------------------------	-------

<b>Package 2 Weight</b>	1.024 kg
-------------------------	----------

<b>Unit Type of Package 3</b>	PAL
-------------------------------	-----

<b>Number of Units in Package 3</b>	1600
-------------------------------------	------

<b>Package 3 Height</b>	110 cm
-------------------------	--------

<b>Package 3 Width</b>	80 cm
------------------------	-------

<b>Package 3 Length</b>	120 cm
-------------------------	--------

<b>Package 3 Weight</b>	226.8 kg
-------------------------	----------

## Offer Sustainability

<b>REACH Regulation</b>	<a href="#">REACH Declaration</a>
-------------------------	-----------------------------------

<b>REACH free of SVHC</b>	Yes
---------------------------	-----

<b>EU RoHS Directive</b>	Compliant <a href="#">EU RoHS Declaration</a>
--------------------------	--

<b>Toxic heavy metal free</b>	Yes
-------------------------------	-----

<b>Mercury free</b>	Yes
---------------------	-----

China RoHS Regulation

[China RoHS declaration](#)  
Pro-active China RoHS declaration (out of China RoHS legal scope)

RoHS exemption information

Yes

Recommended replacement(s)