

Product datasheet

Specifications



Affle plus - 10A 250V 2 gang momentary switch - white

A3G32PB_WE_G11

Main

Range	Affle Plus
Product or component type	Switch
Device application	Momentary switch
Switch application	Bell switch
Load type	Resistive load
Colour tint	White

Complementary

Device mounting	Flush
Switch function	Momentary
Product destination	Door bell
Cable cross section	2 x 2.4 mm ² stranded cable for AC 1 x 2.4 mm ² solid or flexible cable
Rated current	10 A at 250 V AC 50...60 Hz
Local signalling	Indicator: fluorescent, fluorescent (green)
Number of gangs	2 gangs
Material	PC (polycarbonate) 2405 Bayer: dolly PC (polycarbonate) 2405 Bayer: surround PC: lens PC: grid plate PC: base Steel with brass plating: terminals Steel with brass plating: terminal screw
Connections - terminals	Folded terminal
Embedding depth	19.1 mm
Width	86 mm
Height	86 mm
Depth	32.4 mm

Environment

Maximum ambient air temperature for operation	45 °C
Ambient air temperature for storage	-5...60 °C

Relative humidity	0...95 %
Environmental characteristic	Dust and oil resistant
Operating altitude	0...2000 m
Product certifications	IEC SIRIM
Standards	IEC 60669-1 BS EN 60669-1 MS IEC 60669-1 SS 227
IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.8 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	81 g
Unit Type of Package 2	BB1
Number of Units in Package 2	8
Package 2 Height	9.5 cm
Package 2 Width	15 cm
Package 2 Length	19 cm
Package 2 Weight	696 g
Unit Type of Package 3	CAR
Number of Units in Package 3	96
Package 3 Height	21 cm
Package 3 Width	39.9 cm
Package 3 Length	46.9 cm
Package 3 Weight	8.85 kg
SCC14	23606481450609

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile

Recommended replacement(s)