

Product datasheet

Specifications



15A 250V 1 Gang 3 Round Pin Switched Socket, White

A3G15_15_WE_G11

Main

Range	Affle Plus
Product or component type	Switched socket
Device presentation	Mechanism
Outlet poles configuration	3P with shutter
Outlet standard description	With earthing contact
Outlet standard deviation	BS 1363
Colour tint	White
Type of packing	Flow-pack
Sale per indivisible quantity	1
Number of terminals	3

Complementary

Socket number	1
Device mounting	Flush
Fixing mode	Screw
Surface finish	Glossy
Surface treatment	Untreated mechanism cover
Rated current	15 A socket-outlet
[Ue] rated operational voltage	250 V AC 50/60 Hz
Service life in cycles	15000 cycles
Electrical durability	5000 cycles
Connections - terminals	Screw terminal
Screwdriver shape	Philips No 2
Number of cables	2
Clamping connection capacity	2.5...4 mm ² for rigid cable(s) 2.5...4 mm ² for stranded cable(s) 2.5...4 mm ² for flexible cable(s)
Wire stripping length	14 mm
Material	PC (polycarbonate) Brass
Height	86 mm

Width	86 mm
Depth	33.6 mm
Embedding depth	23.7 mm
Net weight	0.07 kg

Environment

Ambient air temperature for storage	-5...45 °C
Ambient air temperature for operation	-5...45 °C
Standards	BS 546 MS 1577
Product certifications	SIRIM
IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.5 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	78.0 g
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	15.0 cm
Package 2 Length	19.0 cm
Package 2 Weight	786.0 g
Unit Type of Package 3	PAL
Number of Units in Package 3	1920
Package 3 Height	100.0 cm
Package 3 Width	80.0 cm
Package 3 Length	120.0 cm
Package 3 Weight	158912.0 g

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration
RoHS exemption information	Yes

Recommended replacement(s)