Product datasheet

Specifications



21W Type A + Type C, PD+QC3.0 USB Charger, Aluminium Silver

KB32ACQUSB_AS_G11

|--|

Range	Vivace
Product or component type	USB charger
Device application	Charger
Fixing mode	Screw

Complementary	
Device mounting	Flush
Device presentation	Mechanism
Colour tint	Aluminium silver
Surface finish	Painted
Surface treatment	Polished
Number of modules	1 module 54.8 x 51.5 x 38.7 mm
Quantity per set	1 set
Condition of use	Room temperature
Ambient air temperature for storage	-560 °C
Relative humidity	095 %
[Ue] rated operational voltage	100/240 V 50/60 Hz
Power consumption in W	21 W
Integrated connection type	2 USB port 5 V, maximum load current: 3 A USB port 9 V, maximum load current: 2.1 A USB port 12 V, maximum load current: 1.5 A
Material	PC (polycarbonate): surround PC (polycarbonate): grid plate PA (polyamide) 6: housing Silicone rubber: cover
Shape of screw head	Cross
Number of terminals	2 screw terminals
Clamping connection capacity	2.5 mm² for stranded cable(s) 2.5 mm² for solid cable(s) 1.5 mm² for stranded cable(s) 1.5 mm² for solid cable(s)
Wire stripping length	10 mm
Product compatibility	HTC XiaoMi

Standards	Apple Samsung HW Major smart phone and tablet MS IEC 60950-1:2007 IEC 60950-1 IEC 62368-1 IEC 61558-2-16
Height	87 mm
Width	87 mm
Depth	38.3 mm
Embedding depth	29.7 mm
Net weight	0.118 kg
Environment	
Product certifications	SIRIM
IP degree of protection	IP20
Environmental characteristic	Liquid soap Alcohol Petrol
Packing Units	
Packing Units Unit Type of Package 1	Db
Number of Units in Package 1	1
Package 1 Height	4 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	124 g
Unit Type of Package 2	CAR
Number of Units in Package 2	8
Package 2 Height	9.5 cm
Package 2 Width	15 cm
Package 2 Length	19 cm
	992 g
Package 2 Weight	PAL
Unit Type of Package 3	1600
Number of Units in Package 3	110 cm
Package 3 Height	
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	220.4 kg
Offer Sustainability REACh Regulation	REACh Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration

RoHS exemption information

Yes

Recommended replacement(s)