LED VALUE PAR30 LED STAR PAR30 / PAR38

LED reflector lamps with retrofit screw base











LED VALUE PAR30

Product Name	GTIN (EAN)	w≙W	Ni.	W	lm	cd	K	Ra	o contraction of the contraction		[mm]	Ø d [mm]	t[h] ³		No.
LV PAR30 125 15W/827 230V 30D E27	4058075137080	125	E27	15	1,250	3,800	2,700	80	_	30°	82	95	15,000	10	1

LED STAR PAR30 / PAR38

Product Name	GTIN (EAN)	w≙W	N. C.	W	lm	cd	K	Ra				d [mm]	t [h] ³		No.
LED STAR PAR30 115															
LED S PAR30 115 11W/827 230V 30D E27	4058075050891	115	E27	11	1,000	2,500	2,700	80	_	30°	93	95	25,000	10	2
LED STAR PAR38 100															
LP PAR38 100 30 13W/827 230V E27	4058075184534	100	E27	13	1,200	2,500	2,700	≥80	_	30°	134	122	25,000	6	3
LP PAR38 100 30 13W/865 230V E27	4058075184473	100	E27	13	1,200	2,500	6,500	≥80	_	30°	134	122	25,000	6	3



¹All technical parameters apply to the complete lamp. Due to the complex manufacturing process of light emitting diodes, the specified typical values of the LED parameters merely represent purely statistical variables. They do not necessarily correspond to the actual technical parameters or each individual product, which can deviate from the typical value

LED lamps can be operated with a wide variety of commercially-available dimmers; details and results of compatibility tests can be seen at www.ledvance.com/dim and in the additional technical product information sheets linked there

LTO/0550